



31-2021 ADDENDUM 01

RON DUHAMEL TENNIS COURT CONSTRUCTION

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: March 5, 2021
BY: Courtney Klassen
TELEPHONE NO. 204 451-2723

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

PART E – SPECIFICATIONS

Revise: E1.3 to read: Bidders are reminded that requests for approval of substitutes as an approved equal or an approved alternative shall be made in accordance with B7. In every instance where a brand name or design specification is used, the City will also consider approved equals and/or approved alternatives in accordance with B7.

Add: E1.4 to read: The following are applicable to the Work:

<u>Drawing No.</u>	<u>Drawing Name/Title</u>
R.60-A1-R1	Existing Conditions & Removals
R.60-A2-R1	Details
R.60-A3	Proposed
SCD-301	Sports Standard Footing Detail Straight Pile
SCD-304	Tennis & Basketball Fencing and Gate Detail
SCD-305	Typical Sport Court Section

Add: E15.2.4 (c) Approved as an equal for the 100% Acrylic Filler Course;

- (i) Manufacturer: Laykold
- (ii) Specifications: https://ebinder.sportsbyapt.com/wp-content/uploads/2020/04/Laykold-Acrylic-Resurfacer-TDS_041520.pdf
- (iii) Supplier & Installer:
 - Prairie Surfaces
 - 971 Powell Ave.
 - Winnipeg, MB R3H 0H4
 - Ph: (204) 295-5520

Add: E15.2.6 (c) Approved as an equal for the Acrylic Color Playing Surface;

- (i) Manufacturer: Laykold

- (ii) Specifications: https://ebinder.sportsbyapt.com/wp-content/uploads/2020/03/Laykold_Advantage_Spec_032720.pdf
- (iii) Supplier & Installer:
 - Prairie Surfaces
971 Powell Ave.
Winnipeg, MB R3H 0H4
Ph: (204) 295-5520

Delete: E16.2.1(d)

Revise: E16.3.2(a) to read: (a) Tennis posts and anchors to be installed into concrete pile as per **SCD-301**. Piles to be 6.5 m deep straight piles 400 mm in diameter and reinforced with metal cage or as per manufacturers requirements, or engineers requirements whichever is more stringent.

Delete: E16.3.2(a)(v)

Delete: E16.3.2(a)(vi)

DRAWINGS

Replace: 31-2021_Drawing_R.60-A1-R0 with 31-2021_Addendum_01_Drawing_R.60-A1-R1

31-2021_Drawing_R.60-A2-R0 with Drawing 31-2021_Addendum_01_Drawing_R.60-A2-R1

Add: 31-2021_Addendum_01_Drawing_R.60-A3-R0

31-2021_Addendum_01_Drawing_SCD-301_R0

Delete: 31-2021_Drawing_SCD-340-R0