


CONCRETE SPRAY PAD BASIN NOTES:


- MAX. AGGREGATE 19mm
- MIN. 32 MPa @ 28 DAYS
- EXPOSURE CLASS F1
- ENTRAINED AIR 6-9%
- EXPOXY COATED REINFORCING STEEL
- REFER ALSO TO WRITTEN SPECIFICATIONS
- REFER TO GRADING PLAN FOR SLOPES



1 CONCRETE SPRAY PAD BASIN
SCALE - 1 : 10

NOTES:

REFER ALSO TO CITY OF WINNIPEG
SCD-662, SCD-662A AND CW 3325 AND TO
SPRAY PAD WRITTEN SPECIFICATIONS




2 CONCRETE SPRAY PAD BASIN EDGE
SCALE - 1 : 10

SPRAY PAD BOULDERS REFERENCE IMAGES



Ø750-1000mm BLACK GRANITE BOULDERS WITH FLAT / CUT FACE UNDERSIDE, ENSURE NO SHARP CORNERS, BOULDERS TO BE SELECTED AND APPROVED IN COORDINATION WITH CONTRACT ADMINISTRATOR



3 GRANITE BOULDERS AT SPRAY PAD
SCALE - 1 : 10

LEGEND:

GENERAL NOTES

- ALL DIMENSIONS ARE IN METRIC UNLESS NOTED OTHERWISE
- REFER TO WRITTEN SPECIFICATIONS

REV	YY / MM / DD	DESCRIPTION	BY
0	24 / 01 / 22	ISSUED FOR TENDER	JW

A	B
SECTION LETTER OR DETAIL NUMBER, DRAWING WHERE SECTION OR DETAIL IS DRAWN.	DRAWING WHERE SECTION OR DETAIL IS INDICATED.

SEAL

CLIENT



SCATLIFF + MILLER + MURRAY
visionary urban design + landscapes

PROJECT VALOUR COMMUNITY CENTRE
SPRAY PAD AND PLAYGROUND
TITLE SPRAY PAD DETAILS

DESIGN	DRAWN	DATE - Y / M / D	SCALE
JW CT	JW CT	24 / 01 / 22	AS SHOWN
CHECKED	APPROVED	PROJECT NO.	DRAWING NO.
JW	JW	22-0107-008	L202