



**Concrete Spray Basin Notes:**  
 Max. Aggregate 19mm  
 Min. 32 MPa @ 28 Days  
 Exposure Class F1  
 Entrained Air 6-9%  
 Epoxy Coated Reinforcing Steel









1 SPRAY PAD CONCRETE DETAIL  
 L-006 1:10



2 100mm THICK CONCRETE PAVING DETAIL  
 L-006 1:10



3 SPRAY PAD EDGE DETAIL  
 L-006 1:10



4 DECORATIVE FENCE FEATURE CONCEPT  
 L-006 1:10

Location of underground structures as shown are based on the best information available but no guarantee is given that all existing utilities are shown or that the given locations are exact. Confirmation of existence and exact location of all services must be obtained from the individual utilities before proceeding with construction.  
 DO NOT SCALE DRAWING - PLOT MAY NOT BE AT 100%



NO.	REVISION / NOTE	DATE	BY
9			
8			
7			
6			
5			
4			
3			
2			
1			

PROJECT  
 SPRAY PAD DEVELOPMENT  
 CHAMPLAIN COMMUNITY CENTRE  
 282 NIVERVILLE AVENUE

SCALE	AS SHOWN
DATE	JUNE 27, 2023
DRAWN BY	EC
CHECKED BY	EC
PROJECT NO.	2207

DRAWING TITLE  
 DETAILS  
 SHEET NO.