



## 953-2023 ADDENDUM 1

### PARTIAL ROOF REPLACEMENT – SEVEN OAKS POOL – 444 ADSUM

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO  
WHOEVER IS IN POSSESSION OF THE  
BID/PROPOSAL**

ISSUED: December 5, 2023  
BY: Mike Rothwell  
TELEPHONE NO. 204 451-4096

**THIS ADDENDUM SHALL BE INCORPORATED  
INTO THE BID/PROPOSAL AND SHALL FORM  
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2021-03-05

---

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.**

---

#### **PART E – SPECIFICATIONS**

Revise: E2.11.2 to read: Membrane Stripping:

1 ply Siplast Paradiene 20 SA with 1 ply Siplast Parafor 30 TG cap sheet, 1 ply Soprema Sopraply Flam Stick base and 1 ply Sopraply Traffic Cap Plus G.P. 4.0 cap sheet or approved equal.

Delete: E4.3