



230-2025_ADDENDUM_2

2025 LOCAL STREET RENEWALS – ALUMNI PLACE, CARTER AVENUE AND VARIOUS LOCATIONS

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE
BID/PROPOSAL**

ISSUED: April 16, 2025
BY: Richard Hawkins
TELEPHONE NO. 204 259 1566

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID/PROPOSAL AND SHALL FORM
A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2024-02-01

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

FORM B: PRICES

Replace: 230-2025_Form B-Prices with 230-2025_Addendum _2 - Form B-Prices. The following is a summary of changes incorporated in the replacement Bid/Proposal Submission:

Form B(R1): Revise Items: A.3 i), C.3 i), D.6 to D.27, J.2 i), Q.1 to Q.16

Revise Approx. Quantity for Items: A.1, A.4 i), A.16 i) a), A.16 i) b), C.1, C.18 i) a), C.18 i) b), J.21 i) a), J.21 i) b),

Add items: D.28, Q.17

Page numbering on some forms may be changed as a result.

PART D – SUPPLEMENTAL CONDITIONS

Add: D15.1(d)

d) All risks property insurance for all Contractors equipment and tools to be used in connection of the Works.

Revise: D15.1(a) to read:

- a) commercial general liability insurance, in the amount of at least five million dollars (\$5,000,000.00) inclusive, with The City of Winnipeg and Manitoba Hydro added as an additional insured, with a cross-liability clause, such liability policy to also contain contractual liability, unlicensed motor vehicle liability, non-owned automobile liability and products and completed operations, to remain in place at all times during the performance of the Work and throughout the warranty period;

Replace: Form M with the attached Form. The following is a summary of changes incorporated in the replacement forms:

Form M(R1): Fixed Error! Reference source not found.

Page numbering on some forms may be changed as a result.

PART E – SPECIFICATIONS

Add: E30 Repair / Replace Manhole Benching

E30. REPAIR / REPLACE MANOLE BENCHING

DESCRIPTION

E30.1 General

E30.1.1 This Specification covers the repair / replacement of benching in existing manholes.

CONSTRUCTION METHODS

E30.2 Repair / Replace Manhole Benching

E30.2.1 The Contractor shall remove and dispose of existing loose or crumbling benching mortar or concrete to the satisfaction of the Contract Administrator.

E30.2.2 The Contractor shall bench and channel manhole floor with mortar or concrete in accordance with CW 2130, SD-010 and SD-011. Flow channels shall curve smoothly and provide a smooth transition between inlet and outlet pipes.

MEASUREMENT AND PAYMENT

E30.3 Repair / Replace Manhole Benching

E30.3.1 Repair / replacement of existing manhole benching will be measured on a unit basis and paid for at the Contract Unit Price for "Repair / Replacing Manhole Benching". The number to be paid for shall be the total number of manholes that have been repaired in accordance with this Specification, accepted and measured by the Contract Administrator.