

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
LDS	S-MA20005772	AINSLIE ST	S-MH20005292	S-MH20005293	LDS	Yes	NO		43.29	CONCRETE	375	C	2.21	AINSLIE
LDS	S-MA20005824	AINSLIE ST	S-MH20005346	S-MH20005345	LDS	No	NO	Yes	93.32	CONCRETE	1350	C	5.84	AINSLIE
LDS	S-MA20005829	AINSLIE ST	S-MH20005369	S-MH20005349	LDS	Yes	NO	Yes	88.43	CONCRETE	600	C	3.94	AINSLIE
LDS	S-MA20005755	ALDINE ST	S-MH20005304	S-MH20005278	LDS	Yes	NO		76.2	CONCRETE	300	C	1.87	AINSLIE
LDS	S-MA20005765	ALDINE ST	S-MH20005288	S-MH20005281	LDS	Yes	NO		75.58	CONCRETE	375	C	2.35	AINSLIE
LDS	S-MA20005769	ALDINE ST	S-MH20005278	S-MH20005288	LDS	Yes	NO		76.2	CONCRETE	375	C	2.35	AINSLIE
LDS	S-MA20005792	ALDINE ST	S-MH20005353	S-MH20005313	LDS	Yes	NO		45.54	CONCRETE	450	C	4.43	AINSLIE
LDS	S-MA20005077	ASSINIBOINE CR	S-MH20004639	S-MH20004644	LDS	Yes	NO		91.04	PVC	450	C	2.93	AINSLIE
LDS	S-MA20005367	ASSINIBOINE CR	S-MH20004933	S-TE20000888	LDS	Yes	NO		8.96	CONCRETE	375	C	2.64	AINSLIE
LDS	S-MA20005398	ASSINIBOINE CR	S-MH20004913	S-MH70075672	LDS	No	NO		102.03	STEEL	2280	C	4.05	AINSLIE
LDS	S-MA20005399	ASSINIBOINE CR	S-MH20004914	S-TE20000887	LDS	Yes	NO		17.68	CONCRETE	450	C	2.46	AINSLIE
LDS	S-MA20020055	ASSINIBOINE CR	S-MH20017946	S-MH20004933	LDS	Yes	NO		117.85	CONCRETE	375	C	2.64	AINSLIE
LDS	S-MA70035205	ASSINIBOINE CR	S-MH20004598	S-MH70013279	LDS	Yes	NO		47.24	CONCRETE	375	C	1.58	AINSLIE
LDS	S-MA70079970	ASSINIBOINE CR	S-CB20004645	S-MH20004633	LDS	Yes	NO		3.32	CONCRETE	300	C	1.36	AINSLIE
LDS	S-MA20003574	BOOTH DR	S-MH20005164	S-MH20003565	LDS	No	NO		190.86	CONCRETE	1650	C	6.36	AINSLIE
LDS	S-MA20006239	BOURKEWOOD PL	S-MH20005714	S-MH20005715	LDS	Yes	NO		79.25	CONCRETE	600	C	3.77	AINSLIE
LDS	S-MA20006290	BOURKEWOOD PL	S-MH20005789	S-MH20005750	LDS	Yes	NO		76.2	CONCRETE	300	C	2.85	AINSLIE
LDS	S-MA20006324	BOURKEWOOD PL	S-MH20005800	S-MH20005789	LDS	Yes	NO		44.04	CONCRETE	250	C	2.02	AINSLIE
LDS	S-MA20006329	BOURKEWOOD PL	S-MH20005809	S-MH20005808	LDS	Yes	NO		32.61	CONCRETE	375	C	2.43	AINSLIE
LDS	S-MA20006078	BRAINTREE CR	S-MH20006065	S-MH20005578	LDS	Yes	NO	Yes	110.64	CONCRETE	525	C	4.02	AINSLIE
LDS	S-MA20006085	BRAINTREE CR	S-MH20005584	S-MH20005575	LDS	Yes	NO		62.48	CONCRETE	250	C	2.33	AINSLIE
LDS	S-MA20006102	BRAINTREE CR	S-MH20005600	S-TE20001135	LDS	Yes	NO	Yes	106.7	CONCRETE	600	C	5.44	AINSLIE
LDS	S-MA20006185	BRAINTREE CR	S-MH20005693	S-TE20001132	LDS	Yes	NO		71.74	CONCRETE	600	C	5.59	AINSLIE
LDS	S-MA20006590	BRAINTREE CR	S-MH20006055	S-MH20006066	LDS	Yes	NO		113.39	CONCRETE	375	C	3.1	AINSLIE
LDS	S-MA20006593	BRAINTREE CR	S-MH20006058	S-MH20006065	LDS	Yes	NO		108.05	CONCRETE	375	C	3.07	AINSLIE
LDS	S-MA20006601	BRAINTREE CR	S-MH20006066	S-MH20006065	LDS	Yes	NO		78.6	CONCRETE	375	C	3.13	AINSLIE
LDS	S-MA20005498	BRUCE AV	S-MH20005565	S-MH20005029	LDS	Yes	NO	Yes	86.72	CONCRETE	525	C	3.81	AINSLIE
LDS	S-MA20006063	BRUCE AV	S-MH20005564	S-MH20005565	LDS	Yes	NO	Yes	73.8	CONCRETE	525	C	3.37	AINSLIE
LDS	S-MA20006382	BRUCE AV	S-MH20005895	S-MH20005869	LDS	Yes	NO		49.4	CONCRETE	375	C	2.69	AINSLIE
LDS	S-MA20006390	BRUCE AV	S-MH20005872	S-MH20005323	LDS	No	NO	Yes	164.3	CONCRETE	1350	C	5.13	AINSLIE
LDS	S-MA20006397	BRUCE AV	S-MH20005879	S-MH20005369	LDS	Yes	NO	Yes	86.75	CONCRETE	450	C	3.33	AINSLIE
LDS	S-MA20006400	BRUCE AV	S-MH20005881	S-MH20005879	LDS	Yes	NO	Yes	61.45	CONCRETE	450	C	2.98	AINSLIE
LDS	S-MA70006434	BRUCE AV	S-MH70002764	S-MH70002785	LDS	Yes	NO		115.97	CONCRETE	600	C	2.93	AINSLIE
LDS	S-MA70149982	BRUCE AV	S-MH70074841	S-MH20005890	LDS	Yes	NO		191.33	PVC	300	C	0	AINSLIE
LDS	S-MA20006176	CORNWALL AV	S-MH20005666	S-MH20005665	LDS	No	NO	Yes	149.7	CONCRETE	1800	C	5.37	AINSLIE
LDS	S-MA20006228	CORNWALL AV	S-MH20005705	S-MH20005706	LDS	Yes	NO		82.33	CONCRETE	450	C	3.87	AINSLIE
LDS	S-MA20006109	CORNWALL BV	S-MH20005610	S-MH20005663	LDS	Yes	NO	Yes	102.42	CONCRETE	525	C	3.73	AINSLIE
LDS	S-MA20006173	CORNWALL BV	S-MH20005706	S-TE20001127	LDS	Yes	NO	Yes	71.41	CONCRETE	450	C	3.87	AINSLIE
LDS	S-MA20006175	CORNWALL BV	S-MH20005665	S-MH20005667	LDS	No	NO	Yes	115.58	CONCRETE	1800	C	5.79	AINSLIE
LDS	S-MA20006178	CORNWALL BV	S-MH20005663	S-TE20001129	LDS	Yes	NO	Yes	61.92	CONCRETE	525	C	3.62	AINSLIE
LDS	S-MA70030626	CORNWALL BV	S-MH20005667	S-MH20005650	LDS	No	NO	Yes	132.9	CONCRETE	1800	C	4.06	AINSLIE
LDS	S-MA20006646	CREE CR	S-MH20006114	S-MH20006121	LDS	Yes	NO		113.08	CONCRETE	375	C	2.82	AINSLIE
LDS	S-MA20006650	CREE CR	S-MH20006121	S-MH20006118	LDS	Yes	NO		88.7	CONCRETE	375	C	2.82	AINSLIE
LDS	S-MA20006651	CREE CR	S-MH20006118	S-MH20006196	LDS	Yes	NO		120.4	CONCRETE	375	C	2.77	AINSLIE
LDS	S-MA20006662	CREE CR	S-MH20006127	S-MH20006114	LDS	Yes	NO		115.52	CONCRETE	375	C	2.78	AINSLIE
LDS	S-MA20006733	CREE CR	S-MH20006196	S-MH20006200	LDS	Yes	NO		137.57	CONCRETE	600	C	2.96	AINSLIE
LDS	S-MA20006740	CREE CR	S-MH20006204	S-MH20006201	LDS	Yes	NO		18.14	CONCRETE	525	C	2.93	AINSLIE
LDS	S-MA20006743	CREE CR	S-MH20006201	S-MH20006207	LDS	Yes	NO		108.66	CONCRETE	750	C	3.24	AINSLIE
LDS	S-MA20006744	CREE CR	S-MH20006200	S-MH20006201	LDS	Yes	NO		61.76	CONCRETE	600	C	2.96	AINSLIE
LDS	S-MA20005497	GOLDEN GATE BY	S-MH20005029	S-MH20005030	LDS	Yes	NO	Yes	102.39	CONCRETE	600	C	4.23	AINSLIE
LDS	S-MA20005828	GOLDEN GATE BY	S-MH20005349	S-MH20005360	LDS	Yes	NO	Yes	85.01	CONCRETE	600	C	4.33	AINSLIE
LDS	S-MA20005640	HARCOURT ST	S-MH20005184	S-MH20005164	LDS	No	NO		143.69	CONCRETE	1650	C	5.7	AINSLIE
LDS	S-MA20005658	HARCOURT ST	S-MH20005180	S-MH20005182	LDS	No	NO		109.42	CONCRETE	900	C	4.06	AINSLIE
LDS	S-MA20005660	HARCOURT ST	S-MH20005182	S-CN00136186	LDS	No	NO		113.08	CONCRETE	900	C	4.06	AINSLIE
LDS	S-MA20006383	HARCOURT ST	S-MH20005869	S-MH20005862	LDS	Yes	NO		91.26	CONCRETE	600	C	2.87	AINSLIE
LDS	S-MA20006270	JAMESWOOD DR	S-MH20005786	S-MH20005746	LDS	Yes	NO		124.35	CONCRETE	375	C	2.86	AINSLIE
LDS	S-MA20006090	LADYWOOD DR	S-MH20005578	S-MH20005610	LDS	Yes	NO	Yes	98.45	CONCRETE	525	C	4.02	AINSLIE
LDS	S-MA20006093	LADYWOOD DR	S-MH20005593	S-MH20005600	LDS	Yes	NO	Yes	107.87	CONCRETE	525	C	5.44	AINSLIE
LDS	S-MA20006096	LADYWOOD DR	S-MH20005606	S-MH20005593	LDS	Yes	NO	Yes	85.34	CONCRETE	450	C	3.62	AINSLIE
LDS	S-MA20006271	LEICESTER SQ	S-MH20005763	S-MH20005747	LDS	Yes	NO		119.45	CONCRETE	600	C	3.31	AINSLIE
LDS	S-MA20006278	LEICESTER SQ	S-MH20005754	S-MH20005747	LDS	Yes	NO		25.76	CONCRETE	300	C	3.02	AINSLIE
LDS	S-MA20006288	LEICESTER SQ	S-MH20005782	S-MH20005763	LDS	Yes	NO		74.32	CONCRETE	525	C	2.78	AINSLIE
LDS	S-MA20006308	LEICESTER SQ	S-MH20005808	S-MH20005782	LDS	Yes	NO		91.14	CONCRETE	525	C	2.57	AINSLIE
LDS	S-MA20005323	LODGE AV	S-MH20005345	S-MH20005031	LDS	No	NO	Yes	167.49	CONCRETE	1350	C	5.84	AINSLIE
LDS	S-MA20005499	LODGE AV	S-MH20005030	S-MH20005031	LDS	Yes	NO	Yes	124.35	CONCRETE	600	C	5.04	AINSLIE
LDS	S-MA20005503	LODGE AV	S-MH20005034	S-MH20005031	LDS	Yes	NO		144.08	CONCRETE	600	C	5.05	AINSLIE
LDS	S-MA20005786	LODGE AV	S-MH20005309	S-MH20005313	LDS	Yes	NO		104.85	CONCRETE	300	C	2.4	AINSLIE
LDS	S-MA20005798	LODGE AV	S-MH20005316	S-TE20001015	LDS	Yes	NO	Yes	9.55	CONCRETE	600	C	5.64	AINSLIE
LDS	S-MA20005809	LODGE AV	S-MH20005322	S-MH20005262	LDS	No	NO	Yes	122.3	CONCRETE	1350	C	5.87	AINSLIE
LDS	S-MA20005811	LODGE AV	S-MH20005333	S-MH20005346	LDS	Yes	NO		82.2	CONCRETE	600	C	4.5	AINSLIE
LDS	S-MA20005813	LODGE AV	S-MH20005302	S-MH20005359	LDS	Yes	NO		121.92	CONCRETE	300	C	2.77	AINSLIE
LDS	S-MA20005825	LODGE AV	S-MH20005360	S-MH20005345	LDS	Yes	NO	Yes	66.11	CONCRETE	600	C	5.08	AINSLIE
LDS	S-MA20005838	LODGE AV	S-MH20005359	S-MH20005353	LDS	Yes	NO		36.58	CONCRETE	300	C	3.19	AINSLIE
LDS	S-MA20005843	LODGE AV	S-PL20001017	S-MH20005346	LDS	Yes	NO		2	CONCRETE	300	C	4.86	AINSLIE
LDS	S-MA70006525	LODGE AV	S-MH70002808	S-MH70002826	LDS	Yes	NO		115.19	CONCRETE	750	C	3.43	AINSLIE
LDS	S-MA70029406	LODGE AV	S-MH70074821	S-CN00136187	LDS	Yes	NO	Yes	88.66	CONCRETE	375	C	2.26	AINSLIE
LDS	S-MA70029407	LODGE AV	S-CB200005269	S-CN00136187	LDS	Yes	NO	Yes	131.67	CONCRETE	375	C	0	AINSLIE
LDS	S-MA70050602	LODGE AV	S-MH70021746	S-MH20005164	LDS	Yes	NO		71	CONCRETE	300	C	5.73	AINSLIE
LDS	S-MA20005773	MORAY ST	S-MH20005293	S-MH20005334	LDS	Yes	YES		119.7	CONCRETE	525	C	3.02	AINSLIE
LDS	S-MA20005810	MORAY ST	S-MH20005332	S-MH20005333	LDS	Yes	YES		53.6	CONCRETE	600	C	4.29	AINSLIE
LDS	S-MA20005812	MORAY ST	S-MH20005334	S-MH20005332	LDS	Yes	YES		120	CONCRETE	525	C	4	AINSLIE
LDS	S-MA20006479	MORAY ST	S-MH20005955	S-MH20005953	LDS	Yes	YES		21.64	CONCRETE	250	C	5.71	AINSLIE
LDS	S-MA20006482	MORAY ST	S-MH20006014	S-MH20005953	LDS	No	YES		58.01	CONCRETE	1350	C	5.51	AINSLIE
LDS	S-MA20006540	MORAY ST	S-MH20006016	S-MH20006014	LDS	No	YES		95.62	CONCRETE	1350	C	5.53	AINSLIE
LDS	S-MA20006542	MORAY ST	S-MH20006068	S-MH20006016	LDS	No	YES		89.76	CONCRETE	1350	C	5.53	AINSLIE
LDS	S-MA20006588	MORAY ST	S-MH20006053	S-MH20006054	LDS	No	YES		134.88	CONCRETE	1350	C	4.77	AINSLIE
LDS	S-MA20006589	MORAY ST	S-MH20006190	S-MH20006053	LDS	No	YES		145.22	CONCRETE	1350	C	4.68	AINSLIE
LDS	S-MA20006623	MORAY ST	S-MH20006090	S-MH20006091	LDS	Yes	YES		121.92	CONCRETE	450	C	2.4	AINSLIE
LDS	S-MA20006635	MORAY ST	S-MH20006102	S-MH20006097	LDS	Yes	YES		110.66	CONCRETE	375	C	2.51	AINSLIE

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
LDS	S-MA20006737	MORAY ST	S-MH20006254	S-MH20006191	LDS	No	YES		133.33	CONCRETE	1650	C	3.75	AINSLIE
LDS	S-MA20006783	MORAY ST	S-MH20006245	S-MH20006246	LDS	No	YES		97.95	CONCRETE	1050	C	3.23	AINSLIE
LDS	S-MA20006793	MORAY ST	S-MH20006246	S-MH20006254	LDS	No	YES		89.13	CONCRETE	1200	C	3.41	AINSLIE
LDS	S-MA20006805	MORAY ST	S-MH20006305	S-MH20006264	LDS	Yes	YES		118.92	CONCRETE	450	C	2.98	AINSLIE
LDS	S-MA20006824	MORAY ST	S-MH20006282	S-MH20006300	LDS	Yes	YES		115.21	CONCRETE	450	C	2.55	AINSLIE
LDS	S-MA20006836	MORAY ST	S-MH20006091	S-MH20006294	LDS	Yes	YES		121.92	CONCRETE	450	C	2.31	AINSLIE
LDS	S-MA20006837	MORAY ST	S-MH20006294	S-MH20006299	LDS	Yes	YES		121.31	CONCRETE	600	C	2.61	AINSLIE
LDS	S-MA20006841	MORAY ST	S-MH20006298	S-MH20006305	LDS	Yes	YES		66.56	CONCRETE	450	C	2.83	AINSLIE
LDS	S-MA20006848	MORAY ST	S-MH20006304	S-MH20006303	LDS	Yes	YES		40.86	CONCRETE	750	C	3.21	AINSLIE
LDS	S-MA20006849	MORAY ST	S-MH20006305	S-MH20006304	LDS	Yes	YES		10.94	CONCRETE	450	C	3.04	AINSLIE
LDS	S-MA70005673	MORAY ST	S-MH70002481	S-MH70002476	LDS	Yes	YES		24.98	CONCRETE	525	C	6.31	AINSLIE
LDS	S-MA70006404	MORAY ST	S-MH70002765	S-MH70002764	LDS	Yes	YES		107.8	CONCRETE	600	C	2.93	AINSLIE
LDS	S-MA70006435	MORAY ST	S-MH70002785	S-MH70002786	LDS	Yes	YES		64.52	CONCRETE	600	C	2.79	AINSLIE
LDS	S-MA70006469	MORAY ST	S-PL70002699	S-MH20005353	LDS	Yes	YES		58.5	CONCRETE	450	C	3.19	AINSLIE
LDS	S-MA70006492	MORAY ST	S-MH70002786	S-MH70002808	LDS	Yes	YES		124.85	CONCRETE	600	C	3.28	AINSLIE
LDS	S-MA70005626	MORAY ST	S-MH70002826	S-MH70002827	LDS	Yes	YES		57.2	CONCRETE	750	C	3.51	AINSLIE
LDS	S-MA70006559	MORAY ST	S-MH70002827	S-MH70002844	LDS	Yes	YES		115.3	CONCRETE	750	C	3.51	AINSLIE
LDS	S-MA70006577	MORAY ST	S-MH70002851	S-MH70002852	LDS	Yes	YES		117.7	CONCRETE	750	C	4.17	AINSLIE
LDS	S-MA70006596	MORAY ST	S-MH70002844	S-MH70002851	LDS	Yes	YES		106.9	CONCRETE	750	C	3.24	AINSLIE
LDS	S-MA70006836	MORAY ST	S-MH70002914	S-MH70002920	LDS	No	YES		98.6	CONCRETE	900	C	6.34	AINSLIE
LDS	S-MA70006898	MORAY ST	S-MH70002920	S-MH70002945	LDS	No	YES		77.46	CONCRETE	900	C	5.57	AINSLIE
LDS	S-MA70007613	MORAY ST	S-MH20006207	S-TE70003196	LDS	Yes	YES		64	CONCRETE	750	C	3.24	AINSLIE
LDS	S-MA70007614	MORAY ST	S-MH20006191	S-MH20006190	LDS	No	YES		133.5	CONCRETE	1650	C	3.75	AINSLIE
LDS	S-MA70031876	MORAY ST	S-MH70002471	S-MH70002476	LDS	Yes	YES		30.38	CONCRETE	375	C	6.22	AINSLIE
LDS	S-MA20006788	MURRAY PARK RD	S-MH20006251	S-MH20006250	LDS	No	NO		97.49	CONCRETE	1350	C	3.17	AINSLIE
LDS	S-MA20006792	MURRAY PARK RD	S-MH20006250	S-MH20006254	LDS	No	NO		134.85	CONCRETE	1500	C	3.75	AINSLIE
LDS	S-MA20006082	NESS AV	S-MH20005582	S-MH20005601	LDS	No	YES		162.05	CONCRETE	1350	C	5.75	AINSLIE
LDS	S-MA20006104	NESS AV	S-MH20005601	S-TE20001118	LDS	No	YES		161.86	CONCRETE	1350	C	5.75	AINSLIE
LDS	S-MA20006438	NESS AV	S-MH20005918	S-MH20005925	LDS	Yes	YES	Yes	96.62	CONCRETE	525	C	2.12	AINSLIE
LDS	S-MA20006443	NESS AV	S-MH20005921	S-MH20005918	LDS	Yes	YES	Yes	104.55	CONCRETE	375	C	2.74	AINSLIE
LDS	S-MA20006466	NESS AV	S-MH20005941	S-MH20005987	LDS	Yes	YES	Yes	87.87	CONCRETE	300	C	4.65	AINSLIE
LDS	S-MA20006469	NESS AV	S-MH20006005	S-MH20005946	LDS	No	YES	Yes	15.7	CONCRETE	1200	C	4.74	AINSLIE
LDS	S-MA20006474	NESS AV	S-MH20006007	S-MH20005946	LDS	No	YES	Yes	47.39	CONCRETE	1350	C	4.74	AINSLIE
LDS	S-MA20006478	NESS AV	S-MH20005953	S-MH20005582	LDS	No	YES		161.28	CONCRETE	1350	C	5.51	AINSLIE
LDS	S-MA20006534	NESS AV	S-MH20006008	S-MH20006007	LDS	No	YES	Yes	99.36	CONCRETE	1350	C	4.03	AINSLIE
LDS	S-MA70030624	NESS AV	S-MH20005650	S-MH20005649	LDS	No	YES		164.3	CONCRETE	2100	C	6.06	AINSLIE
LDS	S-MA70054561	NESS AV	S-MH70024346	S-TE70022287	LDS	Yes	YES		17.59	PVC	300	C	3.01	AINSLIE
LDS	S-MA20005649	NIGHTINGALE RD	S-MH20005255	S-MH20005184	LDS	No	NO	Yes	99.5	CONCRETE	1500	C	6.33	AINSLIE
LDS	S-MA20006372	NIGHTINGALE RD	S-MH20005862	S-MH20005865	LDS	Yes	NO	Yes	110.59	CONCRETE	750	C	2.86	AINSLIE
LDS	S-MA20005356	OLIVE ST	S-MH20004904	S-MH20004948	LDS	Yes	NO		92.51	CONCRETE	300	C	3.2	AINSLIE
LDS	S-MA20005357	OLIVE ST	S-MH20004905	S-MH20004926	LDS	Yes	NO		59.44	CONCRETE	600	C	2.04	AINSLIE
LDS	S-MA20005359	OLIVE ST	S-MH70013279	S-MH20004925	LDS	Yes	NO		84.8	CONCRETE	450	C	2.05	AINSLIE
LDS	S-MA20005375	OLIVE ST	S-MH20004921	S-MH20004946	LDS	Yes	NO		31.14	CONCRETE	600	C	2.97	AINSLIE
LDS	S-MA20005376	OLIVE ST	S-PL20000898	S-MH20004926	LDS	Yes	NO		32.37	CONCRETE	300	C	0	AINSLIE
LDS	S-MA20005377	OLIVE ST	S-MH20004926	S-PL20000890	LDS	Yes	NO		12.09	CONCRETE	600	C	1.98	AINSLIE
LDS	S-MA20005382	OLIVE ST	S-MH20004925	S-MH20004914	LDS	Yes	NO		101.55	CONCRETE	450	C	2.46	AINSLIE
LDS	S-MA20005413	OLIVE ST	S-MH20004946	S-CN00125674	LDS	Yes	NO		63.42	CONCRETE	600	C	2.79	AINSLIE
LDS	S-MA20005414	OLIVE ST	S-MH20004947	S-MH20004946	LDS	Yes	NO		12.14	CONCRETE	300	C	4.35	AINSLIE
LDS	S-MA20005415	OLIVE ST	S-MH20004948	S-MH20004947	LDS	Yes	NO		32.07	CONCRETE	300	C	3.87	AINSLIE
LDS	S-MA20006883	OLIVE ST	S-PL20000897	S-CB20004891	LDS	Yes	NO		2	CONCRETE	375	C	0	AINSLIE
LDS	S-MA20006236	PAISLEY PL	S-MH20005747	S-MH20005714	LDS	Yes	NO		91.4	CONCRETE	600	C	3.7	AINSLIE
LDS	S-MA20006238	PAISLEY PL	S-MH20005727	S-MH20005714	LDS	Yes	NO		88.72	CONCRETE	300	C	3.64	AINSLIE
LDS	S-MA20006240	PAISLEY PL	S-MH20005750	S-MH20005715	LDS	Yes	NO		92.94	CONCRETE	450	C	3.77	AINSLIE
LDS	S-MA20005335	PINEWOOD DR	S-MH20004884	S-MH20004906	LDS	Yes	NO		81.08	CONCRETE	450	C	1.85	AINSLIE
LDS	S-MA20005358	PINEWOOD DR	S-MH20004906	S-MH20004905	LDS	Yes	NO		68.86	CONCRETE	450	C	2.04	AINSLIE
LDS	S-MA20005681	PINEWOOD DR	S-MH20005202	S-MH20004884	LDS	Yes	NO		96.33	CONCRETE	375	C	1.92	AINSLIE
LDS	S-MA20005619	PORTAGE AV	S-MH20005244	S-MH20005181	LDS	Yes	YES		106.98	CONCRETE	750	C	3.14	AINSLIE
LDS	S-MA20005659	PORTAGE AV	S-MH20005181	S-MH20005180	LDS	Yes	YES		128.27	CONCRETE	750	C	3.65	AINSLIE
LDS	S-MA20005764	PORTAGE AV	S-MH20005281	S-MH20005287	LDS	Yes	YES		82.41	CONCRETE	450	C	2.04	AINSLIE
LDS	S-MA70005632	PORTAGE AV	S-MH70002468	S-MH20005287	LDS	Yes	YES		11.4	CONCRETE	375	C	2.63	AINSLIE
LDS	S-MA70005642	PORTAGE AV	S-MH70002470	S-MH70002471	LDS	Yes	YES		72.92	CONCRETE	375	C	3.52	AINSLIE
LDS	S-MA70005672	PORTAGE AV	S-MH70002480	S-MH70002481	LDS	Yes	YES		87.64	CONCRETE	525	C	4	AINSLIE
LDS	S-MA70005689	PORTAGE AV	S-MH70002490	S-MH70002491	LDS	Yes	YES		102	CONCRETE	450	C	2.6	AINSLIE
LDS	S-MA70005690	PORTAGE AV	S-MH70002491	S-MH70002480	LDS	Yes	YES		75.98	CONCRETE	525	C	3.32	AINSLIE
LDS	S-MA70006578	PORTAGE AV	S-MH70002852	S-MH70002476	LDS	No	YES		40.42	CONCRETE	900	C	6.31	AINSLIE
LDS	S-MA70006824	PORTAGE AV	S-MH70002476	S-MH70002914	LDS	No	YES		90.07	CONCRETE	900	C	6.36	AINSLIE
LDS	S-MA20005340	RITA ST	S-MH20004890	S-MH20004900	LDS	Yes	NO		54.27	CONCRETE	375	C	2.43	AINSLIE
LDS	S-MA20005341	RITA ST	S-MH20004881	S-MH20004900	LDS	Yes	NO		2.14	CONCRETE	200	C	0.84	AINSLIE
LDS	S-MA20005352	RITA ST	S-MH20004900	S-MH20004901	LDS	Yes	NO		94.18	CONCRETE	450	C	3.1	AINSLIE
LDS	S-MA20005353	RITA ST	S-MH20004901	S-MH20004909	LDS	Yes	NO		106.98	CONCRETE	600	C	3.9	AINSLIE
LDS	S-MA20005362	RITA ST	S-MH20004909	S-MH20005034	LDS	Yes	NO		104.7	CONCRETE	600	C	4.34	AINSLIE
LDS	S-MA20005502	RITA ST	S-MH20005031	S-TE70025369	LDS	No	NO		195.48	CONCRETE	1350	C	5.83	AINSLIE
LDS	S-MA20006061	RITA ST	S-MH20005562	S-MH20005564	LDS	Yes	NO	Yes	45.66	CONCRETE	450	C	3.32	AINSLIE
LDS	S-MA20006884	RITA ST	S-CB20004891	S-MH20004890	LDS	Yes	NO		43.97	CONCRETE	375	C	0	AINSLIE
LDS	S-MA70115972	RITA ST	S-MH70056295	S-CN00125089	LDS	Yes	NO		15.4	CONCRETE	250	C	1.56	AINSLIE
LDS	S-MA20006615	SASKATCHEWAN AV	S-PL20001226	S-MH20006083	LDS	Yes	YES		12.19	CMP	250	C	1.58	AINSLIE
LDS	S-MA20006616	SASKATCHEWAN AV	S-MH20006083	S-MH20006084	LDS	Yes	YES		88.66	CONCRETE	300	C	1.65	AINSLIE
LDS	S-MA20006617	SASKATCHEWAN AV	S-MH20006084	S-MH20006086	LDS	Yes	YES		91.8	CONCRETE	300	C	2.09	AINSLIE
LDS	S-MA20006619	SASKATCHEWAN AV	S-MH20006086	S-MH20006088	LDS	Yes	YES		118.08	CONCRETE	300	C	2.52	AINSLIE
LDS	S-MA20006621	SASKATCHEWAN AV	S-MH20006088	S-MH20006106	LDS	Yes	YES		111.56	CONCRETE	300	C	2.52	AINSLIE
LDS	S-MA20006630	SASKATCHEWAN AV	S-MH20006097	S-MH20006090	LDS	Yes	YES		119.1	CONCRETE	450	C	2.51	AINSLIE
LDS	S-MA20006633	SASKATCHEWAN AV	S-MH20006100	S-MH20006097	LDS	Yes	YES		72.85	CONCRETE	375	C	2.51	AINSLIE
LDS	S-MA20006639	SASKATCHEWAN AV	S-MH20006106	S-MH20006102	LDS	Yes	YES		111.1	CONCRETE	300	C	2.19	AINSLIE
LDS	S-MA20006645	SASKATCHEWAN AV	S-MH20006112	S-MH20006100	LDS	Yes	YES		73.76	CONCRETE	375	C	2.29	AINSLIE
LDS	S-MA70160351	SASKATCHEWAN AV	S-IO00021803	S-MH20006083	LDS	Yes	YES		5.45	PVC	250	C	1.83	AINSLIE
LDS	S-MA20006796	SAULTEAUX CR	S-MH20006275	S-MH20006256	LDS	Yes	NO		96.25	CONCRETE	450	C	3.02	AINSLIE
LDS	S-MA20006797	SAULTEAUX CR	S-MH20006256	S-MH20006251	LDS	No	NO		86.27	CONCRETE	1350	C	3.32	AINSLIE
LDS	S-MA20006804	SAULTEAUX CR	S-MH20006264	S-MH20006265	LDS	Yes	NO		26.28	CONCRETE	450	C	3.17	AINSLIE
LDS	S-MA20006806	SAULTEAUX CR	S-MH20006323	S-MH20006265	LDS	Yes	NO		119.48	CONCRETE	600	C	3.17	AINSLIE

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
LDS	S-MA20006807	SAULTEAUX CR	S-MH20006265	S-MH20006245	LDS	No	NO		91.08	CONCRETE	1050	C	3.2	AINSLIE
LDS	S-MA20006813	SAULTEAUX CR	S-MH20006303	S-MH20006265	LDS	Yes	NO		101.92	CONCRETE	750	C	3.21	AINSLIE
LDS	S-MA20006817	SAULTEAUX CR	S-MH20006274	S-MH20006275	LDS	Yes	NO		115.4	CONCRETE	375	C	2.21	AINSLIE
LDS	S-MA20006842	SAULTEAUX CR	S-MH20006299	S-MH20006298	LDS	Yes	NO		28.65	CONCRETE	450	C	2.61	AINSLIE
LDS	S-MA20006843	SAULTEAUX CR	S-MH20006299	S-MH20006300	LDS	Yes	NO		17.68	CONCRETE	600	C	2.61	AINSLIE
LDS	S-MA20006844	SAULTEAUX CR	S-MH20006319	S-MH20006300	LDS	Yes	NO		128.32	CONCRETE	600	C	2.55	AINSLIE
LDS	S-MA20006845	SAULTEAUX CR	S-MH20006300	S-MH20006304	LDS	Yes	NO		79.04	CONCRETE	750	C	3.04	AINSLIE
LDS	S-MA20006859	SAULTEAUX CR	S-MH20006314	S-MH20006324	LDS	Yes	NO		23.77	CONCRETE	450	C	2.07	AINSLIE
LDS	S-MA20006860	SAULTEAUX CR	S-MH20006313	S-MH20006314	LDS	Yes	NO		72.24	CONCRETE	375	C	2.24	AINSLIE
LDS	S-MA20006863	SAULTEAUX CR	S-MH20006317	S-MH20006313	LDS	Yes	NO		74.07	CONCRETE	375	C	2.24	AINSLIE
LDS	S-MA20006865	SAULTEAUX CR	S-MH20006320	S-MH20006319	LDS	Yes	NO		115.82	CONCRETE	450	C	2.43	AINSLIE
LDS	S-MA20006868	SAULTEAUX CR	S-MH20006324	S-MH20006323	LDS	Yes	NO		119.79	CONCRETE	600	C	2.33	AINSLIE
LDS	S-MA20006181	SILVER AV	S-MH20005725	S-MH20005666	LDS	No	NO		102.17	CONCRETE	1800	C	5.37	AINSLIE
LDS	S-MA20006251	SILVER AV	S-MH20005726	S-MH20005725	LDS	No	NO		107.9	CONCRETE	1200	C	5.03	AINSLIE
LDS	S-MA20006072	SILVERWOOD BY	S-MH20005591	S-MH20005575	LDS	Yes	NO		78.64	CONCRETE	300	C	2.86	AINSLIE
LDS	S-MA20006075	SILVERWOOD BY	S-MH20005575	S-MH20005593	LDS	Yes	NO	Yes	79.25	CONCRETE	450	C	3.62	AINSLIE
LDS	S-MA20006081	SILVERWOOD BY	S-MH20005581	S-MH20005591	LDS	Yes	NO		81.38	CONCRETE	450	C	2.86	AINSLIE
LDS	S-MA70128440	SINAWIK BY	S-MH70063866	S-MH70063868	LDS	Yes	NO	Yes	48.67	PVC	450	C	2.49	AINSLIE
LDS	S-MA70128441	SINAWIK BY	S-MH70063868	S-MH20005562	LDS	Yes	NO	Yes	48.3	PVC	450	C	2.56	AINSLIE
LDS	S-MA20006434	STRAUSS DR	S-MH20005912	S-MH20005914	LDS	Yes	NO	Yes	48.77	CONCRETE	375	C	2.49	AINSLIE
LDS	S-MA20006518	STRAUSS DR	S-MH20005993	S-MH20006045	LDS	Yes	NO	Yes	70.27	CONCRETE	600	C	3.82	AINSLIE
LDS	S-MA20006519	STRAUSS DR	S-MH20005992	S-MH20006045	LDS	No	NO		94.61	CONCRETE	1050	C	4.07	AINSLIE
LDS	S-MA20006520	STRAUSS DR	S-MH20005994	S-MH20005995	LDS	No	NO		107.29	CONCRETE	1050	C	3.96	AINSLIE
LDS	S-MA20006556	STRAUSS DR	S-MH20006026	S-MH20006048	LDS	Yes	NO		111.56	CONCRETE	450	C	2.48	AINSLIE
LDS	S-MA20006559	STRAUSS DR	S-MH20006029	S-MH20006026	LDS	Yes	NO		20.42	CONCRETE	300	C	2.13	AINSLIE
LDS	S-MA20006569	STRAUSS DR	S-MH20006048	S-MH20006038	LDS	Yes	NO		120.56	CONCRETE	600	C	2.74	AINSLIE
LDS	S-MA20006573	STRAUSS DR	S-MH20006038	S-MH20006045	LDS	Yes	NO		57.29	CONCRETE	600	C	3.96	AINSLIE
LDS	S-MA20006594	STRAUSS DR	S-MH20006054	S-MH20006068	LDS	No	NO		143.41	CONCRETE	1350	C	5.11	AINSLIE
LDS	S-MA70027288	STRAUSS DR	S-MH20005997	S-MH70009656	LDS	Yes	NO		14.94	CONCRETE	375	C	2.25	AINSLIE
LDS	S-MA70027289	STRAUSS DR	S-MH70009656	S-MH20005994	LDS	Yes	NO		20.73	CONCRETE	375	C	0	AINSLIE
LDS	S-MA70027361	STRAUSS DR	S-MH20006045	S-MH20006008	LDS	No	NO		101.27	CONCRETE	1350	C	4.06	AINSLIE
LDS	S-MA20005725	THOMPSON DR	S-MH20005287	S-MH20005247	LDS	Yes	NO		143.22	CONCRETE	600	C	2.6	AINSLIE
LDS	S-MA20005734	THOMPSON DR	S-MH20005262	S-MH20005255	LDS	No	NO	Yes	102.31	CONCRETE	1500	C	6.33	AINSLIE
LDS	S-MA20006376	THOMPSON DR	S-MH20005865	S-TE20001178	LDS	Yes	NO	Yes	118.74	CONCRETE	750	C	2.86	AINSLIE
LDS	S-MA20006424	THOMPSON DR	S-MH20005913	S-MH20005982	LDS	Yes	NO	Yes	97.47	CONCRETE	450	C	3.12	AINSLIE
LDS	S-MA20006431	THOMPSON DR	S-MH20005914	S-MH20005913	LDS	Yes	NO	Yes	96.62	CONCRETE	450	C	2.83	AINSLIE
LDS	S-MA20006447	THOMPSON DR	S-MH20005925	S-MH20005987	LDS	Yes	NO	Yes	99.36	CONCRETE	600	C	2.42	AINSLIE
LDS	S-MA20006506	THOMPSON DR	S-MH20005982	S-MH20005993	LDS	Yes	NO	Yes	70.1	CONCRETE	600	C	3.82	AINSLIE
LDS	S-MA20006511	THOMPSON DR	S-MH20005986	S-MH20005987	LDS	Yes	NO	Yes	114.5	CONCRETE	600	C	3.38	AINSLIE
LDS	S-MA20006512	THOMPSON DR	S-MH20005987	S-MH20006005	LDS	No	NO	Yes	117	CONCRETE	1200	C	3.77	AINSLIE
LDS	S-MA20006517	THOMPSON DR	S-MH20005995	S-MH20005992	LDS	No	NO		102.41	CONCRETE	1050	C	3.96	AINSLIE
LDS	S-MA20005784	WALLASEY ST	S-MH20005307	S-MH20005316	LDS	Yes	NO	Yes	60.52	CONCRETE	300	C	2.84	AINSLIE
LDS	S-MA20005795	WALLASEY ST	S-MH20005313	S-MH20005316	LDS	Yes	NO	Yes	78.72	CONCRETE	600	C	5.64	AINSLIE
LDS	S-MA20005800	WALLASEY ST	S-MH20005323	S-MH20005322	LDS	No	NO	Yes	156.36	CONCRETE	1350	C	5.87	AINSLIE
LDS	S-MA20006389	WALLASEY ST	S-MH20005890	S-TE20001177	LDS	Yes	NO	Yes	84.91	CONCRETE	450	C	2.56	AINSLIE
LDS	S-MA20006470	WALLASEY ST	S-MH20005946	S-MH20005947	LDS	No	NO	Yes	152.1	CONCRETE	1350	C	5.18	AINSLIE
LDS	S-MA70046724	WALLASEY ST	S-MH20005947	S-MH20005872	LDS	No	NO	Yes	141.66	CONCRETE	1350	C	5.18	AINSLIE
LDS	S-MA20006216	WHYTEWOLD RD	S-MH20005746	S-MH20005705	LDS	Yes	NO		121.92	CONCRETE	450	C	3.95	AINSLIE
LDS	S-MA20006217	WHYTEWOLD RD	S-MH20005715	S-MH20005693	LDS	Yes	NO		80.46	CONCRETE	750	C	4.97	AINSLIE
LDS	S-MA70109172	WIHURI RD	S-MH70053447	S-MH20006325	LDS	Yes	NO		36.15	CONCRETE	450	C	4.15	AINSLIE
LDS	S-MA70109174	WIHURI RD	S-MH70053448	S-MH70053449	LDS	Yes	NO		139.71	CONCRETE	450	C	4.36	AINSLIE
LDS	S-MA70109175	WIHURI RD	S-MH70053449	S-MH70053450	LDS	Yes	NO		137.49	CONCRETE	450	C	3.36	AINSLIE
LDS	S-MA70109176	WIHURI RD	S-MH70053450	S-MH70053447	LDS	Yes	NO		130.91	CONCRETE	450	C	4.1	AINSLIE
LDS	S-MA20005059	WINDHAM RD	S-MH20005197	S-MH20004644	LDS	Yes	NO		83.29	PVC	375	C	3.02	AINSLIE
LDS	S-MA20005078	WINDHAM RD	S-MH20005189	S-MH20004644	LDS	Yes	NO		32.31	PVC	300	C	3.14	AINSLIE
LDS	S-MA20005722	WOODBRIIDGE RD	S-MH20005247	S-MH20005244	LDS	Yes	NO		101.5	CONCRETE	750	C	2.87	AINSLIE
REINSPECTION	S-MA70007226	0	S-MH50010816	S-MH70003140	CS	No	NO		5.4	CONCRETE	2700 x 1800	0	7.28	MISSION
REINSPECTION	S-MA70019573	0	S-PL70083691	S-TE50001723	CS	Yes	NO		3.43	VC	300	0	0	MISSION
REINSPECTION	S-MA70019573	0	S-MH50008209	S-MH70078858	CS	Yes	NO		90	VC	375	0	6.58	MISSION
REINSPECTION	S-MA50002497	ARCHIBALD ST	S-MH50002104	S-MH70027266	WWS	Yes	YES		84.41	CONCRETE	300	C	4.41	MISSION
REINSPECTION	S-MA50002502	ARCHIBALD ST	S-MH50002109	S-MH50002111	WWS	Yes	YES		97.3	CONCRETE	300	C	3.9	MISSION
REINSPECTION	S-MA50002544	ARCHIBALD ST	S-MH50002137	S-MH50002117	CS	No	YES		94.86	CONCRETE	1200 x 800	E	5.13	MISSION
REINSPECTION	S-MA50002546	ARCHIBALD ST	S-MH50002111	S-MH70027266	CS	No	YES		102.56	CONCRETE	1200 x 800	E	5.41	MISSION
REINSPECTION	S-MA50002590	ARCHIBALD ST	S-MH50002188	S-MH50002189	WWS	Yes	YES		100.92	VC	300	C	4.38	MISSION SEPARATE
REINSPECTION	S-MA50002591	ARCHIBALD ST	S-MH50002189	S-MH50002183	CS	No	YES		91.78	CONCRETE	900	C	4.92	MISSION SEPARATE
REINSPECTION	S-MA50002598	ARCHIBALD ST	S-MH70027266	S-MH50002196	CS	No	YES		76.02	CONCRETE	1200 x 800	E	5.41	MISSION
REINSPECTION	S-MA50002599	ARCHIBALD ST	S-MH50002196	S-MH50002197	CS	No	YES		95.58	CONCRETE	1200 x 800	E	5.75	MISSION
REINSPECTION	S-MA50002600	ARCHIBALD ST	S-MH50002197	S-MH50002198	CS	No	YES		104.26	CONCRETE	1200 x 800	E	5.93	MISSION
REINSPECTION	S-MA50002601	ARCHIBALD ST	S-MH50002198	S-MH50002199	CS	No	YES		132.46	CONCRETE	1200 x 800	E	6.28	MISSION
REINSPECTION	S-MA50002860	ARCHIBALD ST	S-MH50002154	S-MH70046276	CS	Yes	YES		65.51	CONCRETE	750	C	5.05	MISSION
REINSPECTION	S-MA50007714	ARCHIBALD ST	S-MH50006619	S-MH50006620	WWS	Yes	YES		81.86	VC	300	C	4.38	MISSION SEPARATE
REINSPECTION	S-MA50007755	ARCHIBALD ST	S-MH50006656	S-MH50006657	CS	Yes	YES	Yes	76.6	CONCRETE	450	C	3.84	MISSION
REINSPECTION	S-MA50007765	ARCHIBALD ST	S-MH50006665	S-MH50006620	CS	No	YES		43.09	CONCRETE	900	C	4.65	MISSION SEPARATE
REINSPECTION	S-MA50007767	ARCHIBALD ST	S-MH50006620	S-MH50002189	CS	No	YES		91.97	CONCRETE	900	C	4.69	MISSION SEPARATE
REINSPECTION	S-MA50007770	ARCHIBALD ST	S-MH50006633	S-MH50006665	CS	Yes	YES		49.9	CONCRETE	600	C	4.72	MISSION SEPARATE
REINSPECTION	S-MA50008589	ARCHIBALD ST	S-MH50002199	S-MH50007228	CS	No	YES		66	CONCRETE	1200 x 800	E	6.91	MISSION
REINSPECTION	S-MA50008590	ARCHIBALD ST	S-MH50007228	S-MH50007229	CS	No	YES		43.93	CONCRETE	1200 x 800	E	6.83	MISSION
REINSPECTION	S-MA50008661	ARCHIBALD ST	S-MH50002167	S-MH70022395	CS	Yes	YES		112.04	CONCRETE	375	C	4.63	MISSION
REINSPECTION	S-MA50009080	ARCHIBALD ST	S-MH50007526	S-MH50007527	CS	Yes	YES		95.53	CONCRETE	450	C	2.97	MISSION
REINSPECTION	S-MA50009081	ARCHIBALD ST	S-MH50007527	S-MH50007528	CS	Yes	YES		85	CONCRETE	450	C	2.97	MISSION
REINSPECTION	S-MA50009082	ARCHIBALD ST	S-MH50007528	S-MH50007529	CS	Yes	YES		89.2	CONCRETE	450	C	3.04	MISSION
REINSPECTION	S-MA50009846	ARCHIBALD ST	S-MH50008101	S-MH50008099	CS	Yes	YES		109.71	VC	450	C	4.84	MISSION
REINSPECTION	S-MA50009854	ARCHIBALD ST	S-MH50008108	S-MH50008101	CS	Yes	YES	Yes	90.49	VC	300	C	4.68	MISSION
REINSPECTION	S-MA50009919	ARCHIBALD ST	S-MH50008157	S-MH50008158	CS	Yes	YES		16.51	CONCRETE	375	C	4.25	MISSION
REINSPECTION	S-MA50009938	ARCHIBALD ST	S-MH50008163	S-MH50008158	CS	Yes	YES		4.29	VC	375	C	4.25	MISSION
REINSPECTION	S-MA50009970	ARCHIBALD ST	S-MH50008192	S-MH50008193	CS	Yes	YES	Yes	96.24	CONCRETE	300	C	4.11	MISSION
REINSPECTION	S-MA50009974	ARCHIBALD ST	S-MH50008194	S-MH50008195	CS	Yes	YES		100.8	VC	375	C	4.27	MISSION
REINSPECTION	S-MA50009975	ARCHIBALD ST	S-MH50008195	S-MH50008163	CS	Yes	YES		99.48	VC	375	C	4.16	MISSION
REINSPECTION	S-MA50010626	ARCHIBALD ST	S-MH50008193	S-MH50008627	CS	Yes	YES		87.19	CONCRETE	375	C	5.04	MISSION

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50010627	ARCHIBALD ST	S-MH50008627	S-MH50008628	CS	Yes	YES		79.32	CONCRETE	450	C	5.09	MISSION
REINSPECTION	S-MA50010629	ARCHIBALD ST	S-MH50008628	S-MH50008629	CS	Yes	YES		101.97	CONCRETE	450	C	5.95	MISSION
REINSPECTION	S-MA50010630	ARCHIBALD ST	S-MH50008629	S-MH50007230	CS	Yes	YES		103.91	CONCRETE	450	C	6.22	MISSION
REINSPECTION	S-MA50010696	ARCHIBALD ST	S-MH50008679	S-MH50008680	CS	Yes	YES		95.5	CONCRETE	450	C	3.67	MISSION
REINSPECTION	S-MA50010697	ARCHIBALD ST	S-MH50008680	S-MH50006655	CS	Yes	YES	Yes	98	CONCRETE	450	C	3.67	MISSION
REINSPECTION	S-MA50013609	ARCHIBALD ST	S-MH50008081	S-MH50010905	CS	No	YES		41.6	CONCRETE	2925 x 1950	E	7.93	MISSION
REINSPECTION	S-MA50013611	ARCHIBALD ST	S-MH50010905	S-MH50010906	CS	No	YES		32.64	CONCRETE	2950 x 1950	E	8.28	MISSION
REINSPECTION	S-MA50015131	ARCHIBALD ST	S-MH50012144	S-MH50012145	WWS	Yes	YES		13.6	CONCRETE	350	C	4.66	MISSION
REINSPECTION	S-MA50015132	ARCHIBALD ST	S-MH50012145	S-MH50012146	WWS	Yes	YES		24	CONCRETE	300	C	4.66	MISSION
REINSPECTION	S-MA50015133	ARCHIBALD ST	S-MH50012146	S-MH50012147	WWS	Yes	YES		12.3	CONCRETE	300	C	4.31	MISSION
REINSPECTION	S-MA50015134	ARCHIBALD ST	S-MH50012147	S-MH50012148	WWS	Yes	YES		10.2	CONCRETE	300	C	4.12	MISSION
REINSPECTION	S-MA50015135	ARCHIBALD ST	S-MH50012148	S-MH50012149	WWS	Yes	YES		14.88	CONCRETE	300	C	4.1	MISSION
REINSPECTION	S-MA50015136	ARCHIBALD ST	S-MH50012149	S-MH50012150	WWS	Yes	YES		52.6	CONCRETE	375	C	4.62	MISSION
REINSPECTION	S-MA50015137	ARCHIBALD ST	S-MH50012150	S-MH50012151	WWS	No	YES		106	CONCRETE	450	C	5.2	MISSION
REINSPECTION	S-MA50015138	ARCHIBALD ST	S-MH50012151	S-MH70058456	WWS	No	YES		63.2	CONCRETE	600	C	5.35	MISSION
REINSPECTION	S-MA70016430	ARCHIBALD ST	S-MH50007529	S-MH70006532	CS	Yes	YES		88.71	CONCRETE	450	C	3.04	MISSION
REINSPECTION	S-MA70016431	ARCHIBALD ST	S-MH70006532	S-MH50008678	CS	Yes	YES		87.61	CONCRETE	450	C	3.13	MISSION
REINSPECTION	S-MA70019992	ARCHIBALD ST	S-MH50010906	S-MH70007357	CS	No	YES		5.87	CONCRETE	2950 x 1950	E	8.28	MISSION
REINSPECTION	S-MA70028463	ARCHIBALD ST	S-MH70007357	S-TE70026471	CS	No	YES		44.33	CONCRETE	2950 x 1950	E	8.16	MISSION
REINSPECTION	S-MA70042547	ARCHIBALD ST	S-MH70022395	S-MH70046295	CS	No	YES		40.12	CONCRETE	1200 x 800	E	5.4	MISSION
REINSPECTION	S-MA70045608	ARCHIBALD ST	S-MH50006657	S-MH70019255	CS	Yes	YES	Yes	10.66	CONCRETE	600	C	4.02	MISSION
REINSPECTION	S-MA70045654	ARCHIBALD ST	S-MH70019275	S-MH50006633	CS	Yes	YES		6.61	CONCRETE	600	C	4.96	MISSION SEPARATE
REINSPECTION	S-MA70051793	ARCHIBALD ST	S-MH70046276	S-MH70022395	CS	No	YES		8.53	CONCRETE	1050	C	5.28	MISSION
REINSPECTION	S-MA70060268	ARCHIBALD ST	S-PL70034894	S-MH70027266	WWS	Yes	YES		1.47	PVC	200	C	3.17	MISSION
REINSPECTION	S-MA70060269	ARCHIBALD ST	S-PL70034895	S-MH70027266	WWS	Yes	YES		1.71	PVC	200	C	4.31	MISSION
REINSPECTION	S-MA70120653	ARCHIBALD ST	S-MH70058456	S-MH50010906	WWS	No	YES		41.28	CONCRETE	600	C	6.28	MISSION
REINSPECTION	S-MA20003750	ARMOUR CR	S-MH20003510	S-MH20003442	NO	Yes	NO		94.49	CONCRETE	600	C	3.43	WOODHAVEN
REINSPECTION	S-MA20003756	ARMOUR CR	S-MH20003442	S-MH20003443	CS	Yes	NO		91.78	CONCRETE	600	C	3.44	WOODHAVEN
REINSPECTION	S-MA20003831	ARMOUR CR	S-MH20003522	S-MH20003510	CS	Yes	NO		94.49	CONCRETE	600	C	3.1	WOODHAVEN
REINSPECTION	S-MA20003845	ARMOUR CR	S-MH20003560	S-MH20003522	CS	Yes	NO		96.16	CONCRETE	375	C	2.84	WOODHAVEN
REINSPECTION	S-MA20002842	ASSINIBOINE AV	S-MH20002590	S-MH20002588	CS	Yes	NO		106.32	CONCRETE	750	C	5.56	WOODHAVEN
REINSPECTION	S-MA20002863	ASSINIBOINE AV	S-MH20002605	S-MH20004611	CS	No	NO		107.88	CONCRETE	1200 x 800	E	8.31	WOODHAVEN
REINSPECTION	S-MA20005033	ASSINIBOINE AV	S-MH20004622	S-MH20004610	CS	Yes	NO		121.82	CONCRETE	600	C	6.29	WOODHAVEN
REINSPECTION	S-MA20005034	ASSINIBOINE AV	S-MH20004611	S-MH20004610	CS	No	NO		29.39	CONCRETE	1200	C	8.31	WOODHAVEN
REINSPECTION	S-MA20005043	ASSINIBOINE AV	S-MH20004615	S-MH20004622	CS	Yes	NO		6.13	CONCRETE	375	C	3.22	WOODHAVEN
REINSPECTION	S-MA20005044	ASSINIBOINE AV	S-MH20004623	S-MH20004622	CS	Yes	NO		98.23	CONCRETE	375	C	3.52	WOODHAVEN
REINSPECTION	S-MA20005048	ASSINIBOINE AV	S-MH20004619	S-MH20004622	CS	Yes	NO		90.53	CONCRETE	375	C	6.34	WOODHAVEN
REINSPECTION	S-MA20005052	ASSINIBOINE AV	S-MH20004624	S-MH20004623	CS	Yes	NO		109.12	CONCRETE	375	C	3.86	WOODHAVEN
REINSPECTION	S-MA20005053	ASSINIBOINE AV	S-MH20004631	S-MH20004624	CS	Yes	NO		117.12	CONCRETE	300	C	3.85	WOODHAVEN
REINSPECTION	S-MA70019661	ASSINIBOINE AV	S-MH20004610	S-MH70007232	CS	No	NO		12.18	CONCRETE	1200 x 900	E	6.42	WOODHAVEN
REINSPECTION	S-MA50003063	AULNEAU ST	S-MH50002588	S-MH50002589	CS	No	NO		94	CONCRETE	1350 x 900	E	4.38	DESPINS
REINSPECTION	S-MA50003064	AULNEAU ST	S-MH50002589	S-MH50002590	CS	No	NO		71.6	CONCRETE	1350 x 900	E	4.37	DESPINS
REINSPECTION	S-MA50003065	AULNEAU ST	S-MH50002590	S-MH50002591	CS	No	NO		60	CONCRETE	1350 x 900	E	4.68	DESPINS
REINSPECTION	S-MA50003066	AULNEAU ST	S-MH50002591	S-MH50002578	CS	No	NO		14.2	CONCRETE	1350 x 900	E	4.66	DESPINS
REINSPECTION	S-MA50003100	AULNEAU ST	S-MH50002623	S-MH50002578	CS	No	NO		14.46	CONCRETE	1150 x 750	E	4.7	DESPINS
REINSPECTION	S-MA50006253	BAUDOUX PL	S-MH50005329	S-MH50005330	CS	Yes	NO	Yes	101.95	CONCRETE	300	C	4.02	MISSION
REINSPECTION	S-MA50009078	BAUDOUX PL	S-MH50005318	S-MH50005330	CS	No	NO	Yes	97.51	CONCRETE	1500	C	4.07	MISSION
REINSPECTION	S-MA50015010	BAUDOUX PL	S-MH50012050	S-MH50005329	CS	Yes	NO	Yes	48.6	CONCRETE	300	C	2.59	MISSION
REINSPECTION	S-MA40010357	BEACH AV	S-MH40009374	S-MH40009351	CS	Yes	NO	Yes	60.9	CONCRETE	375	C	4.5	ROLAND
REINSPECTION	S-MA40010384	BEACH AV	S-MH40009375	S-MH40009374	CS	Yes	NO		57.97	CONCRETE	300	C	3.74	ROLAND
REINSPECTION	S-MA40010394	BEACH AV	S-MH40009470	S-MH40009375	CS	Yes	NO		87.8	CONCRETE	300	C	4.67	ROLAND
REINSPECTION	S-MA40010508	BEACH AV	S-MH40009486	S-MH40009488	CS	Yes	NO		85.75	CONCRETE	600	C	4.77	ROLAND
REINSPECTION	S-MA40010529	BEACH AV	S-MH40009550	S-MH40009507	CS	Yes	NO		96.31	CONCRETE	600	C	4.58	ROLAND
REINSPECTION	S-MA40010539	BEACH AV	S-MH40009506	S-MH40009507	CS	Yes	NO		87.45	CONCRETE	375	C	3.96	ROLAND
REINSPECTION	S-MA40010574	BEACH AV	S-MH40009551	S-MH40009550	CS	Yes	NO		75.67	AC	450	C	4.43	ROLAND
REINSPECTION	S-MA40010715	BEACH AV	S-MH40009685	S-MH40009686	CS	Yes	NO		21.09	CONCRETE	300	C	3.95	ROLAND
REINSPECTION	S-MA40010716	BEACH AV	S-MH40009686	S-MH40009725	CS	Yes	NO		102.58	CONCRETE	300	C	4.44	ROLAND
REINSPECTION	S-MA40010719	BEACH AV	S-MH40009690	S-MH40009689	CS	Yes	NO		44.68	CONCRETE	300	C	2.89	ROLAND
REINSPECTION	S-MA40010852	BEACH AV	S-MH40009902	S-MH40009817	CS	Yes	NO	Yes	112.44	CONCRETE	300	C	3.46	ROLAND
REINSPECTION	S-MA40010856	BEACH AV	S-MH40009922	S-MH40009823	CS	Yes	NO	Yes	85.89	CONCRETE	750	C	5.52	ROLAND
REINSPECTION	S-MA40010857	BEACH AV	S-MH40009870	S-MH40009823	CS	Yes	NO	Yes	91.44	CONCRETE	375	C	5.4	ROLAND
REINSPECTION	S-MA40010909	BEACH AV	S-MH40009869	S-MH40009867	CS	Yes	NO	Yes	58.09	CONCRETE	375	C	5.04	ROLAND
REINSPECTION	S-MA40010910	BEACH AV	S-MH40009868	S-MH40009870	CS	Yes	NO	Yes	94.49	CONCRETE	300	C	3.93	ROLAND
REINSPECTION	S-MA40010911	BEACH AV	S-MH40009869	S-MH40009868	CS	Yes	NO	Yes	49.56	CONCRETE	300	C	3.63	ROLAND
REINSPECTION	S-MA40010926	BEACH AV	S-MH40009867	S-MH40009884	CS	Yes	NO	Yes	43.16	CONCRETE	450	C	5.38	ROLAND
REINSPECTION	S-MA40010932	BEACH AV	S-MH40009351	S-MH40009867	CS	Yes	NO	Yes	57.91	CONCRETE	450	C	5.14	ROLAND
REINSPECTION	S-MA70003868	BEACH AV	S-MH70001762	S-MH70001763	CS	Yes	NO		77.97	CONCRETE	375	C	4.57	ROLAND
REINSPECTION	S-MA70003870	BEACH AV	S-MH40009817	S-MH70001762	CS	Yes	NO		111.19	CONCRETE	375	C	4.31	ROLAND
REINSPECTION	S-MA70010170	BEACH AV	S-MH70003999	S-MH40009822	CS	Yes	NO	Yes	8.81	PVC	300	C	2.57	ROLAND
REINSPECTION	S-MA70010171	BEACH AV	S-MH70003999	S-MH70004000	CS	Yes	NO	Yes	105.78	PVC	300	C	3.15	ROLAND
REINSPECTION	S-MA70010172	BEACH AV	S-MH70004000	S-MH40009902	CS	Yes	NO	Yes	7.84	PVC	300	C	3.22	ROLAND
REINSPECTION	S-MA40011094	BERLIN ST	S-MH40010084	S-MH40010039	CS	Yes	NO		63.67	CONCRETE	300	C	3.66	ROLAND
REINSPECTION	S-MA40011103	BERLIN ST	S-MH40010046	S-MH40010082	CS	Yes	NO	Yes	96.76	CONCRETE	375	C	4.91	ROLAND
REINSPECTION	S-MA70152663	BERLIN ST	S-MH40010039	S-MH70075842	CS	Yes	NO		7.41	PVC	300	C	3.67	ROLAND
REINSPECTION	S-MA50006237	BERNIER BY	S-MH50005315	S-MH50005316	CS	Yes	NO	Yes	65.4	CONCRETE	300	C	2.7	MISSION
REINSPECTION	S-MA50006239	BERNIER BY	S-MH50005317	S-MH50005318	CS	No	NO	Yes	97.71	CONCRETE	1500	C	3.94	MISSION
REINSPECTION	S-MA50006240	BERNIER BY	S-MH50005315	S-MH50005319	CS	Yes	NO	Yes	91.84	CONCRETE	300	C	2.49	MISSION
REINSPECTION	S-MA50006241	BERNIER BY	S-MH50005319	S-MH50005320	CS	Yes	NO	Yes	51.99	CONCRETE	300	C	2.57	MISSION
REINSPECTION	S-MA50006242	BERNIER BY	S-MH50005320	S-MH50005318	CS	Yes	NO	Yes	128.65	CONCRETE	450	C	3.84	MISSION
REINSPECTION	S-MA50006249	BERNIER BY	S-MH50005316	S-MH50005326	CS	No	NO	Yes	92.07	CONCRETE	900	C	3.15	MISSION
REINSPECTION	S-MA50006250	BERNIER BY	S-MH50005326	S-MH50005317	CS	No	NO	Yes	94.4	CONCRETE	900	C	3.8	MISSION
REINSPECTION	S-MA50002706	BERTRAND ST	S-MH50002300	S-MH50002301	CS	No	NO		97.21	CONCRETE	900	C	6.29	DESPINS
REINSPECTION	S-MA50002708	BERTRAND ST	S-MH50002302	S-MH50002272	CS	Yes	NO		11.88	CONCRETE	200	C	3.95	DESPINS
REINSPECTION	S-MA50008675	BERTRAND ST	S-MH50002281	S-MH70016374	CS	No	NO		83.98	CONCRETE	1050	C	6.29	DESPINS
REINSPECTION	S-MA50008676	BERTRAND ST	S-PL50005823	S-MH50002429	CS	No	NO		8.99	CONCRETE	1050	C	0	DESPINS
REINSPECTION	S-MA50008677	BERTRAND ST	S-MH50002429	S-MH50002430	CS	No	NO		10.14	CONCRETE	1200 x 900	E	5.24	DESPINS
REINSPECTION	S-MA50008683	BERTRAND ST	S-MH50002430	S-MH50007249	CS	No	NO	Yes	77.14	CONCRETE	1200 x 900	E	5.24	DESPINS
REINSPECTION	S-MA50008690	BERTRAND ST	S-MH50002394	S-MH50002430	CS	No	NO		16.1	CONCRETE	1150 x 750	E	5.22	DESPINS
REINSPECTION	S-MA50008695	BERTRAND ST	S-MH5000724											

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA70040762	BERTRAND ST	S-MH70016374	S-TE50001361	CS	No	NO		4.65	CONCRETE	1050	C	4.79	DESPINS
REINSPECTION	S-MA70057865	BERTRAND ST	S-MH70025731	S-MH70025546	WWS	Yes	NO	Yes	94.41	CONCRETE	300	C	6.18	MARION
REINSPECTION	S-MA50010504	BICKERTON ST	S-MH50008519	S-MH50008520	CS	No	NO		46.83	PLUNBRIC	2925 x 1950	E	8.84	MISSION
REINSPECTION	S-MA70159310	BICKERTON ST	S-MH70078921	S-MH70078922	WWS	Yes	NO		89.72	PVC	250	C	3.83	MISSION
REINSPECTION	S-MA70159313	BICKERTON ST	S-MH70078922	S-MH50008519	WWS	Yes	NO		13.02	PVC	250	C	4.82	MISSION
REINSPECTION	S-MA50013667	BLAIR ST	S-MH50010954	S-MH50010955	CS	Yes	NO		78.8	CONCRETE	375	C	3.36	MISSION
REINSPECTION	S-MA70040702	BLEAU AV	S-MH70016314	S-MH50004673	CS	Yes	NO		9.8	CONCRETE	600	C	3.67	MISSION
REINSPECTION	S-MA50010657	BOURGEAULT ST	S-MH50008651	S-MH50008657	CS	Yes	NO		62	VC	300	C	2.69	DESPINS
REINSPECTION	S-MA50011011	BOURGEAULT ST	S-MH50008655	S-MH50008938	CS	Yes	NO		109.06	CONCRETE	375	C	2.67	DESPINS
REINSPECTION	S-MA50007015	BRUNET PROM	S-MH50006006	S-MH50006005	CS	Yes	NO	Yes	77.93	CONCRETE	375	C	2.75	MISSION
REINSPECTION	S-MA70051332	BRUNET PROM	S-PL70062647	S-MH50006005	CS	Yes	NO	Yes	52.72	CONCRETE	600	C	2.75	MISSION
REINSPECTION	S-MA50013652	BRUSSELS ST	S-MH50010939	S-MH50010941	CS	Yes	NO		76.21	CONCRETE	375	C	2.78	MISSION
REINSPECTION	S-MA50002722	CABANA PL	S-MH50002315	S-MH50002316	CS	Yes	NO		104.6	CONCRETE	300	C	2.71	DESPINS
REINSPECTION	S-MA70023145	CABANA PL	S-MH50002314	S-MH50002315	CS	Yes	NO		45	CONCRETE	300	C	2.71	DESPINS
REINSPECTION	S-MA40010763	CAMERON ST	S-MH40009729	S-MH40009730	CS	No	NO		8.72	CONCRETE	1325 x 1025	E	6.51	ROLAND
REINSPECTION	S-MA70003869	CAMERON ST	S-MH70001763	S-MH40009725	CS	Yes	NO		4.06	CONCRETE	375	C	4.54	ROLAND
REINSPECTION	S-MA70142212	CAMERON ST	S-MH70071455	S-MH40009705	CS	Yes	NO		30.82	CONCRETE	300	C	0	ROLAND
REINSPECTION	S-MA50005424	CAROLYN BY	S-MH50004638	S-MH50004637	WWS	Yes	NO	Yes	72.5	CONCRETE	250	C	2.72	MISSION
REINSPECTION	S-MA40007121	CASTLE AV	S-MH40006492	S-MH40010138	CS	Yes	NO		86.41	CONCRETE	300	C	4.77	ROLAND
REINSPECTION	S-MA40011195	CASTLE AV	S-MH40010138	S-MH40010139	CS	Yes	NO		84.95	CONCRETE	300	C	5.08	ROLAND
REINSPECTION	S-MA40011196	CASTLE AV	S-MH40010139	S-MH40010140	CS	Yes	NO		88.83	CONCRETE	375	C	6.12	ROLAND
REINSPECTION	S-MA40011197	CASTLE AV	S-MH40010136	S-MH40010140	CS	No	NO		122.29	CONCRETE	1050	C	6.12	ROLAND
REINSPECTION	S-MA40008265	CHALMERS AV	S-MH40007521	S-MH40007580	CS	Yes	NO	Yes	86.87	CONCRETE	300	C	3.49	ROLAND
REINSPECTION	S-MA40008307	CHALMERS AV	S-MH40007545	S-MH40007553	CS	Yes	NO	Yes	87.6	CONCRETE	375	C	4.32	ROLAND
REINSPECTION	S-MA40008310	CHALMERS AV	S-MH40007580	S-MH40007545	CS	Yes	NO	Yes	87.78	CONCRETE	300	C	3.91	ROLAND
REINSPECTION	S-MA40007611	CHALMERS AV E	S-MH40009741	S-MH40006928	CS	Yes	NO	Yes	70.41	CONCRETE	450	C	4.29	ROLAND
REINSPECTION	S-MA40010777	CHALMERS AV E	S-MH40009740	S-MH40009741	CS	Yes	NO	Yes	83.76	CONCRETE	450	C	3.8	ROLAND
REINSPECTION	S-MA40010778	CHALMERS AV E	S-MH40009821	S-MH40009740	CS	Yes	NO	Yes	59.89	CONCRETE	375	C	3.42	ROLAND
REINSPECTION	S-MA40010843	CHALMERS AV E	S-MH40009808	S-MH40009809	CS	Yes	NO		52.15	CONCRETE	300	C	3.05	ROLAND
REINSPECTION	S-MA40010844	CHALMERS AV E	S-MH40009809	S-MH40009891	CS	Yes	NO		53.95	CONCRETE	300	C	3.32	ROLAND
REINSPECTION	S-MA40010938	CHALMERS AV E	S-MH40009891	S-MH70031852	CS	Yes	NO	Yes	75.9	PVC	300	C	4.02	ROLAND
REINSPECTION	S-MA40010960	CHALMERS AV E	S-MH40009916	S-MH40009919	CS	Yes	NO	Yes	76.63	CONCRETE	450	C	5.18	ROLAND
REINSPECTION	S-MA50002505	CHERRIER ST	S-MH50002112	S-MH50002113	CS	Yes	NO		56.1	VC	300	C	2.69	MISSION
REINSPECTION	S-MA50002508	CHERRIER ST	S-MH50002115	S-MH50002116	CS	Yes	NO		58	CONCRETE	300	C	3.43	MISSION
REINSPECTION	S-MA50002545	CHERRIER ST	S-MH50002117	S-MH50002111	CS	No	NO		94.58	CONCRETE	1200 x 800	E	4.98	MISSION
REINSPECTION	S-MA40010668	CHESTER ST	S-MH40009654	S-MH40009641	CS	No	NO		166.32	CONCRETE	1500	C	6.2	ROLAND
REINSPECTION	S-MA40010674	CHESTER ST	S-MH40009651	S-MH70032033	CS	Yes	NO		19.81	CONCRETE	300	C	4.86	ROLAND
REINSPECTION	S-MA40010677	CHESTER ST	S-MH40009653	S-MH40009654	CS	No	NO		121.97	CONCRETE	1500	C	7.31	ROLAND
REINSPECTION	S-MA40010679	CHESTER ST	S-PL40003542	S-MH40009654	CS	Yes	NO		52	CONCRETE	375	C	6.33	ROLAND
REINSPECTION	S-MA40010728	CHESTER ST	S-MH40009710	S-MH40009697	CS	Yes	NO		102.02	CONCRETE	375	C	5.35	ROLAND
REINSPECTION	S-MA40010745	CHESTER ST	S-MH40009712	S-MH40009711	CS	Yes	NO		38.05	CONCRETE	300	C	4.01	ROLAND
REINSPECTION	S-MA70004026	CHESTER ST	S-MH70001836	S-MH70001837	CS	No	NO		103	CONCRETE	1050	C	6.06	ROLAND
REINSPECTION	S-MA70068249	CHESTER ST	S-MH70032032	S-MH40009654	CS	Yes	NO		7.83	PVC	450	C	6.45	ROLAND
REINSPECTION	S-MA70068250	CHESTER ST	S-MH70032033	S-MH70032032	CS	Yes	NO		85.41	PVC	450	C	6.19	ROLAND
REINSPECTION	S-MA70108847	CHESTER ST	S-MH70058215	S-MH70040121	CS	Yes	NO		52.56	PVC	300	C	4.12	ROLAND
REINSPECTION	S-MA40010561	CLYDE RD	S-MH40009537	S-MH40009538	CS	Yes	NO		31.79	CONCRETE	300	C	3.25	ROLAND
REINSPECTION	S-MA40010562	CLYDE RD	S-MH40009538	S-MH40009539	CS	Yes	NO		12.37	CONCRETE	300	C	3.31	ROLAND
REINSPECTION	S-MA40010563	CLYDE RD	S-MH40009539	S-MH40009540	CS	Yes	NO		42.25	CONCRETE	300	C	3.31	ROLAND
REINSPECTION	S-MA40010564	CLYDE RD	S-MH40009540	S-MH40009536	CS	Yes	NO		11.64	CONCRETE	300	C	3.47	ROLAND
REINSPECTION	S-MA40010573	CLYDE RD	S-MH40009586	S-MH40009551	CS	Yes	NO		75.67	AC	450	C	3.73	ROLAND
REINSPECTION	S-MA40010575	CLYDE RD	S-MH40009536	S-MH40009550	CS	Yes	NO		36.64	CONCRETE	300	C	4.28	ROLAND
REINSPECTION	S-MA40010586	CLYDE RD	S-MH40009553	S-MH40009608	CS	Yes	NO		76.2	AC	300	C	3.22	ROLAND
REINSPECTION	S-MA40010611	CLYDE RD	S-MH40009585	S-MH40009586	CS	Yes	NO		14.17	AC	450	C	3.64	ROLAND
REINSPECTION	S-MA40010612	CLYDE RD	S-MH40009608	S-MH40009585	CS	Yes	NO		75.29	AC	375	C	3.5	ROLAND
REINSPECTION	S-MA40011041	COLE AV	S-MH40009988	S-MH40009986	CS	No	NO		101.2	CONCRETE	1500	C	7.67	ROLAND
REINSPECTION	S-MA40011074	COLE AV	S-MH40010014	S-MH40010013	CS	No	NO		109.27	CONCRETE	1500	C	6.92	ROLAND
REINSPECTION	S-MA70017312	COLE AV	S-MH40009986	S-MH2210015	CS	No	NO		146.62	CONCRETE	1500	C	7.47	ROLAND
REINSPECTION	S-MA70106539	COLE AV	S-MH2210015	S-MH40009981	CS	No	NO		130.13	CONCRETE	1500	C	7.96	ROLAND
REINSPECTION	S-MA40011027	COSMO PL	S-MH40009984	S-MH40009974	CS	No	NO	Yes	113.2	CONCRETE	1275 x 850	E	6.55	ROLAND
REINSPECTION	S-MA40011028	COSMO PL	S-MH70075843	S-MH40009976	CS	Yes	NO		35.94	CONCRETE	450	C	5.86	ROLAND
REINSPECTION	S-MA40011029	COSMO PL	S-MH40009974	S-MH40009975	CS	No	NO	Yes	81.7	CONCRETE	1275 x 850	E	6.22	ROLAND
REINSPECTION	S-MA40011037	COSMO PL	S-MH40009976	S-MH40010035	CS	Yes	NO		96.65	CONCRETE	450	C	7.16	ROLAND
REINSPECTION	S-MA40011040	COSMO PL	S-MH40009985	S-MH70075843	CS	Yes	NO	Yes	99.07	PVC	375	C	4.74	ROLAND
REINSPECTION	S-MA70031638	COSMO PL	S-MH40009975	S-MH40009983	CS	No	NO		32.07	CONCRETE	1200	C	5.84	ROLAND
REINSPECTION	S-MA70152664	COSMO PL	S-MH70075842	S-MH70075843	CS	Yes	NO		56.47	PVC	300	C	4.34	ROLAND
REINSPECTION	S-MA50007727	COTE ST	S-MH50006634	S-MH50006635	WWS	Yes	NO	Yes	92.3	VC	300	C	2.59	MISSION SEPARATE
REINSPECTION	S-MA50007728	COTE ST	S-MH50006635	S-MH50006636	WWS	Yes	NO	Yes	98.4	VC	300	C	2.96	MISSION SEPARATE
REINSPECTION	S-MA50007729	COTE ST	S-MH50006636	S-MH70019274	WWS	Yes	NO	Yes	92.39	VC	300	C	4.59	MISSION SEPARATE
REINSPECTION	S-MA70033701	COTE ST	S-MH50006634	S-MH50008675	WWS	No	NO	Yes	92.48	CMP	450	C	1.94	MISSION
REINSPECTION	S-MA40010381	CULVER ST	S-MH40009469	S-MH40009371	CS	Yes	NO		95.5	CONCRETE	300	C	3.63	ROLAND
REINSPECTION	S-MA40010493	CULVER ST	S-MH40009471	S-MH40009469	CS	Yes	NO		67.06	AC	500	C	4.05	ROLAND
REINSPECTION	S-MA40010494	CULVER ST	S-MH40009461	S-MH40009471	CS	Yes	NO		68.7	AC	450	C	3.44	ROLAND
REINSPECTION	S-MA50007724	CUSSON ST	S-MH50006630	S-MH50006631	WWS	Yes	NO		77.47	VC	300	C	3.59	MISSION SEPARATE
REINSPECTION	S-MA50007725	CUSSON ST	S-MH50006631	S-MH50006632	WWS	Yes	NO		82.83	VC	300	C	3.59	MISSION SEPARATE
REINSPECTION	S-MA50007726	CUSSON ST	S-MH50006632	S-MH70019275	WWS	Yes	NO		80.54	VC	300	C	4.65	MISSION SEPARATE
REINSPECTION	S-MA70045655	CUSSON ST	S-MH70019274	S-MH70019275	CS	Yes	NO	Yes	94.51	CONCRETE	600	C	4.65	MISSION SEPARATE
REINSPECTION	S-MA50006991	DAWSON RD N	S-MH50005986	S-MH50005987	CS	No	NO		111	CONCRETE	2025 x 1350	E	6.84	MISSION
REINSPECTION	S-MA50006992	DAWSON RD N	S-MH50005987	S-MH50005988	CS	No	NO		63.9	CONCRETE	2025 x 1350	E	6.52	MISSION
REINSPECTION	S-MA50006993	DAWSON RD N	S-MH50005988	S-MH50005989	CS	No	NO		52.7	CONCRETE	2025 x 1350	E	6.64	MISSION
REINSPECTION	S-MA50010449	DAWSON RD N	S-MH50008475	S-TE50001845	CS	No	NO		92.24	CONCRETE	900	C	5.2	MISSION
REINSPECTION	S-MA50010464	DAWSON RD N	S-MH50008486	S-MH50008489	CS	No	NO		86.91	CONCRETE	2700 x 2025	E	8.16	MISSION
REINSPECTION	S-MA50010468	DAWSON RD N	S-MH50008487	S-MH70072635	CS	No	NO		87.16	CONCRETE	2700 x 1800	E	7.85	MISSION
REINSPECTION	S-MA50010470	DAWSON RD N	S-MH70072635	S-MH50008491	CS	No	NO		87.25	CONCRETE	2700 x 1800	E	8.19	MISSION
REINSPECTION	S-MA50013252	DAWSON RD N	S-MH50005989	S-MH50010654	CS	No	NO		127.5	CONCRETE	2025 x 1350	E	6.77	MISSION
REINSPECTION	S-MA50013253	DAWSON RD N	S-MH50010654	S-MH50010655	CS	No	NO		118.5	CONCRETE	2025 x 1350	E	6.87	MISSION
REINSPECTION	S-MA50013258	DAWSON RD N	S-MH50010655	S-MH50010657	CS	No	NO		92.79	CONCRETE	2025 x 1350	E	6.87	MISSION
REINSPECTION	S-MA50013478	DAWSON RD N	S-MH50010656	S-MH50010808	CS	No	NO		112.9	CONCRETE	2200 x 1500	E	6.66	MISSION
REINSPECTION	S-MA50013479	DAWSON RD N	S-MH50010808	S-MH50010809	CS	No	NO		134.2	CONCRETE	2200 x 1500	E	6.74	MISSION
REINSPECTION	S-MA50013480	DAWSON RD N	S-MH50010809	S-MH50010810	CS	No	NO		140.91					

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50013484	DAWSON RD N	S-MH50010813	S-MH50010814	CS	No	NO		99.1	PLINBRIC	2750 x 1825	E	7.41	MISSION
REINSPECTION	S-MA50013486	DAWSON RD N	S-MH50010815	S-MH50010816	CS	No	NO		101.79	PLINBRIC	2750 x 1825	E	7.28	MISSION
REINSPECTION	S-MA50013488	DAWSON RD N	S-MH50010817	S-MH50008486	CS	No	NO		85.98	CONCRETE	2700 x 1800	E	8.34	MISSION
REINSPECTION	S-MA50013513	DAWSON RD N	S-MH50010838	S-TE50002709	CS	No	NO		98.46	CONCRETE	1350	C	6.34	MISSION
REINSPECTION	S-MA50018215	DAWSON RD N	S-MH50014684	S-MH50012053	CS	Yes	NO		74.4	CONCRETE	600	C	4.77	MISSION
REINSPECTION	S-MA70001504	DAWSON RD N	S-MH50010812	S-MH70000633	CS	No	NO		5.9	PLINBRIC	2750 x 1825	E	7.23	MISSION
REINSPECTION	S-MA70001505	DAWSON RD N	S-MH70000633	S-MH50010813	CS	No	NO		84.9	PLINBRIC	2750 x 1825	E	7.41	MISSION
REINSPECTION	S-MA70001506	DAWSON RD N	S-MH50010814	S-MH70000634	CS	No	NO		4.7	PLINBRIC	2750 x 1825	E	7.27	MISSION
REINSPECTION	S-MA70001507	DAWSON RD N	S-MH70000634	S-MH50010815	CS	No	NO		86.1	PLINBRIC	2750 x 1825	E	7.27	MISSION
REINSPECTION	S-MA70007207	DAWSON RD N	S-MH50008491	S-MH70003132	CS	No	NO		6.9	CONCRETE	2700 x 1800	E	8.2	MISSION
REINSPECTION	S-MA70007208	DAWSON RD N	S-MH70003132	S-MH50008492	CS	No	NO		82	CONCRETE	2700 x 1800	E	8.2	MISSION
REINSPECTION	S-MA70007221	DAWSON RD N	S-MH50008489	S-MH70003136	CS	No	NO		7.97	CONCRETE	2700 x 2025	E	8.06	MISSION
REINSPECTION	S-MA70007222	DAWSON RD N	S-MH70003136	S-MH50008487	CS	No	NO		50.5	CONCRETE	2700 x 2025	E	8.01	MISSION
REINSPECTION	S-MA70007227	DAWSON RD N	S-MH70003140	S-MH50010817	CS	No	NO		77.2	CONCRETE	2700 x 1800	E	7.61	MISSION
REINSPECTION	S-MA70019551	DAWSON RD N	S-MH70007199	S-MH70007200	WWS	Yes	NO		125.23	PVC	200	C	5.71	MISSION
REINSPECTION	S-MA70019552	DAWSON RD N	S-MH70007200	S-MH50008491	WWS	Yes	NO		99.31	PVC	200	C	6.93	MISSION
REINSPECTION	S-MA70019579	DAWSON RD N	S-MH50008492	S-MH50008206	CS	No	NO		67.7	CONCRETE	2700 x 1800	E	7.62	MISSION
REINSPECTION	S-MA70040665	DAWSON RD N	S-MH70016282	S-MH50010656	CS	No	NO		109.7	CONCRETE	2250 x 1500	E	7.17	MISSION
REINSPECTION	S-MA70051512	DAWSON RD N	S-MH70022279	S-TE70021670	CS	No	NO		4.73	CONCRETE	1200	C	7.62	MISSION
REINSPECTION	S-MA50005439	DE BOURMONT AV	S-MH50004653	S-MH50004654	CS	Yes	NO	Yes	100.85	CONCRETE	300	C	2.91	MISSION
REINSPECTION	S-MA70002106	DE LA CATHEDRALE AV	S-MH50008928	S-MH70000837	CS	Yes	NO	Yes	18.42	CONCRETE	750	C	4.94	DESPINS
REINSPECTION	S-MA50002715	DE LA MORENIE ST	S-MH70027286	S-MH50002309	CS	No	NO		110.63	CONCRETE	1150 x 750	E	5.52	DESPINS
REINSPECTION	S-MA50002716	DE LA MORENIE ST	S-MH50002309	S-MH50002310	CS	No	NO		62.64	CONCRETE	1150 x 750	E	5.63	DESPINS
REINSPECTION	S-MA50002801	DE LA MORENIE ST	S-MH50002306	S-MH50002392	CS	No	NO		47.17	CONCRETE	1150 x 750	E	5.76	DESPINS
REINSPECTION	S-MA50002802	DE LA MORENIE ST	S-MH50002392	S-MH50002393	CS	No	NO		56.52	CONCRETE	1150 x 750	E	5.76	DESPINS
REINSPECTION	S-MA50002803	DE LA MORENIE ST	S-MH50002393	S-MH50002394	CS	No	NO		47.2	CONCRETE	1150 x 750	E	5.49	DESPINS
REINSPECTION	S-MA70002107	DE LA MORENIE ST	S-MH70000837	S-MH70000838	CS	Yes	NO	Yes	96.7	CONCRETE	750	C	5.09	DESPINS
REINSPECTION	S-MA70002109	DE LA MORENIE ST	S-MH70000839	S-MH50002307	CS	Yes	NO		5.78	CONCRETE	750	C	5.2	DESPINS
REINSPECTION	S-MA70003567	DE LA MORENIE ST	S-MH70000838	S-MH70001526	CS	Yes	NO	Yes	105.75	CONCRETE	750	C	5.24	DESPINS
REINSPECTION	S-MA50007710	DENISET ST	S-MH50006615	S-MH50006616	WWS	Yes	NO		47.92	VC	300	C	2.91	MISSION SEPARATE
REINSPECTION	S-MA50007713	DENISET ST	S-MH50006618	S-MH50006619	WWS	Yes	NO		76.8	VC	300	C	3.54	MISSION SEPARATE
REINSPECTION	S-MA50010682	DENISET ST	S-MH50008674	S-MH50006615	WWS	Yes	NO		85.94	VC	300	C	2.91	MISSION SEPARATE
REINSPECTION	S-MA50010683	DENISET ST	S-MH50006616	S-MH50006617	WWS	Yes	NO		90.78	VC	300	C	3.27	MISSION SEPARATE
REINSPECTION	S-MA50002686	DES MEURONS ST	S-MH50002282	S-MH50002280	CS	Yes	YES		122.83	VC	375	C	3.87	MARION
REINSPECTION	S-MA50002703	DES MEURONS ST	S-MH50002298	S-MH50002299	CS	Yes	YES		83.5	CONCRETE	375	C	4.02	DESPINS
REINSPECTION	S-MA50002718	DES MEURONS ST	S-MH50002311	S-MH50002307	CS	Yes	YES	Yes	98.04	CONCRETE	600	C	4.52	DESPINS
REINSPECTION	S-MA50002723	DES MEURONS ST	S-MH50002316	S-MH50002317	CS	Yes	YES		109.31	CONCRETE	300	C	3.59	DESPINS
REINSPECTION	S-MA50002724	DES MEURONS ST	S-MH50002317	S-MH50002311	CS	Yes	YES	Yes	59.59	CONCRETE	375	C	3.59	DESPINS
REINSPECTION	S-MA50008686	DES MEURONS ST	S-MH50002281	S-MH50002280	CS	Yes	YES		45.31	VC	375	C	6.2	DESPINS
REINSPECTION	S-MA50008688	DES MEURONS ST	S-MH50002299	S-MH50002281	CS	Yes	YES		77.04	CONCRETE	375	C	6.26	DESPINS
REINSPECTION	S-MA70014251	DES MEURONS ST	S-MH70005685	S-MH70005686	WWS	Yes	YES		87.8	CONCRETE	300	C	3.79	DESPINS
REINSPECTION	S-MA70022587	DES MEURONS ST	S-MH50002298	S-MH50002306	CS	Yes	YES		97.1	CONCRETE	375	C	5.81	DESPINS
REINSPECTION	S-MA70032219	DES MEURONS ST	S-MH50002301	S-MH50002281	CS	No	YES		116.44	CONCRETE	900	C	6.29	DESPINS
REINSPECTION	S-MA70036881	DES MEURONS ST	S-MH70005686	S-MH50002297	CS	Yes	YES		48.71	CONCRETE	375	C	3.85	DESPINS
REINSPECTION	S-MA70042965	DES MEURONS ST	S-MH70017594	S-MH50002317	CS	Yes	YES	Yes	23.06	CONCRETE	375	C	3.59	DESPINS
REINSPECTION	S-MA50010654	DESCHAMBAULT ST	S-MH50008654	S-MH50008655	CS	Yes	NO		139.59	CONCRETE	300	C	2.92	DESPINS
REINSPECTION	S-MA50010656	DESCHAMBAULT ST	S-MH50008656	S-MH70017594	CS	Yes	NO	Yes	92.46	CONCRETE	375	C	3.54	DESPINS
REINSPECTION	S-MA50010658	DESCHAMBAULT ST	S-MH50008657	S-MH50008655	CS	Yes	NO		60.23	VC	300	C	2.69	DESPINS
REINSPECTION	S-MA50010995	DESCHAMBAULT ST	S-MH50008923	S-MH50008656	CS	Yes	NO	Yes	114.95	CONCRETE	300	C	3.42	DESPINS
REINSPECTION	S-MA50011012	DESCHAMBAULT ST	S-MH50008938	S-MH50008656	CS	Yes	NO		109.82	CONCRETE	450	C	3.4	DESPINS
REINSPECTION	S-MA70043943	DESCHAMBAULT ST	S-MH70018094	S-MH50008655	WWS	Yes	NO		50.35	CONCRETE	250	C	2.5	DESPINS
REINSPECTION	S-MA50003055	DESPINS ST	S-MH50002582	S-MH50002579	CS	Yes	NO		124.51	CONCRETE	300	C	3.9	DESPINS
REINSPECTION	S-MA50003111	DESPINS ST	S-MH50002633	S-MH50002634	CS	No	NO		81.93	CONCRETE	1200	C	7.11	DESPINS
REINSPECTION	S-MA50003136	DESPINS ST	S-MH50002656	S-TE50000540	CS	No	NO		33.15	CONCRETE	900	C	5.64	DESPINS
REINSPECTION	S-MA70040763	DESPINS ST	S-PL70064308	S-MH50002633	CS	Yes	NO		29.4	CONCRETE	250	*UNKNOWN	5.36	DESPINS
REINSPECTION	S-MA50003035	DOLLARD BV	S-MH50002561	S-MH50002389	CS	Yes	NO		144.23	CONCRETE	300	C	4.9	DESPINS
REINSPECTION	S-MA50003037	DOLLARD BV	S-MH50002569	S-MH50002564	CS	No	NO		104.12	CONCRETE	1350 x 900	E	3.88	DESPINS
REINSPECTION	S-MA50003042	DOLLARD BV	S-MH50002568	S-MH50002564	CS	Yes	NO		104.26	CONCRETE	450	C	4.2	DESPINS
REINSPECTION	S-MA50003054	DOLLARD BV	S-MH50002581	S-MH50002582	CS	Yes	NO		118.6	VC	300	C	2.56	DESPINS
REINSPECTION	S-MA50003059	DOLLARD BV	S-MH50002585	S-MH50002583	CS	Yes	NO		30.5	CONCRETE	750	C	4.19	DESPINS
REINSPECTION	S-MA50003061	DOLLARD BV	S-MH50002587	S-PL70022340	CS	Yes	NO		12.9	CONCRETE	600	C	3.45	DESPINS
REINSPECTION	S-MA50003062	DOLLARD BV	S-MH50002587	S-MH50002581	CS	Yes	NO		95.63	CONCRETE	600	C	3.62	DESPINS
REINSPECTION	S-MA50003067	DOLLARD BV	S-MH50002588	S-MH50002586	CS	No	NO		14.41	CONCRETE	1350 x 900	E	4.48	DESPINS
REINSPECTION	S-MA50003106	DOLLARD BV	S-MH50002628	S-MH50002629	CS	Yes	NO		12.54	CONCRETE	750	C	4.94	DESPINS
REINSPECTION	S-MA50003107	DOLLARD BV	S-MH50002629	S-MH50002630	CS	No	NO		45.5	CONCRETE	900	C	4.91	DESPINS
REINSPECTION	S-MA50003129	DOLLARD BV	S-MH50002651	S-MH50002652	CS	Yes	NO		3.01	CONCRETE	450	C	4.8	DESPINS
REINSPECTION	S-MA50003130	DOLLARD BV	S-MH50002629	S-MH50002652	CS	Yes	NO		91.29	VC	375	C	5.31	DESPINS
REINSPECTION	S-MA50003131	DOLLARD BV	S-MH50002652	S-MH50002653	CS	Yes	NO		87.5	CONCRETE	600	C	4.68	DESPINS
REINSPECTION	S-MA50003152	DOLLARD BV	S-MH50002662	S-MH50002651	CS	Yes	NO		97.6	VC	450	C	3.94	DESPINS
REINSPECTION	S-MA70057646	DOLLARD BV	S-MH70025728	S-MH70025729	WWS	Yes	NO		96.24	CONCRETE	300	C	4.29	DESPINS
REINSPECTION	S-MA70057648	DOLLARD BV	S-MH70025730	S-MH70025731	WWS	Yes	NO	Yes	11.43	CONCRETE	300	C	6.24	DESPINS
REINSPECTION	S-MA70057786	DOLLARD BV	S-MH70025826	S-MH70025729	WWS	Yes	NO		76.24	PVC	250	C	3.55	DESPINS
REINSPECTION	S-MA70057846	DOLLARD BV	S-MH70025847	S-MH70025728	WWS	Yes	NO		126.67	PVC	250	C	4.29	DESPINS
REINSPECTION	S-MA70127636	DOLLARD BV	S-MH70063035	S-MH70063036	CS	Yes	NO		117.69	PVC	300	C	4.04	DESPINS
REINSPECTION	S-MA70127639	DOLLARD BV	S-MH70063035	S-MH50002628	CS	Yes	NO		74.9	CONCRETE	750	C	4.61	DESPINS
REINSPECTION	S-MA50002530	DOUCET ST	S-MH50002134	S-MH50002135	CS	Yes	NO		102.05	VC	300	C	3.44	MISSION
REINSPECTION	S-MA50002531	DOUCET ST	S-MH50002135	S-MH70015574	CS	Yes	NO		73.2	VC	300	C	3.75	MISSION
REINSPECTION	S-MA50002532	DOUCET ST	S-MH70015574	S-MH50002137	CS	Yes	NO		29.58	CONCRETE	300	C	4.46	MISSION
REINSPECTION	S-MA50008663	DOUCET ST	S-MH70046295	S-MH50002137	CS	No	NO		68.07	CONCRETE	1200 x 800	E	5.43	MISSION
REINSPECTION	S-MA50007007	DOWSE ST	S-MH50006000	S-MH50006001	CS	Yes	NO	Yes	68.06	CONCRETE	600	C	2.69	MISSION
REINSPECTION	S-MA70004878	DOWSE ST	S-MH50006005	S-MH50006000	CS	Yes	NO	Yes	67.69	CONCRETE	600	C	2.79	MISSION
REINSPECTION	S-MA50002495	DUFRESNE AV	S-MH50002102	S-MH50002103	WWS	Yes	NO		75.9	CONCRETE	300	C	2.66	MISSION
REINSPECTION	S-MA50002500	DUFRESNE AV	S-MH50002107	S-MH50002108	WWS	Yes	NO		80.41	PVC	300	C	3.9	MISSION
REINSPECTION	S-MA50002501	DUFRESNE AV	S-MH50002108	S-MH50002109	WWS	Yes	NO		99.05	CONCRETE	300	C	3.89	MISSION
REINSPECTION	S-MA50002506	DUFRESNE AV	S-MH50002113	S-MH50002114	CS	Yes	NO		49.7	VC	300	C	3.29	MISSION
REINSPECTION	S-MA50002507	DUFRESNE AV	S-MH50002114	S-MH50002115	CS	Yes	NO		88.4	CONCRETE	300	C	3.35	MISSION
REINSPECTION	S-MA50002529	DUFRESNE AV	S-MH50002133	S-MH50002134	CS	Yes	NO		39.24	CONCRETE	300	C	3.25	MISSION
REINSPECTION	S-MA50002548	DUFRESNE AV	S-MH50002150	S-MH50002151	CS	Yes	NO		51.89	PVC	375			

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50013511	DUGALD RD	S-MH50010836	S-MH50010837	CS	No	YES		97.1	CONCRETE	1350	C	6.1	MISSION
REINSPECTION	S-MA50013512	DUGALD RD	S-MH50010837	S-MH50010838	CS	No	YES		96.74	CONCRETE	1350	C	6.34	MISSION
REINSPECTION	S-MA50013523	DUGALD RD	S-MH50010842	S-MH50010843	CS	No	YES		93.6	CONCRETE	1200	C	6.73	MISSION
REINSPECTION	S-MA50013528	DUGALD RD	S-MH50010847	S-MH50010836	CS	No	YES		75.4	CONCRETE	1200	C	6.14	MISSION
REINSPECTION	S-MA50013529	DUGALD RD	S-MH50010845	S-MH50010846	CS	No	YES		61.27	CONCRETE	1200	C	6.07	MISSION
REINSPECTION	S-MA50013534	DUGALD RD	S-MH50010851	S-TE50002710	CS	No	YES		106.1	CONCRETE	1250	C	5.76	MISSION
REINSPECTION	S-MA50013633	DUGALD RD	S-MH50010921	S-MH50010922	CS	Yes	YES		71.42	CONCRETE	750	C	4.46	MISSION
REINSPECTION	S-MA50013634	DUGALD RD	S-MH50010922	S-MH50010923	CS	Yes	YES		33.44	CONCRETE	750	C	4.46	MISSION
REINSPECTION	S-MA50013635	DUGALD RD	S-MH50010923	S-MH50010836	CS	Yes	YES		27.52	CONCRETE	750	C	5.95	MISSION
REINSPECTION	S-MA50013660	DUGALD RD	S-MH50010947	S-MH50010946	CS	No	YES		105.7	CONCRETE	1200	C	6.29	MISSION
REINSPECTION	S-MA50014219	DUGALD RD	S-MH50011364	S-MH50011365	WWS	Yes	YES		109.3	CONCRETE	300	C	3.34	MISSION
REINSPECTION	S-MA50014222	DUGALD RD	S-MH50011365	S-MH50011366	WWS	No	YES		56.93	CONCRETE	1350	C	5.47	MISSION
REINSPECTION	S-MA50014246	DUGALD RD	S-MH50011369	S-MH50010945	CS	Yes	YES		93.17	CONCRETE	600	C	6.29	MISSION
REINSPECTION	S-MA70011029	DUGALD RD	S-MH50010846	S-MH50010847	CS	No	YES		93.25	CONCRETE	1220	C	6.14	MISSION
REINSPECTION	S-MA70016167	DUGALD RD	S-MH50010810	S-MH50010811	CS	No	YES		78.3	PLINBRIC	2750 x 1825	E	8.11	MISSION
REINSPECTION	S-MA70149382	DUGALD RD	S-MH70074501	S-MH70074502	WWS	Yes	YES		74.72	CONCRETE	200	C	2.98	MISSION
REINSPECTION	S-MA70149383	DUGALD RD	S-MH70074502	S-MH70074901	WWS	Yes	YES		133.2	CONCRETE	200	C	3.22	MISSION
REINSPECTION	S-MA70149384	DUGALD RD	S-MH70036164	S-CN00140374	WWS	Yes	YES		19.76	PVC	250	C	3.6	MISSION
REINSPECTION	S-MA70150054	DUGALD RD	S-MH70074901	S-MH70036164	WWS	Yes	YES		12.64	CONCRETE	200	C	3.44	MISSION
REINSPECTION	S-MA50005458	DUGAS ST	S-MH50004673	S-MH50004674	CS	Yes	NO		100.5	CONCRETE	600	C	3.92	MISSION
REINSPECTION	S-MA50005459	DUGAS ST	S-MH50004674	S-MH50004669	CS	Yes	NO		88.32	CONCRETE	600	C	4.65	MISSION
REINSPECTION	S-MA50005462	DUGAS ST	S-MH50004677	S-MH50004678	CS	Yes	NO	Yes	102.71	CONCRETE	300	C	2.59	MISSION
REINSPECTION	S-MA50005463	DUGAS ST	S-MH50004678	S-MH50004676	CS	Yes	NO	Yes	97.9	PVC	375	C	3	MISSION
REINSPECTION	S-MA50005472	DUGAS ST	S-MH50004676	S-MH50004683	CS	Yes	NO	Yes	101.5	PVC	450	C	3.35	MISSION
REINSPECTION	S-MA50005473	DUGAS ST	S-MH50004683	S-MH70016314	CS	Yes	NO		91.2	CONCRETE	600	C	3.57	MISSION
REINSPECTION	S-MA50010911	DUGAS ST	S-MH50008853	S-MH50004677	CS	Yes	NO	Yes	30.5	CONCRETE	300	C	2.05	MISSION
REINSPECTION	S-MA50009849	DUMQUILIN ST	S-MH50008098	S-MH50008099	WWS	Yes	NO		79.6	VC	300	C	4.7	MISSION
REINSPECTION	S-MA50012823	DUPUY AV	S-MH50010282	S-MH50010283	CS	Yes	NO		72.54	CONCRETE	675	C	4.45	MISSION
REINSPECTION	S-MA50012856	DUPUY AV	S-MH50010284	S-MH50010286	CS	No	NO		52.4	CONCRETE	900	C	4.85	MISSION
REINSPECTION	S-MA70042542	DUPUY AV	S-MH50010282	S-PL70024040	CS	Yes	NO		3.1	CONCRETE	675	*UNKNOWN	4.38	MISSION
REINSPECTION	S-MA40011033	EATON ST	S-MH40009980	S-MH40010036	CS	Yes	NO	Yes	61.87	CONCRETE	300	C	3.13	ROLAND
REINSPECTION	S-MA40011091	EATON ST	S-MH40010036	S-MH40010046	CS	Yes	NO	Yes	60.96	CONCRETE	300	C	4.54	ROLAND
REINSPECTION	S-MA40011108	EATON ST	S-MH40010047	S-MH40010046	CS	Yes	NO	Yes	72.24	CONCRETE	300	C	4.59	ROLAND
REINSPECTION	S-MA40011670	EATON ST	S-MH40010079	S-MH40010104	CS	Yes	NO		42.5	CONCRETE	300	C	6.91	ROLAND
REINSPECTION	S-MA50005426	ELIZABETH RD	S-MH50004639	S-MH50004640	WWS	Yes	NO	Yes	12.71	CONCRETE	250	C	3.75	MISSION
REINSPECTION	S-MA50005440	ELIZABETH RD	S-MH50004654	S-MH50004641	CS	Yes	NO	Yes	98.79	CONCRETE	375	C	3.16	MISSION
REINSPECTION	S-MA50005448	ELIZABETH RD	S-MH50004661	S-MH50004662	CS	Yes	NO	Yes	105.5	CONCRETE	600	C	4.29	MISSION
REINSPECTION	S-MA50010695	ELIZABETH RD	S-MH50008678	S-MH50008679	CS	Yes	NO		97.1	CONCRETE	450	C	3.47	MISSION
REINSPECTION	S-MA70023016	ELIZABETH RD	S-MH50004662	S-MH70016315	CS	No	NO	Yes	82.23	CONCRETE	1500	C	5.46	MISSION
REINSPECTION	S-MA40011013	ELMWOOD RD	S-MH40009961	S-TE40003696	CS	Yes	NO		1.33	CONCRETE	300	C	8.62	ROLAND
REINSPECTION	S-MA40011026	ELMWOOD RD	S-MH40010035	S-MH40009960	CS	No	NO		37.64	CONCRETE	2060 x 1625	E	9.87	ROLAND
REINSPECTION	S-MA70003588	ELMWOOD RD	S-MH70001534	S-MH40009961	CS	Yes	NO		63.25	CONCRETE	300	C	5.91	ROLAND
REINSPECTION	S-MA20003653	EMO AV	S-MH20003436	S-MH20003354	CS	Yes	NO		113.84	PVC	450	C	4.42	WOODHAVEN
REINSPECTION	S-MA50002610	EUGENIE ST	S-MH50002208	S-MH50002209	CS	Yes	NO	Yes	101.09	VC	300	C	2.85	DESPINS
REINSPECTION	S-MA50002581	EVANS ST	S-MH50002180	S-MH50002181	WWS	Yes	NO		71.5	VC	300	C	3.25	MISSION SEPARATE
REINSPECTION	S-MA50002588	EVANS ST	S-MH50002186	S-MH50002187	WWS	Yes	NO		112.8	VC	300	C	3.58	MISSION SEPARATE
REINSPECTION	S-MA50007712	EVANS ST	S-MH50006617	S-MH50006618	WWS	Yes	NO		80.36	VC	300	C	3.55	MISSION SEPARATE
REINSPECTION	S-MA70033704	EVANS ST	S-MH50008675	S-MH70017114	CS	Yes	NO	Yes	11	STEEL	450	C	3.11	MISSION
REINSPECTION	S-MA70041584	EVANS ST	S-MH70016915	S-MH70016914	CS	Yes	NO		102.09	PVC	250	C	4.55	MISSION
REINSPECTION	S-MA40010662	FOSTER ST	S-MH40009641	S-MH40010022	CS	No	NO		138.33	CONCRETE	1500	C	7.52	ROLAND
REINSPECTION	S-MA40010699	FOSTER ST	S-MH70031958	S-MH40010020	CS	Yes	NO	Yes	100.15	PVC	450	C	5.54	ROLAND
REINSPECTION	S-MA40010709	FOSTER ST	S-MH40009679	S-MH40009678	CS	Yes	NO	Yes	92.35	CONCRETE	300	C	3.45	ROLAND
REINSPECTION	S-MA40010711	FOSTER ST	S-MH40009681	S-MH40009680	CS	No	NO	Yes	107.59	CONCRETE	1550 x 1200	E	6.52	ROLAND
REINSPECTION	S-MA40011068	FOSTER ST	S-PL40003723	S-MH40010020	CS	Yes	NO	Yes	20.12	CONCRETE	300	C	5.45	ROLAND
REINSPECTION	S-MA40011073	FOSTER ST	S-MH40010022	S-MH40010014	CS	No	NO		110.83	CONCRETE	1500	C	7.15	ROLAND
REINSPECTION	S-MA40011077	FOSTER ST	S-MH40010017	S-MH40009994	CS	Yes	NO		76.95	CONCRETE	375	C	4.31	ROLAND
REINSPECTION	S-MA40011097	FOSTER ST	S-MH40009680	S-MH40010054	CS	No	NO	Yes	122.68	CONCRETE	1550 x 1200	E	7.44	ROLAND
REINSPECTION	S-MA50011695	FOSTER ST	S-MH50009433	S-MH50008593	CS	No	NO		120.94	CONCRETE	1050	C	7.29	MISSION
REINSPECTION	S-MA70068301	FOSTER ST	S-MH70032053	S-MH40009680	CS	Yes	NO	Yes	12.61	PVC	375	C	5.96	ROLAND
REINSPECTION	S-MA50012519	FOURNIER ST	S-MH50010051	S-MH50010086	CS	Yes	NO		83.97	CONCRETE	375	C	3.15	MISSION
REINSPECTION	S-MA50013531	FOURNIER ST	S-MH50010848	S-MH50010849	CS	No	NO		98.8	CONCRETE	900	C	4.48	MISSION
REINSPECTION	S-MA50013532	FOURNIER ST	S-MH50010849	S-MH50010850	CS	No	NO		93.01	CONCRETE	1250	C	5.79	MISSION
REINSPECTION	S-MA50013689	FOURNIER ST	S-MH50010976	S-MH50010848	CS	No	NO		91.07	CONCRETE	900	C	4.97	MISSION
REINSPECTION	S-MA50013697	FOURNIER ST	S-MH50010086	S-MH50010985	CS	Yes	NO		103.74	CONCRETE	525	C	4.06	MISSION
REINSPECTION	S-MA50013698	FOURNIER ST	S-MH50010985	S-MH70061126	CS	Yes	NO		32.7	CONCRETE	600	C	5.44	MISSION
REINSPECTION	S-MA50013699	FOURNIER ST	S-MH70061126	S-MH50010976	CS	Yes	NO		159.1	CONCRETE	750	C	5.52	MISSION
REINSPECTION	S-MA70004975	FOURNIER ST	S-MH50010849	S-MH70002250	WWS	Yes	NO		145.11	PVC	250	C	4.74	MISSION
REINSPECTION	S-MA50002702	GABOURY PL	S-MH50002297	S-MH50002298	CS	Yes	NO		36.01	CONCRETE	375	C	4.01	DESPINS
REINSPECTION	S-MA70014230	GABOURY PL	S-MH50002329	S-MH70005686	CS	Yes	NO		70.13	CONCRETE	375	C	3.85	DESPINS
REINSPECTION	S-MA50007730	GAREAU ST	S-MH50006638	S-MH50006639	CS	Yes	NO	Yes	95.97	VC	300	C	3.4	MISSION
REINSPECTION	S-MA50007732	GAREAU ST	S-MH50006640	S-MH70019261	CS	Yes	NO	Yes	104.16	VC	300	C	4.35	MISSION
REINSPECTION	S-MA50010685	GAREAU ST	S-MH50008675	S-MH50006638	CS	Yes	NO	Yes	11.1	VC	300	C	2.99	MISSION
REINSPECTION	S-MA70045641	GAREAU ST	S-MH70019261	S-MH70019274	CS	Yes	NO	Yes	94.61	CONCRETE	600	C	4.6	MISSION
REINSPECTION	S-MA70045664	GAREAU ST	S-MH50006639	S-MH70019298	CS	Yes	NO	Yes	8.45	PVC	300	C	3.56	MISSION
REINSPECTION	S-MA70045681	GAREAU ST	S-MH70019298	S-MH70019299	CS	Yes	NO	Yes	97.7	PVC	300	C	3.56	MISSION
REINSPECTION	S-MA70045682	GAREAU ST	S-MH70019299	S-MH50006640	CS	Yes	NO	Yes	7.91	PVC	300	C	3.53	MISSION
REINSPECTION	S-MA70045683	GAREAU ST	S-PL70026240	S-MH70019298	CS	Yes	NO	Yes	3.7	PVC	300	C	3.56	MISSION
REINSPECTION	S-MA40007119	GATEWAY RD	S-MH40007498	S-MH40010112	CS	Yes	YES	Yes	43.22	CONCRETE	300	C	3.23	ROLAND
REINSPECTION	S-MA40008220	GATEWAY RD	S-MH40007484	S-MH40006492	CS	Yes	YES		87.34	CONCRETE	300	C	4.29	ROLAND
REINSPECTION	S-MA40008221	GATEWAY RD	S-MH40007535	S-MH40007484	CS	Yes	YES	Yes	98.81	CONCRETE	300	C	3.76	ROLAND
REINSPECTION	S-MA40008279	GATEWAY RD	S-MH40007533	S-MH40007534	CS	Yes	YES	Yes	57.91	CONCRETE	300	C	2.96	ROLAND
REINSPECTION	S-MA40008280	GATEWAY RD	S-MH40007534	S-MH40007535	CS	Yes	YES	Yes	58.48	CONCRETE	300	C	3.38	ROLAND
REINSPECTION	S-MA40008287	GATEWAY RD	S-MH40007526	S-MH40007539	CS	Yes	YES	Yes	89.55	CONCRETE	300	C	3.37	ROLAND
REINSPECTION	S-MA40008288	GATEWAY RD	S-MH40007539	S-MH40007542	CS	Yes	YES	Yes	106.08	CONCRETE	300	C	3.87	ROLAND
REINSPECTION	S-MA40011114	GATEWAY RD	S-MH40010105	S-MH70047597	CS	No	YES	Yes	107.95	CONCRETE	2060 x 1625	E	5.52	ROLAND
REINSPECTION	S-MA40011134	GATEWAY RD	S-MH40010082	S-MH40010085	CS	Yes	YES	Yes	60.14	CONCRETE	375	C	5.86	ROLAND
REINSPECTION	S-MA40011142	GATEWAY RD	S-PL40003762	S-PL40003763	CS	Yes	YES	Yes	9.94	CONCRETE	375	*UNKNOWN	0	ROLAND
REINSPECTION	S-MA40011143	GATEWAY RD	S-MH40010085	S-TE40003764	CS	Yes	YES	Yes	27.13	CONCRETE	450	C	5.81	ROLAND
REINSPECTION	S-MA70015306	GEORGES FOREST PL	S-MH50002303	S-MH70006905	CS	Yes	NO		80.94	CONCRETE	300	C	4.83	DESPINS

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA70018917	GEORGES FOREST PL	S-MH70006905	S-MH70006906	CS	Yes	NO		5.96	CONCRETE	300	C	4.84	DESPINS
REINSPECTION	S-MA70029402	GEORGES FOREST PL	S-MH70010916	S-MH70010914	WWS	Yes	NO		65.99	PVC	250	C	3.94	DESPINS
REINSPECTION	S-MA70040663	GIRARD ST	S-MH70016281	S-MH50008513	CS	Yes	NO		151.3	CONCRETE	300	*UNKNOWN	0	MISSION
REINSPECTION	S-MA50002498	GIROUX ST	S-MH50002106	S-MH70016854	WWS	Yes	NO		5.9	CMP	300	C	3.16	MISSION
REINSPECTION	S-MA50002499	GIROUX ST	S-MH50002106	S-MH50002107	WWS	Yes	NO		80.31	CONCRETE	300	C	3.63	MISSION
REINSPECTION	S-MA70041442	GIROUX ST	S-MH70016854	S-I000021615	WWS	Yes	NO		10.45	CMP	300	C	3.35	MISSION
REINSPECTION	S-MA20005049	GLENDALÉ BV	S-MH20004618	S-MH20004619	CS	Yes	NO		90.83	CONCRETE	375	C	6.33	WOODHAVEN
REINSPECTION	S-MA70040628	GLENDALÉ BV	S-MH70016256	S-MH20004618	CS	Yes	NO		46.3	CONCRETE	375	C	6.16	WOODHAVEN
REINSPECTION	S-MA70025872	GOULET PL	S-MH70008903	S-MH70029006	CS	Yes	NO		31.5	CONCRETE	450	C	7.12	MARION
REINSPECTION	S-MA70063725	GOULET PL	S-MH70029006	S-MH70029007	CS	Yes	NO		21.68	CONCRETE	450	C	6.9	MARION
REINSPECTION	S-MA50002663	GOULET ST	S-MH50002259	S-MH50002260	CS	Yes	NO		121.93	VC	300	C	3.18	DESPINS
REINSPECTION	S-MA50002664	GOULET ST	S-MH50002260	S-MH50002261	CS	Yes	NO		96.62	VC	300	C	3.58	DESPINS
REINSPECTION	S-MA50002671	GOULET ST	S-MH50002268	S-MH50002269	CS	Yes	NO		118.73	CONCRETE	375	C	3.06	DESPINS
REINSPECTION	S-MA50002672	GOULET ST	S-MH50002269	S-MH50002266	CS	Yes	NO		68.31	CONCRETE	375	C	4.2	DESPINS
REINSPECTION	S-MA50002676	GOULET ST	S-MH50002261	S-MH50002270	CS	Yes	NO		14.36	VC	300	C	4.89	DESPINS
REINSPECTION	S-MA40007525	GREY ST	S-MH40006873	S-MH40007512	CS	No	NO	Yes	38.4	CONCRETE	900	C	5.17	ROLAND
REINSPECTION	S-MA40007542	GREY ST	S-MH40007587	S-MH40006877	CS	Yes	NO	Yes	82.97	CONCRETE	375	C	4.84	ROLAND
REINSPECTION	S-MA40007580	GREY ST	S-MH40006973	S-MH40006908	CS	Yes	NO		100.34	CONCRETE	600	C	4.59	ROLAND
REINSPECTION	S-MA40008242	GREY ST	S-MH40007508	S-MH40006493	CS	No	NO	Yes	37.7	CONCRETE	900	C	5.46	ROLAND
REINSPECTION	S-MA40008247	GREY ST	S-MH40006861	S-MH40007508	CS	Yes	NO	Yes	99.87	CONCRETE	300	C	4.27	ROLAND
REINSPECTION	S-MA40008251	GREY ST	S-MH40007512	S-MH40007511	CS	No	NO	Yes	36.7	CONCRETE	900	C	5.36	ROLAND
REINSPECTION	S-MA40008306	GREY ST	S-MH40007553	S-MH40006873	CS	Yes	NO		87.48	CONCRETE	375	C	4.75	ROLAND
REINSPECTION	S-MA40010701	GREY ST	S-MH40009678	S-MH40010137	CS	Yes	NO	Yes	95.38	CONCRETE	300	C	5.47	ROLAND
REINSPECTION	S-MA40011044	GREY ST	S-MH40010013	S-MH40009988	CS	No	NO		102.54	CONCRETE	1500	C	7.67	ROLAND
REINSPECTION	S-MA40011069	GREY ST	S-MH40010006	S-MH40010009	CS	Yes	NO	Yes	110.03	CONCRETE	450	C	6.99	ROLAND
REINSPECTION	S-MA40011113	GREY ST	S-MH40010054	S-MH40010089	CS	No	NO	Yes	97.81	CONCRETE	1550 x 1200	E	7.44	ROLAND
REINSPECTION	S-MA40011672	GREY ST	S-MH40010137	S-MH40010136	CS	No	NO	Yes	45.43	CONCRETE	1050	C	0.34	ROLAND
REINSPECTION	S-MA70004032	GREY ST	S-MH70001842	S-MH40010012	CS	No	NO	Yes	16.41	CONCRETE	1275 x 850	E	6.23	ROLAND
REINSPECTION	S-MA70068322	GREY ST	S-MH70032076	S-MH70032075	CS	Yes	NO	Yes	30	PVC	375	C	4.93	ROLAND
REINSPECTION	S-MA70068323	GREY ST	S-MH70032075	S-MH40010009	CS	Yes	NO	Yes	5.23	PVC	375	C	5.04	ROLAND
REINSPECTION	S-MA50007743	GUILBAULT ST	S-MH50006646	S-MH50006647	WWS	Yes	NO	Yes	93.66	CONCRETE	300	C	3.24	MISSION
REINSPECTION	S-MA50007744	GUILBAULT ST	S-MH50006647	S-MH70057989	WWS	Yes	NO	Yes	46	PVC	300	C	3.9	MISSION
REINSPECTION	S-MA50010694	GUILBAULT ST	S-MH50006650	S-MH70017116	CS	Yes	NO	Yes	8.7	CMP	300	C	1.76	MISSION
REINSPECTION	S-MA70003443	GUILBAULT ST	S-MH50006650	S-MH50006646	WWS	Yes	NO	Yes	96.92	CONCRETE	300	C	2.83	MISSION
REINSPECTION	S-MA70045609	GUILBAULT ST	S-MH70019255	S-MH70019254	CS	Yes	NO	Yes	88.56	CONCRETE	600	C	4.16	MISSION
REINSPECTION	S-MA70045621	GUILBAULT ST	S-MH70019254	S-MH70019261	CS	Yes	NO	Yes	93.79	CONCRETE	600	C	4.36	MISSION
REINSPECTION	S-MA70119492	GUILBAULT ST	S-MH70057989	S-MH70019254	WWS	Yes	NO	Yes	40.02	CONCRETE	300	C	4.16	MISSION
REINSPECTION	S-MA50002714	HAMEL AV	S-MH50002307	S-MH70027286	CS	No	NO		85.6	CONCRETE	1150 x 750	E	5.65	DESPINS
REINSPECTION	S-MA50002736	HAMEL AV	S-MH50002311	S-MH50002329	CS	Yes	NO		112.56	CONCRETE	375	C	3.58	DESPINS
REINSPECTION	S-MA50003016	HAMEL AV	S-MH50002545	S-MH50002548	CS	No	NO		104.18	BRICK	1150 x 750	E	4.22	DESPINS
REINSPECTION	S-MA50003029	HAMEL AV	S-MH50002559	S-MH50002560	CS	Yes	NO		18.04	CONCRETE	300	C	2.97	DESPINS
REINSPECTION	S-MA50003030	HAMEL AV	S-MH50002560	S-TE50000526	CS	Yes	NO		14.03	CONCRETE	300	C	2.99	DESPINS
REINSPECTION	S-MA50003034	HAMEL AV	S-MH50002562	S-MH50002545	CS	Yes	NO		98	CONCRETE	450	C	3.89	DESPINS
REINSPECTION	S-MA50003099	HAMEL AV	S-MH50002621	S-MH50002623	CS	No	NO		91.57	CONCRETE	1150 x 750	E	4.2	DESPINS
REINSPECTION	S-MA70002110	HAMEL AV	S-MH50002312	S-MH70000839	CS	Yes	NO	Yes	43.72	CONCRETE	300	C	5.37	DESPINS
REINSPECTION	S-MA70003568	HAMEL AV	S-MH70001526	S-MH70000839	CS	Yes	NO	Yes	104.8	CONCRETE	750	C	5.24	DESPINS
REINSPECTION	S-MA40007530	HARBISON AV E	S-MH40006866	S-MH40006908	CS	Yes	NO		99.97	CONCRETE	375	C	4.67	ROLAND
REINSPECTION	S-MA40007586	HARBISON AV E	S-MH40006908	S-MH40006907	CS	No	NO	Yes	62.5	CONCRETE	900	C	4.81	ROLAND
REINSPECTION	S-MA40007643	HARBISON AV E	S-MH40006951	S-MH40006984	CS	Yes	NO		92.96	CONCRETE	375	C	3.04	ROLAND
REINSPECTION	S-MA40007654	HARBISON AV E	S-MH40006992	S-MH40006964	CS	Yes	NO		100.74	CONCRETE	600	C	3.96	ROLAND
REINSPECTION	S-MA40007662	HARBISON AV E	S-MH40006964	S-MH40006973	CS	Yes	NO		101.04	CONCRETE	600	C	4.37	ROLAND
REINSPECTION	S-MA40007674	HARBISON AV E	S-MH40006984	S-MH40006987	CS	Yes	NO		93.27	CONCRETE	375	C	3.65	ROLAND
REINSPECTION	S-MA40008311	HARBISON AV E	S-MH40007620	S-MH40006866	CS	Yes	NO		99.97	PVC	300	C	4.02	ROLAND
REINSPECTION	S-MA40008374	HARBISON AV E	S-MH40007631	S-MH40007620	CS	Yes	NO	Yes	99.97	CONCRETE	300	C	3.33	ROLAND
REINSPECTION	S-MA40008376	HARBISON AV E	S-MH40007638	S-MH40007617	CS	Yes	NO	Yes	74.7	CONCRETE	300	C	3.26	ROLAND
REINSPECTION	S-MA70068051	HARBISON AV E	S-MH40006950	S-MH40006951	CS	Yes	NO		90.4	PVC	300	C	2.27	ROLAND
REINSPECTION	S-MA70145507	HARBISON AV E	S-PL70078347	S-MH40006908	CS	Yes	NO		10	VC	300	C	0	ROLAND
REINSPECTION	S-MA70162174	HARBISON AV E	S-PL70084628	S-MH40006950	CS	Yes	NO		32.4	PVC	350	C	0	ROLAND
REINSPECTION	S-MA50005427	HARPER AV	S-MH50004641	S-MH50004642	CS	Yes	NO	Yes	101.45	CONCRETE	450	C	3.43	MISSION
REINSPECTION	S-MA20002844	HARRIS BV	S-MH20002597	S-MH20002590	CS	Yes	NO		104.87	CONCRETE	750	C	4.3	WOODHAVEN
REINSPECTION	S-MA20002855	HARRIS BV	S-MH20002596	S-MH20002597	CS	Yes	NO		106.38	CONCRETE	600	C	3.74	WOODHAVEN
REINSPECTION	S-MA20003668	HARRIS BV	S-MH20003365	S-MH20002596	CS	Yes	NO		106.68	CONCRETE	600	C	3.68	WOODHAVEN
REINSPECTION	S-MA20003732	HARRIS BV	S-MH20003443	S-MH20003422	CS	Yes	NO		87.03	CONCRETE	600	C	3.62	WOODHAVEN
REINSPECTION	S-MA20003757	HARRIS BV	S-MH20003507	S-MH20003443	CS	Yes	NO		92.43	CONCRETE	450	C	3.44	WOODHAVEN
REINSPECTION	S-MA20003828	HARRIS BV	S-MH20003521	S-MH20003507	CS	Yes	NO		90.64	CONCRETE	450	C	3.61	WOODHAVEN
REINSPECTION	S-MA20003844	HARRIS BV	S-MH20003551	S-MH20003521	CS	Yes	NO		105.19	CONCRETE	450	C	3.61	WOODHAVEN
REINSPECTION	S-MA70061768	HARRIS BV	S-MH20003422	S-MH20003365	CS	Yes	NO		94.1	CONCRETE	600	C	3.62	WOODHAVEN
REINSPECTION	S-MA40010694	HERBERT AV	S-MH40009667	S-MH70032052	CS	Yes	NO	Yes	71.44	CONCRETE	375	C	4.31	ROLAND
REINSPECTION	S-MA40010724	HERBERT AV	S-MH40009677	S-MH40009667	CS	Yes	NO		76.5	CONCRETE	300	C	3.83	ROLAND
REINSPECTION	S-MA40010725	HERBERT AV	S-MH40009705	S-MH40009677	CS	Yes	NO		76.99	CONCRETE	300	C	3.09	ROLAND
REINSPECTION	S-MA40010737	HERBERT AV	S-MH40009798	S-MH40009711	CS	Yes	NO		86.11	CONCRETE	300	C	4.01	ROLAND
REINSPECTION	S-MA40010744	HERBERT AV	S-MH40009711	S-MH40009710	CS	Yes	NO		47.12	CONCRETE	300	C	4.96	ROLAND
REINSPECTION	S-MA40010861	HERBERT AV	S-MH40009859	S-MH40009827	CS	Yes	NO		73.15	CONCRETE	375	C	5.04	ROLAND
REINSPECTION	S-MA40010884	HERBERT AV	S-PL40003633	S-MH40009845	CS	Yes	NO		11.73	CONCRETE	300	C	3.54	ROLAND
REINSPECTION	S-MA40010897	HERBERT AV	S-MH40009845	S-MH40009859	CS	Yes	NO		58.7	CONCRETE	300	C	4.17	ROLAND
REINSPECTION	S-MA40011070	HERBERT AV	S-MH40010009	S-MH40010073	CS	Yes	NO	Yes	120.2	CONCRETE	750	C	6.93	ROLAND
REINSPECTION	S-MA40011088	HERBERT AV	S-MH40010032	S-MH40010047	CS	Yes	NO	Yes	72.48	CONCRETE	300	C	3.96	ROLAND
REINSPECTION	S-MA40011090	HERBERT AV	S-MH40010034	S-MH40010033	CS	Yes	NO	Yes	43.22	CONCRETE	300	C	3.56	ROLAND
REINSPECTION	S-MA40011669	HERBERT AV	S-MH40010046	S-MH40010079	CS	Yes	NO	Yes	37.92	CONCRETE	300	C	5.2	ROLAND
REINSPECTION	S-MA70050412	HERBERT AV	S-MH40010033	S-MH40010032	CS	Yes	NO	Yes	72.12	PVC	300	C	3.74	ROLAND
REINSPECTION	S-MA70068300	HERBERT AV	S-MH70032052	S-MH70032053	CS	Yes	NO	Yes	68.03	PVC	375	C	5.37	ROLAND
REINSPECTION	S-MA50013294	HOLDEN AV	S-MH50010684	S-MH50010685	CS	Yes	NO		73.2	CONCRETE	300	C	2.65	MISSION
REINSPECTION	S-MA50013295	HOLDEN AV	S-MH50010685	S-MH50010679	CS	Yes	NO		88.56	CONCRETE	600	C	4.59	MISSION
REINSPECTION	S-MA50013653	HOLDEN AV	S-MH50010941	S-MH50010685	CS	Yes	NO		75.21	CONCRETE	450	C	2.78	MISSION
REINSPECTION	S-MA50013658	HOLDEN AV	S-MH50010946	S-MH50010842	CS	No	NO		93.33	CONCRETE	1200	C	6.73	MISSION
REINSPECTION	S-MA50013662	HOLDEN AV	S-MH50010949	S-MH50010950	CS	Yes	NO		57	CONCRETE	300	C	3.21	MISSION
REINSPECTION	S-MA50013663	HOLDEN AV	S-MH50010950	S-MH50010951	CS	Yes	NO		87.95	CONCRETE	600	C	3.33	MISSION
REINSPECTION	S-MA50013664	HOLDEN AV	S-MH50010951	S-MH50010946	CS	Yes	NO		93.51	CONCRETE	750	C	5.86	MISSION
REINSPECTION	S-MA50013666	HOLDEN AV	S-MH50010953	S-MH50010951	CS	Yes	NO		76.2	CONCRETE	375	C	3.38	MISSION

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50013668	HOLDEN AV	S-MH50010955	S-MH50010950	CS	Yes	NO		75.1	CONCRETE	450	C	3.36	MISSION
REINSPECTION	S-MA50013684	HOLDEN AV	S-MH50010971	S-MH50010972	CS	Yes	NO		60.5	CONCRETE	375	C	2.2	MISSION
REINSPECTION	S-MA50002620	HORACE ST	S-MH50002209	S-MH50002219	CS	Yes	NO	Yes	119.12	VC	600	C	4.14	DESPINS
REINSPECTION	S-MA50002622	HORACE ST	S-MH50002220	S-MH50002221	CS	Yes	NO	Yes	84.11	CONCRETE	300	C	3.02	DESPINS
REINSPECTION	S-MA50002624	HORACE ST	S-MH50002222	S-TE50000402	CS	Yes	NO	Yes	58.76	PVC	250	C	2.77	DESPINS
REINSPECTION	S-MA50003053	JEANNE DARC ST	S-MH50002579	S-MH50002580	CS	No	NO		93.34	CONCRETE	1200	C	4.85	DESPINS
REINSPECTION	S-MA50003057	JEANNE DARC ST	S-MH50002584	S-MH50002580	CS	Yes	NO		121.18	CONCRETE	450	C	4.52	DESPINS
REINSPECTION	S-MA50003105	JEANNE DARC ST	S-MH50002583	S-MH70063035	CS	Yes	NO		6.21	CONCRETE	750	C	4.61	DESPINS
REINSPECTION	S-MA70127637	JEANNE DARC ST	S-MH70063036	S-MH50002584	CS	Yes	NO		5.94	PVC	300	C	4.04	DESPINS
REINSPECTION	S-MA40008246	JOHNSON AV E	S-MH40007511	S-MH40007508	CS	No	NO	Yes	15.25	CONCRETE	900	C	5.36	ROLAND
REINSPECTION	S-MA40008249	JOHNSON AV E	S-MH40007510	S-MH40007511	CS	Yes	NO	Yes	62.43	CONCRETE	375	C	5.02	ROLAND
REINSPECTION	S-MA40008250	JOHNSON AV E	S-MH40007550	S-MH40007510	CS	Yes	NO	Yes	106.53	CONCRETE	375	C	4.05	ROLAND
REINSPECTION	S-MA40008291	JOHNSON AV E	S-MH40007542	S-MH40007550	CS	Yes	NO	Yes	106.72	CONCRETE	300	C	4.27	ROLAND
REINSPECTION	S-MA50002494	KAVANAGH ST	S-MH50002101	S-MH50002102	WWS	Yes	NO		74.4	CONCRETE	300	C	2.65	MISSION
REINSPECTION	S-MA50002496	KAVANAGH ST	S-MH50002103	S-MH50002104	WWS	Yes	NO		79.6	CONCRETE	300	C	2.66	MISSION
REINSPECTION	S-MA40010346	KEENLEYSIDE ST	S-MH40009343	S-MH40009363	CS	Yes	NO	Yes	93.21	AC	300	C	2.88	ROLAND
REINSPECTION	S-MA40010347	KEENLEYSIDE ST	S-MH40009343	S-MH40009924	CS	Yes	NO	Yes	91.68	CONCRETE	300	C	3.89	ROLAND
REINSPECTION	S-MA40010782	KEENLEYSIDE ST	S-MH40009765	S-MH40009742	CS	No	NO		160.46	CONCRETE	1500	C	7.12	ROLAND
REINSPECTION	S-MA40010805	KEENLEYSIDE ST	S-MH40009764	S-MH40009765	CS	No	NO		127.43	CONCRETE	1500	C	6.64	ROLAND
REINSPECTION	S-MA40010806	KEENLEYSIDE ST	S-MH40009766	S-MH40009767	CS	Yes	NO		18.29	CONCRETE	300	C	3.07	ROLAND
REINSPECTION	S-MA40010807	KEENLEYSIDE ST	S-MH40009767	S-MH40009765	CS	Yes	NO		92.58	CONCRETE	300	C	5.33	ROLAND
REINSPECTION	S-MA40010808	KEENLEYSIDE ST	S-MH40009768	S-MH40009767	CS	Yes	NO		18.79	CONCRETE	300	C	2.86	ROLAND
REINSPECTION	S-MA40010889	KEENLEYSIDE ST	S-MH40009850	S-MH40009881	CS	Yes	NO		82.23	CONCRETE	450	C	5.52	ROLAND
REINSPECTION	S-MA40010901	KEENLEYSIDE ST	S-MH40009354	S-MH40009850	CS	Yes	NO		92.34	CONCRETE	450	C	4.2	ROLAND
REINSPECTION	S-MA40010923	KEENLEYSIDE ST	S-MH40009881	S-MH40009878	CS	No	NO		146.09	CONCRETE	900	C	5.7	ROLAND
REINSPECTION	S-MA40010974	KEENLEYSIDE ST	S-MH40009343	S-MH40009910	CS	Yes	NO	Yes	100.77	CONCRETE	300	C	3.37	ROLAND
REINSPECTION	S-MA70004019	KEENLEYSIDE ST	S-MH70001829	S-MH70001830	CS	No	NO		99.74	CONCRETE	1050	C	5.61	ROLAND
REINSPECTION	S-MA50003058	KENNY ST	S-MH50002581	S-MH50002585	CS	Yes	NO		62.42	CONCRETE	600	C	4.52	DESPINS
REINSPECTION	S-MA40010351	KENT RD	S-PL40003422	S-MH40009343	CS	Yes	NO	Yes	40.54	CONCRETE	300	C	2.87	ROLAND
REINSPECTION	S-MA40010484	KENT RD	S-MH40009478	S-MH40009461	CS	Yes	NO		96.66	CONCRETE	300	C	3.07	ROLAND
REINSPECTION	S-MA40010538	KENT RD	S-MH40009532	S-MH40009506	CS	Yes	NO		85.8	CONCRETE	375	C	3.62	ROLAND
REINSPECTION	S-MA40010557	KENT RD	S-MH40009533	S-MH40009532	CS	Yes	NO		12.8	CONCRETE	375	C	3.2	ROLAND
REINSPECTION	S-MA40010862	KENT RD	S-MH40009823	S-MH40009830	CS	Yes	NO	Yes	84.87	CONCRETE	750	C	6	ROLAND
REINSPECTION	S-MA40010866	KENT RD	S-MH40009830	S-MH40009831	CS	No	NO		87.71	CONCRETE	1325	*UNKNOWN	6.17	ROLAND
REINSPECTION	S-MA40010868	KENT RD	S-MH40009878	S-MH40009830	CS	No	NO		147.52	CONCRETE	900	C	6.17	ROLAND
REINSPECTION	S-MA40010869	KENT RD	S-MH40009860	S-MH70001864	CS	Yes	NO		70.55	CONCRETE	450	C	5.22	ROLAND
REINSPECTION	S-MA40010939	KENT RD	S-MH70031852	S-MH40009919	CS	Yes	NO	Yes	76.17	CONCRETE	300	C	5.29	ROLAND
REINSPECTION	S-MA40010944	KENT RD	S-MH40009898	S-MH40009922	CS	Yes	NO	Yes	64	CONCRETE	375	C	5.5	ROLAND
REINSPECTION	S-MA40010950	KENT RD	S-MH40009909	S-MH40009908	CS	Yes	NO	Yes	56.31	CONCRETE	450	C	3.79	ROLAND
REINSPECTION	S-MA40010951	KENT RD	S-MH40009910	S-MH40009909	CS	Yes	NO	Yes	99.15	CONCRETE	450	C	3.6	ROLAND
REINSPECTION	S-MA40010961	KENT RD	S-MH40009908	S-MH40009916	CS	Yes	NO	Yes	56.24	CONCRETE	450	C	4.36	ROLAND
REINSPECTION	S-MA40010964	KENT RD	S-MH40009919	S-MH40009922	CS	Yes	NO	Yes	82.82	CONCRETE	600	C	5.52	ROLAND
REINSPECTION	S-MA70032685	KENT RD	S-MH70001863	S-MH70001864	CS	Yes	NO		78.86	PVC	450	C	5.52	ROLAND
REINSPECTION	S-MA40010787	KENT ST	S-MH40009742	S-MH40009751	CS	No	NO		132.91	CONCRETE	1500	C	7.14	ROLAND
REINSPECTION	S-MA40010788	KENT ST	S-MH40009751	S-MH40009750	CS	No	NO		105.75	CONCRETE	1500	C	7.39	ROLAND
REINSPECTION	S-MA70004022	KENT ST	S-MH70001832	S-MH70001833	CS	No	NO		51.36	CONCRETE	1050	C	5.42	ROLAND
REINSPECTION	S-MA70004023	KENT ST	S-MH70001833	S-MH70001834	CS	No	NO		60.04	CONCRETE	1050	C	5.82	ROLAND
REINSPECTION	S-MA50009815	LA FLECHE ST	S-MH50008077	S-MH50008078	WWS	Yes	NO		32.41	CONCRETE	250	C	3.54	MISSION
REINSPECTION	S-MA50009819	LA FLECHE ST	S-MH50008077	S-MH50008082	WWS	Yes	NO		69.14	CONCRETE	250	C	4.02	MISSION
REINSPECTION	S-MA50009820	LA FLECHE ST	S-MH50008082	S-MH50008083	WWS	Yes	NO		80.88	CONCRETE	300	C	4.47	MISSION
REINSPECTION	S-MA50009842	LA FLECHE ST	S-MH50008097	S-MH50008098	WWS	Yes	NO		79.92	VC	300	C	4.1	MISSION
REINSPECTION	S-MA50009853	LA FLECHE ST	S-MH50008107	S-MH50008108	CS	Yes	NO	Yes	70.99	VC	300	C	4.68	MISSION
REINSPECTION	S-MA50009959	LA FLECHE ST	S-MH50008176	S-MH50008183	CS	Yes	NO	Yes	83.77	CONCRETE	300	C	3.77	MISSION
REINSPECTION	S-MA70027301	LA FLECHE ST	S-PL70013007	S-MH50008107	CS	Yes	NO	Yes	69.69	VC	300	C	4.14	MISSION
REINSPECTION	S-MA70043084	LA FLECHE ST	S-MH50008097	S-MH50008096	WWS	Yes	NO		105.8	VC	300	C	3.31	MISSION
REINSPECTION	S-MA70137053	LA FLECHE ST	S-MH70068677	S-MH50008082	WWS	Yes	NO		5.72	PVC	300	C	3.89	MISSION
REINSPECTION	S-MA50009816	LA VERENDRYE ST	S-MH50008078	S-MH50008079	WWS	Yes	NO		82.09	CONCRETE	300	C	4.42	MISSION
REINSPECTION	S-MA50009817	LA VERENDRYE ST	S-MH50008079	S-MH50008080	WWS	Yes	NO		76.21	CONCRETE	300	C	5.89	MISSION
REINSPECTION	S-MA50009818	LA VERENDRYE ST	S-MH50008080	S-MH50008081	CS	Yes	NO		2.54	CMP	375	C	6.21	MISSION
REINSPECTION	S-MA50009823	LA VERENDRYE ST	S-MH50008084	S-MH50008080	CS	Yes	NO		100.3	CONCRETE	600	C	5.89	MISSION
REINSPECTION	S-MA50013317	LAGIMODIERE BV	S-MH50010705	S-MH50010706	CS	Yes	YES		89.96	CONCRETE	600	C	3.97	MISSION
REINSPECTION	S-MA50013318	LAGIMODIERE BV	S-MH50010706	S-MH50010707	CS	Yes	YES		76.86	CONCRETE	750	C	4.05	MISSION
REINSPECTION	S-MA50013319	LAGIMODIERE BV	S-MH50010707	S-MH50010708	CS	No	YES		107.13	CONCRETE	900	C	4.31	MISSION
REINSPECTION	S-MA50013659	LAGIMODIERE BV	S-MH50010945	S-MH50010947	CS	No	YES		106.8	CONCRETE	1200	C	6.26	MISSION
REINSPECTION	S-MA50013685	LAGIMODIERE BV	S-MH50010972	S-MH50010975	CS	Yes	YES		75.4	CONCRETE	375	C	3.57	MISSION
REINSPECTION	S-MA50014243	LAGIMODIERE BV	S-MH50011367	S-MH50010975	CS	Yes	YES		46.2	CONCRETE	300	C	3.72	MISSION
REINSPECTION	S-MA50014245	LAGIMODIERE BV	S-MH50011368	S-MH50011369	CS	Yes	YES		92.11	CONCRETE	600	C	3.61	MISSION
REINSPECTION	S-MA50015016	LAGIMODIERE BV	S-MH50012053	S-MH50010705	CS	Yes	YES		91.45	CONCRETE	600	C	4.77	MISSION
REINSPECTION	S-MA50017861	LAGIMODIERE BV	S-MH50010975	S-MH50011368	CS	Yes	YES		84	CONCRETE	600	C	3.72	MISSION
REINSPECTION	S-MA50018205	LAGIMODIERE BV	S-MH50014675	S-MH50014676	WWS	Yes	YES		82.3	CONCRETE	200	C	3.22	MISSION
REINSPECTION	S-MA50018206	LAGIMODIERE BV	S-MH50014676	S-MH50014677	WWS	Yes	YES		44.2	CONCRETE	300	C	3.26	MISSION
REINSPECTION	S-MA50018207	LAGIMODIERE BV	S-MH50014677	S-MH50014672	WWS	Yes	YES		27.4	CONCRETE	300	C	3.25	MISSION
REINSPECTION	S-MA50018208	LAGIMODIERE BV	S-MH50014678	S-MH50014672	WWS	Yes	YES		70.1	CONCRETE	150	C	2.73	MISSION
REINSPECTION	S-MA70025523	LAGIMODIERE BV	S-MH70008777	S-MH70008778	CS	Yes	YES		20.73	CONCRETE	300	C	3.7	MISSION
REINSPECTION	S-MA70025524	LAGIMODIERE BV	S-MH70008778	S-MH50010709	CS	Yes	YES		18.18	CONCRETE	375	C	4.05	MISSION
REINSPECTION	S-MA70025525	LAGIMODIERE BV	S-MH70008779	S-MH70008778	CS	Yes	YES		45.11	CONCRETE	250	C	2.51	MISSION
REINSPECTION	S-MA70025526	LAGIMODIERE BV	S-MH70008780	S-MH70008778	CS	Yes	YES		32.63	CONCRETE	300	C	3.48	MISSION
REINSPECTION	S-MA70025550	LAGIMODIERE BV	S-MH70008794	S-MH50010707	CS	Yes	YES		56.74	CONCRETE	750	C	4.75	MISSION
REINSPECTION	S-MA50003040	LANGEVIN ST	S-MH50002566	S-MH50002567	CS	Yes	NO		51.79	CONCRETE	250	C	4.09	DESPINS
REINSPECTION	S-MA50003041	LANGEVIN ST	S-MH50002567	S-MH50002568	CS	Yes	NO		76.33	CONCRETE	300	C	2.31	DESPINS
REINSPECTION	S-MA50003097	LANGEVIN ST	S-MH50002548	S-MH50002621	CS	No	NO		93.5	BRICK	1150 x 750	E	4.22	DESPINS
REINSPECTION	S-MA70026931	LANGEVIN ST	S-MH70009379	S-MH70009380	CS	Yes	NO		91.63	CONCRETE	300	C	4.14	DESPINS
REINSPECTION	S-MA70026932	LANGEVIN ST	S-MH70009380	S-MH50002566	CS	Yes	NO		2.04	CONCRETE	300	C	3.76	DESPINS
REINSPECTION	S-MA70057845	LANGEVIN ST	S-MH70025846	S-MH70025847	WWS	Yes	NO		109.65	PVC	250	C	4.79	DESPINS
REINSPECTION	S-MA50010495	LAURIER ST	S-MH50008512	S-MH50008513	CS	No	NO		70.4	PLINBRIC	2700 x 1800	E	8.41	MISSION
REINSPECTION	S-MA40007114	LONDON ST	S-MH40009819	S-MH40006935	CS	Yes	NO	Yes	61.11	CONCRETE	375	C	3.48	ROLAND
REINSPECTION	S-MA40007617	LONDON ST	S-MH40006954	S-MH40006932	CS	Yes	NO		100.86	VC	375	C	3.39	ROLAND
REINSPECTION	S-MA40007673	LONDON ST	S-MH40006987	S-MH40006992	CS	Yes	NO		98.15	CONCRETE	450	C	3.93	ROLAND
REINSPECTION	S-MA70026767	LOUIS RIEL ST	S-MH50002578	S-MH50002579	CS	No	NO		86.18	CON				

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA70015955	LYNDALE DR	S-MH50007103	S-CN00137305	CS	Yes	NO		143.01	VC	450	C	6.8	MARION
REINSPECTION	S-MA50007009	MAGINOT ST	S-MH50006002	S-MH50006003	CS	No	NO	Yes	90.54	CONCRETE	900	C	3.48	MISSION
REINSPECTION	S-MA50007754	MAGINOT ST	S-MH50006655	S-MH50006656	CS	Yes	NO	Yes	72.7	CONCRETE	450	C	3.84	MISSION
REINSPECTION	S-MA50010943	MAGINOT ST	S-MH50005975	S-MH50005976	CS	No	NO		92.5	CONCRETE	2025 x 1350	E	5.59	MISSION
REINSPECTION	S-MA70004874	MAGINOT ST	S-MH50006003	S-MH50006004	CS	No	NO		75.9	CONCRETE		C	3.7	MISSION
REINSPECTION	S-MA70004882	MAGINOT ST	S-MH50006001	S-MH50006002	CS	Yes	NO	Yes	93.86	CONCRETE	750	C	3	MISSION
REINSPECTION	S-MA40010491	MANHATTAN AV	S-MH40009469	S-MH40009486	CS	Yes	NO		96.39	CONCRETE	500	C	4.21	ROLAND
REINSPECTION	S-MA40010708	MANHATTAN AV	S-MH40009689	S-MH40009678	CS	Yes	NO	Yes	84.12	CONCRETE	300	C	3.36	ROLAND
REINSPECTION	S-MA40010710	MANHATTAN AV	S-MH40009728	S-MH40009679	CS	Yes	NO	Yes	92.05	CONCRETE	300	C	3.2	ROLAND
REINSPECTION	S-MA40010836	MANHATTAN AV	S-MH40009813	S-MH40009801	CS	Yes	NO		56.91	CONCRETE	300	C	3.17	ROLAND
REINSPECTION	S-MA40010848	MANHATTAN AV	S-MH40009813	S-MH40009899	CS	Yes	NO	Yes	94.8	CONCRETE	300	C	3.58	ROLAND
REINSPECTION	S-MA40010906	MANHATTAN AV	S-MH40009905	S-MH40009867	CS	Yes	NO	Yes	85.83	CONCRETE	375	C	5.21	ROLAND
REINSPECTION	S-MA40010945	MANHATTAN AV	S-MH40009899	S-MH40009898	CS	Yes	NO	Yes	79.25	CONCRETE	375	C	4.12	ROLAND
REINSPECTION	S-MA40010968	MANHATTAN AV	S-MH40009924	S-MH40009905	CS	Yes	NO	Yes	82.81	CONCRETE	375	C	3.96	ROLAND
REINSPECTION	S-MA70041921	MANHATTAN AV	S-MH70017034	S-MH40009722	CS	Yes	NO	Yes	54.7	CONCRETE	300	C	3.63	ROLAND
REINSPECTION	S-MA50002547	MARION ST	S-MH50002149	S-MH50002150	CS	Yes	YES		54.04	PVC	250	C	3.45	MISSION
REINSPECTION	S-MA50002550	MARION ST	S-MH50002152	S-MH50002153	CS	Yes	YES		42.78	CONCRETE	600	C	4.41	MISSION
REINSPECTION	S-MA50002551	MARION ST	S-MH50002153	S-MH50002154	CS	Yes	YES		76.32	CONCRETE	600	C	4.56	MISSION
REINSPECTION	S-MA50002571	MARION ST	S-MH70017397	S-MH70022170	CS	No	YES		25.24	CONCRETE	900	C	5.12	MISSION
REINSPECTION	S-MA50002643	MARION ST	S-MH50002240	S-MH50002241	CS	Yes	YES	Yes	83.5	VC	450	C	4.32	DESPINS
REINSPECTION	S-MA50002646	MARION ST	S-MH50002243	S-MH50002244	CS	Yes	YES	Yes	112.25	CONCRETE	600	C	4.18	MARION
REINSPECTION	S-MA50012824	MARION ST	S-MH50010283	S-MH50010284	CS	Yes	YES		61.49	CONCRETE	600	C	4.8	MISSION
REINSPECTION	S-MA50012828	MARION ST	S-MH50010286	S-MH50010287	CS	No	YES		71.24	CONCRETE	900	C	4.91	MISSION
REINSPECTION	S-MA50012832	MARION ST	S-MH50010287	S-MH50010285	CS	No	YES		92.07	CONCRETE	1350 x 900	E	5.34	MISSION
REINSPECTION	S-MA50012843	MARION ST	S-MH50010299	S-MH50010298	CS	No	YES		107.13	CONCRETE		C	6.18	MISSION
REINSPECTION	S-MA50012848	MARION ST	S-MH50010302	S-MH50010300	CS	No	YES		78.6	CONCRETE	1350 x 900	E	6.14	MISSION
REINSPECTION	S-MA50012849	MARION ST	S-MH50010285	S-MH50010303	CS	No	YES		84.39	CONCRETE	1350 x 900	E	5.34	MISSION
REINSPECTION	S-MA50012850	MARION ST	S-MH50010303	S-MH50010302	CS	No	YES		83.21	CONCRETE	1350 x 900	E	5.35	MISSION
REINSPECTION	S-MA50013251	MARION ST	S-MH50010300	S-MH50010299	CS	No	YES		67.01	CONCRETE	1350 x 900	E	6.17	MISSION
REINSPECTION	S-MA50013290	MARION ST	S-MH50010679	S-MH50010680	CS	No	YES		104.08	CONCRETE		C	5.38	MISSION
REINSPECTION	S-MA50013292	MARION ST	S-MH50010681	S-MH50010682	CS	No	YES		93.5	CONCRETE	1050	C	4.9	MISSION
REINSPECTION	S-MA50013293	MARION ST	S-MH50010682	S-MH50010683	CS	No	YES		93.3	CONCRETE	1050	C	5.01	MISSION
REINSPECTION	S-MA50013320	MARION ST	S-MH50010708	S-MH50010709	CS	No	YES		46.02	CONCRETE	900	C	4.47	MISSION
REINSPECTION	S-MA50013321	MARION ST	S-MH50010709	S-MH50010710	CS	No	YES		105.8	CONCRETE	1050	C	4.62	MISSION
REINSPECTION	S-MA50013322	MARION ST	S-MH50010710	S-MH50010679	CS	No	YES		104.77	CONCRETE	1050	C	4.59	MISSION
REINSPECTION	S-MA50013326	MARION ST	S-MH50010712	S-MH50010709	CS	Yes	YES		74.82	CONCRETE	300	C	4.62	MISSION
REINSPECTION	S-MA70023528	MARION ST	S-MH70008261	S-MH50010284	CS	No	YES		93.54	CONCRETE	900	C	4.79	MISSION
REINSPECTION	S-MA70023529	MARION ST	S-MH70008262	S-MH70008261	CS	Yes	YES		12.89	CONCRETE	600	C	4.68	MISSION
REINSPECTION	S-MA70023530	MARION ST	S-MH70008263	S-MH70008262	CS	Yes	YES		60.36	CONCRETE	600	C	4.68	MISSION
REINSPECTION	S-MA70023531	MARION ST	S-MH70008264	S-MH70017395	CS	Yes	YES		8.34	CONCRETE	600	C	4.41	MISSION
REINSPECTION	S-MA70032317	MARION ST	S-MH50010683	S-TE50004125	CS	No	YES		95.73	CONCRETE	1050	C	5.01	MISSION
REINSPECTION	S-MA70042544	MARION ST	S-MH70017395	S-MH70008263	CS	Yes	YES		66.03	CONCRETE	600	C	4.44	MISSION
REINSPECTION	S-MA70046743	MARION ST	S-PL70027142	S-MH50002150	WWS	Yes	YES		20.24	PVC	200	C	0	MISSION
REINSPECTION	S-MA70051794	MARION ST	S-MH70022171	S-MH70046276	CS	No	YES		24.8	CONCRETE	900	C	5.14	MISSION
REINSPECTION	S-MA400007529	MARTIN AV E	S-MH40006865	S-MH40006906	CS	Yes	NO	Yes	81.64	CONCRETE	375	C	4.81	ROLAND
REINSPECTION	S-MA40007545	MARTIN AV E	S-MH40006906	S-MH40006877	CS	No	NO	Yes	71.5	CONCRETE	900	C	4.81	ROLAND
REINSPECTION	S-MA40007579	MARTIN AV E	S-MH40006970	S-MH70031952	CS	Yes	NO	Yes	101.1	PVC	450	C	4.37	ROLAND
REINSPECTION	S-MA40007585	MARTIN AV E	S-MH40006907	S-MH40006906	CS	No	NO	Yes	10.52	CONCRETE	900	C	6.92	ROLAND
REINSPECTION	S-MA40007609	MARTIN AV E	S-MH40006932	S-MH40006969	CS	Yes	NO	Yes	99.62	CONCRETE	375	C	3.67	ROLAND
REINSPECTION	S-MA40007659	MARTIN AV E	S-MH40006969	S-MH40006970	CS	Yes	NO	Yes	98.76	CONCRETE	450	C	4.13	ROLAND
REINSPECTION	S-MA40008298	MARTIN AV E	S-MH40007617	S-MH40007527	CS	Yes	NO	Yes	72.99	CONCRETE	300	C	3.26	ROLAND
REINSPECTION	S-MA40008321	MARTIN AV E	S-MH40007617	S-MH40007582	CS	Yes	NO	Yes	80.41	CONCRETE	300	C	3.54	ROLAND
REINSPECTION	S-MA40008337	MARTIN AV E	S-MH40007582	S-MH40007583	CS	Yes	NO	Yes	81.44	CONCRETE	300	C	3.97	ROLAND
REINSPECTION	S-MA40008338	MARTIN AV E	S-MH40007583	S-MH40006865	CS	Yes	NO	Yes	81.41	CONCRETE	375	C	4.26	ROLAND
REINSPECTION	S-MA70068139	MARTIN AV E	S-MH70031952	S-MH40006906	CS	Yes	NO	Yes	2.8	PVC	450	C	4.5	ROLAND
REINSPECTION	S-MA40010359	MCCALMAN AV	S-MH40009377	S-MH40009789	CS	Yes	NO		98.78	CONCRETE	375	C	3.49	ROLAND
REINSPECTION	S-MA40010362	MCCALMAN AV	S-MH40009354	S-MH40009379	CS	Yes	NO		88.23	CONCRETE	300	C	3.59	ROLAND
REINSPECTION	S-MA40010386	MCCALMAN AV	S-MH40009378	S-MH40009377	CS	Yes	NO		24.99	CONCRETE	375	C	3.08	ROLAND
REINSPECTION	S-MA40010387	MCCALMAN AV	S-MH40009379	S-MH40009450	CS	Yes	NO		95.59	CONCRETE	300	C	4.05	ROLAND
REINSPECTION	S-MA40010467	MCCALMAN AV	S-MH40009445	S-MH40009450	CS	No	NO		82.24	CONCRETE	900	C	5.72	ROLAND
REINSPECTION	S-MA40010468	MCCALMAN AV	S-MH40009450	S-MH40009452	CS	No	NO		55.78	CONCRETE	900	C	6.17	ROLAND
REINSPECTION	S-MA40010474	MCCALMAN AV	S-MH40009441	S-MH40009449	CS	Yes	NO		82.24	CONCRETE	300	*UNKNOWN	5.35	ROLAND
REINSPECTION	S-MA40010475	MCCALMAN AV	S-MH40009502	S-MH40009446	CS	Yes	NO		70.41	CONCRETE	375	C	3.7	ROLAND
REINSPECTION	S-MA40010520	MCCALMAN AV	S-MH40009497	S-MH40009546	CS	Yes	NO		83.21	CONCRETE	300	C	4.72	ROLAND
REINSPECTION	S-MA40010521	MCCALMAN AV	S-MH40009497	S-MH40009502	CS	Yes	NO		68.75	CONCRETE	300	C	3.32	ROLAND
REINSPECTION	S-MA40010569	MCCALMAN AV	S-MH40009546	S-MH40009545	CS	Yes	NO		27.05	CONCRETE	450	C	4.83	ROLAND
REINSPECTION	S-MA40010570	MCCALMAN AV	S-MH40009547	S-MH40009546	CS	Yes	NO		36.28	CONCRETE	450	C	4.72	ROLAND
REINSPECTION	S-MA40010700	MCCALMAN AV	S-MH40009697	S-MH70031958	CS	Yes	NO		102.51	PVC	375	C	5.35	ROLAND
REINSPECTION	S-MA40010731	MCCALMAN AV	S-MH70040122	S-MH40009710	CS	Yes	NO		66.55	CONCRETE	300	C	4.97	ROLAND
REINSPECTION	S-MA40010732	MCCALMAN AV	S-MH40009803	S-MH40009700	CS	Yes	NO		83.61	CONCRETE	300	C	4.66	ROLAND
REINSPECTION	S-MA40010826	MCCALMAN AV	S-MH40009788	S-MH40009850	CS	Yes	NO		87.6	CONCRETE	300	C	4.05	ROLAND
REINSPECTION	S-MA40010827	MCCALMAN AV	S-MH40009354	S-MH40009789	CS	Yes	NO		42.48	CONCRETE	375	C	3.67	ROLAND
REINSPECTION	S-MA40010837	MCCALMAN AV	S-MH40009838	S-MH40009802	CS	Yes	NO		84.19	CONCRETE	250	C	3.41	ROLAND
REINSPECTION	S-MA40010838	MCCALMAN AV	S-MH40009802	S-MH40009803	CS	Yes	NO		83	CONCRETE	300	C	4.27	ROLAND
REINSPECTION	S-MA40010870	MCCALMAN AV	S-MH70001864	S-MH40009827	CS	Yes	NO		48.34	CONCRETE	750	C	5.5	ROLAND
REINSPECTION	S-MA40010892	MCCALMAN AV	S-MH40009854	S-MH40009853	CS	Yes	NO		71.01	CONCRETE	375	C	4.15	ROLAND
REINSPECTION	S-MA40010893	MCCALMAN AV	S-MH40009855	S-MH40009854	CS	Yes	NO		42.48	CONCRETE	300	C	3.74	ROLAND
REINSPECTION	S-MA40010894	MCCALMAN AV	S-MH40009856	S-MH40009855	CS	Yes	NO		62.6	CONCRETE	300	C	3.61	ROLAND
REINSPECTION	S-MA40010898	MCCALMAN AV	S-MH40009853	S-MH40009860	CS	Yes	NO		69.8	CONCRETE	450	C	4.47	ROLAND
REINSPECTION	S-MA40011064	MCCALMAN AV	S-MH40010020	S-MH40010006	CS	Yes	NO	Yes	110.49	CONCRETE	450	C	5.99	ROLAND
REINSPECTION	S-MA40011065	MCCALMAN AV	S-PL40003732	S-MH40010020	CS	Yes	NO	Yes	14.02	CONCRETE	300	C	5.51	ROLAND
REINSPECTION	S-MA70086210	MCCALMAN AV	S-MH70040121	S-MH70040122	CS	Yes	NO		43.7	PVC	300	C	4.36	ROLAND
REINSPECTION	S-MA70086211	MCCALMAN AV	S-MH40009700	S-MH70040122	CS	Yes	NO		16.51	CONCRETE	300	C	4.66	ROLAND
REINSPECTION	S-MA50009995	MCTAVISH ST	S-MH50008210	S-MH50008208	CS	Yes	NO		108.62	CONCRETE	300	C	3.53	MISSION
REINSPECTION	S-MA50010605	MCTAVISH ST	O-IO00011591	S-MH70017580	CS	Yes	NO		8.29	CONCRETE	300	C	1.97	MISSION
REINSPECTION	S-MA50008591	MESSIER ST	S-MH50007229	S-MH50007230	CS	No	NO		44.11	CONCRETE	1200 x 800	E	6.51	MISSION
REINSPECTION	S-MA50010474	MESSIER ST	S-MH50008493	S-MH50008494	CS	No	NO		141.81	CONCRETE		E	7.29	MISSION
REINSPECTION	S-MA50010475	MESSIER ST	S-MH50008494	S-MH70022277	CS	No	NO		157.9	CONCRETE	1350 x 900	E	7.23	MISSION
REINSPECTION	S-MA50011679	MESSIER ST	S-MH50007230	S-MH70046139	CS	No	NO		77.57	CONCRETE	1350 x 900	E		

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA70051510	MESSIER ST	S-MH70022277	S-MH70022278	CS	No	NO		3.63	CONCRETE	1200	C	7.3	MISSION
REINSPECTION	S-MA70051511	MESSIER ST	S-MH70022278	S-MH70022279	CS	No	NO		152.89	CONCRETE	1200	C	7.62	MISSION
REINSPECTION	S-MA70097052	MESSIER ST	S-MH70046139	S-MH50008493	CS	No	NO		33.74	CONCRETE	1350 x 900	E	7.29	MISSION
REINSPECTION	S-MA40010354	MILFORD ST	S-MH40009371	S-MH40009905	CS	Yes	NO	Yes	91.27	CONCRETE	375	C	3.89	ROLAND
REINSPECTION	S-MA40010373	MILFORD ST	S-MH40009363	S-MH40009461	CS	Yes	NO		97.54	AC	450	C	3.1	ROLAND
REINSPECTION	S-MA40010374	MILFORD ST	S-MH40009363	S-MH40009364	CS	Yes	NO		65.11	AC	300	C	3.12	ROLAND
REINSPECTION	S-MA40010395	MILFORD ST	S-MH40009364	S-MH40009371	CS	Yes	NO		90.46	AC	375	C	3.64	ROLAND
REINSPECTION	S-MA50010501	MISSION ST	S-MH50008516	S-MH50008517	CS	No	NO		53.64	PLINBRIC	2925 x 1950	E	8.87	MISSION
REINSPECTION	S-MA50010502	MISSION ST	S-MH50008517	S-MH50008518	CS	No	NO		56.86	PLINBRIC	2925 x 1950	E	8.64	MISSION
REINSPECTION	S-MA50010503	MISSION ST	S-MH50008518	S-MH50008519	CS	No	NO		60.86	PLINBRIC	2925 x 1950	E	8.43	MISSION
REINSPECTION	S-MA50010505	MISSION ST	S-MH50008520	S-MH50008521	CS	No	NO		35.75	CONCRETE	2925 x 1950	E	8.86	MISSION
REINSPECTION	S-MA50010506	MISSION ST	S-MH50008521	S-MH50008522	CS	No	NO		35.59	CONCRETE	2925 x 1950	E	8.54	MISSION
REINSPECTION	S-MA50010507	MISSION ST	S-MH50008522	S-MH50008081	CS	No	NO		49.8	CONCRETE	2925 x 1950	E	7.5	MISSION
REINSPECTION	S-MA50010541	MISSION ST	S-MH50008549	S-MH50008516	CS	No	NO		89.93	PLINBRIC	2700 x 1800	E	8.78	MISSION
REINSPECTION	S-MA50010545	MISSION ST	S-MH50008553	S-MH50008554	CS	No	NO		52.47	CONCRETE	1500	C	7.71	MISSION
REINSPECTION	S-MA50010547	MISSION ST	S-MH50008554	S-MH50008555	CS	No	NO		97.33	CONCRETE	1500	C	7.98	MISSION
REINSPECTION	S-MA50010548	MISSION ST	S-MH50008555	S-MH50008556	CS	No	NO		63.25	CONCRETE	1500	C	7.99	MISSION
REINSPECTION	S-MA50010550	MISSION ST	S-MH50008557	S-MH50008558	CS	No	NO		46.2	CONCRETE	1500	C	8.25	MISSION
REINSPECTION	S-MA50010551	MISSION ST	S-MH50008558	S-MH50008559	CS	No	NO		54.63	CONCRETE	1500	C	8.4	MISSION
REINSPECTION	S-MA50010552	MISSION ST	S-MH50008559	S-MH50008560	CS	No	NO		56.2	CONCRETE	1500	C	8.4	MISSION
REINSPECTION	S-MA50010553	MISSION ST	S-MH50008560	S-MH50008516	CS	No	NO		58.29	CONCRETE	1500	C	8.56	MISSION
REINSPECTION	S-MA50010589	MISSION ST	S-MH50008593	S-MH50008553	CS	No	NO		94.75	CONCRETE	1500	C	7.72	MISSION
REINSPECTION	S-MA50011697	MISSION ST	S-MH50009435	S-MH50009434	CS	No	NO		101.2	CONCRETE	1050	C	6.67	MISSION
REINSPECTION	S-MA50011698	MISSION ST	S-MH50009436	S-MH50009435	CS	No	NO		104.8	CONCRETE	1050	C	6.35	MISSION
REINSPECTION	S-MA50011699	MISSION ST	S-MH50009437	S-MH50009436	CS	No	NO		112.3	CONCRETE	1050	C	6.08	MISSION
REINSPECTION	S-MA50011704	MISSION ST	S-MH50009434	S-MH50009433	CS	No	NO		102.52	CONCRETE	1050	C	6.96	MISSION
REINSPECTION	S-MA50012445	MISSION ST	S-MH50010028	S-MH50010029	CS	No	NO		64.5	CONCRETE	900	C	5.01	MISSION
REINSPECTION	S-MA50012446	MISSION ST	S-MH50010029	S-MH50010030	CS	No	NO		104.9	CONCRETE	900	C	5.29	MISSION
REINSPECTION	S-MA50012447	MISSION ST	S-MH50010030	S-MH50010031	CS	No	NO		89.1	CONCRETE	900	C	5.3	MISSION
REINSPECTION	S-MA50012448	MISSION ST	S-MH50010031	S-MH50010032	CS	No	NO		95.1	CONCRETE	900	C	5.49	MISSION
REINSPECTION	S-MA50012449	MISSION ST	S-MH50010032	S-MH50010033	CS	No	NO		64.7	CONCRETE	1050	C	5.47	MISSION
REINSPECTION	S-MA50012450	MISSION ST	S-MH50010033	S-MH50010034	CS	No	NO		68.7	CONCRETE	1050	C	5.61	MISSION
REINSPECTION	S-MA50012451	MISSION ST	S-MH50010034	S-MH50009437	CS	No	NO		109.6	CONCRETE	1050	C	5.91	MISSION
REINSPECTION	S-MA50014914	MISSION ST	S-MH50011980	S-MH50011985	CS	Yes	NO		36.74	PVC	300	C	5.27	MISSION
REINSPECTION	S-MA50014915	MISSION ST	S-MH50011985	S-MH50010028	WWS	Yes	NO		20.08	PVC	300	C	5.26	MISSION
REINSPECTION	S-MA50014936	MISSION ST	S-MH50012000	S-MH50010032	CS	Yes	NO		6.56	CONCRETE	300	C	6.45	MISSION
REINSPECTION	S-MA40007646	MOLSON ST	S-MH40009903	S-MH40006954	CS	Yes	YES		100.83	CONCRETE	300	C	2.9	ROLAND
REINSPECTION	S-MA50009840	NADEAU ST	S-MH50008095	S-MH50008096	WWS	Yes	NO		105.5	CONCRETE	300	C	2.92	MISSION
REINSPECTION	S-MA50009951	NADEAU ST	S-MH50008156	S-MH50008176	CS	Yes	NO	Yes	101.1	CONCRETE	250	C	3.21	MISSION
REINSPECTION	S-MA40010407	NAIRN AV	S-MH40009395	S-MH40009394	CS	No	YES		61.67	CONCRETE	900	C	6.24	ROLAND
REINSPECTION	S-MA40010408	NAIRN AV	S-MH40009452	S-MH40009395	CS	No	YES		71.9	CONCRETE	900	C		ROLAND
REINSPECTION	S-MA40011016	NAIRN AV	S-MH40009960	S-MH40009964	CS	No	YES		102.11	CONCRETE	2060 x 1625	E	9.87	ROLAND
REINSPECTION	S-MA40011017	NAIRN AV	S-MH40009964	S-MH40009963	CS	No	YES		27.03	CONCRETE	2060 x 1625	E	7.91	ROLAND
REINSPECTION	S-MA40011038	NAIRN AV	S-MH40009983	S-MH40010035	CS	No	YES		68.21	CONCRETE	1275 x 850	E	7.16	ROLAND
REINSPECTION	S-MA40011039	NAIRN AV	S-MH40009973	S-MH40009984	CS	No	YES	Yes	101.82	CONCRETE	1275 x 850	E	7.81	ROLAND
REINSPECTION	S-MA40011043	NAIRN AV	S-MH40010012	S-MH40009973	CS	No	YES	Yes	100.76	CONCRETE	1275 x 850	E	7.83	ROLAND
REINSPECTION	S-MA70004014	NAIRN AV	S-MH70001824	S-MH70001825	CS	No	YES		83.3	CONCRETE	1050	C	5.38	ROLAND
REINSPECTION	S-MA70004015	NAIRN AV	S-MH70001825	S-MH70001826	CS	No	YES		107.5	CONCRETE	1050	C	5.42	ROLAND
REINSPECTION	S-MA70004017	NAIRN AV	S-MH70001827	S-MH70001828	CS	No	YES		101.88	CONCRETE	1050	C	5.73	ROLAND
REINSPECTION	S-MA70004018	NAIRN AV	S-MH70001828	S-MH70001829	CS	No	YES		109.81	CONCRETE	1050	C	5.73	ROLAND
REINSPECTION	S-MA70004020	NAIRN AV	S-MH70001830	S-MH70001831	CS	No	YES		110	CONCRETE	1050	C	5.44	ROLAND
REINSPECTION	S-MA70004021	NAIRN AV	S-MH70001831	S-MH70001832	CS	No	YES		87.3	CONCRETE	1050	C	5.32	ROLAND
REINSPECTION	S-MA70004024	NAIRN AV	S-MH70001834	S-MH70001835	CS	No	YES		104.5	CONCRETE	1050	C	5.96	ROLAND
REINSPECTION	S-MA70004025	NAIRN AV	S-MH70001835	S-MH70001836	CS	No	YES		99.5	CONCRETE	1050	C	6.06	ROLAND
REINSPECTION	S-MA70004027	NAIRN AV	S-MH70001837	S-MH70001838	CS	No	YES		96.2	CONCRETE	1050	C	5.97	ROLAND
REINSPECTION	S-MA70004028	NAIRN AV	S-MH70001838	S-MH70001839	CS	No	YES		98.2	CONCRETE	1050	C	5.95	ROLAND
REINSPECTION	S-MA70004029	NAIRN AV	S-MH70001839	S-MH70001840	CS	No	YES		111.3	CONCRETE	1050	C	6.41	ROLAND
REINSPECTION	S-MA70004030	NAIRN AV	S-MH70001840	S-MH70001841	CS	No	YES	Yes	102.6	CONCRETE	1050	C	6.41	ROLAND
REINSPECTION	S-MA70004031	NAIRN AV	S-MH70001841	S-MH70001842	CS	No	YES	Yes	83.21	CONCRETE	1050	C	6.34	ROLAND
REINSPECTION	S-MA70086208	NAIRN AV	S-MH70040119	S-MH70040120	CS	Yes	YES		73.09	PVC	300	C	3.4	ROLAND
REINSPECTION	S-MA70086209	NAIRN AV	S-MH70040120	S-MH70040121	CS	Yes	YES		67.27	PVC	300	C	4.12	ROLAND
REINSPECTION	S-MA70100225	NAIRN AV	S-MH70047597	S-MH40010035	CS	No	YES	Yes	126.76	CONCRETE	2060 x 1625	E	7.88	ROLAND
REINSPECTION	S-MA40011015	NAIRN AV OVERPASS	S-MH40009981	S-MH40009963	CS	No	NO		121.89	CONCRETE	1525	C	8.1	ROLAND
REINSPECTION	S-MA50002561	NICOLAS AV	S-MH50002163	S-MH50002164	CS	Yes	NO		90.1	CONCRETE	250	C	3.29	MISSION
REINSPECTION	S-MA50002562	NICOLAS AV	S-MH50002164	S-MH50002165	CS	Yes	NO		103	CONCRETE	250	C	3.36	MISSION
REINSPECTION	S-MA50002563	NICOLAS AV	S-MH50002165	S-MH50002166	CS	Yes	NO		104.83	CONCRETE	250	C	3.36	MISSION
REINSPECTION	S-MA50002564	NICOLAS AV	S-MH50002166	S-MH50002167	CS	Yes	NO		41.83	CONCRETE	375	C	4.1	MISSION
REINSPECTION	S-MA70040766	NORWOOD BRIDGE	S-MH70016394	S-MH70016395	CS	Yes	NO		28.42	VC	450	C	5.09	MARION
REINSPECTION	S-MA70040767	NORWOOD BRIDGE	S-MH70016395	S-MH50007103	CS	Yes	NO		90.04	VC	450	C	6.8	MARION
REINSPECTION	S-MA70063726	NORWOOD BRIDGE	S-MH70029007	S-MH70029008	CS	Yes	NO		37.12	CONCRETE	450	C	4.96	MARION
REINSPECTION	S-MA70063727	NORWOOD BRIDGE	S-MH70029008	S-MH70016394	CS	Yes	NO		7.02	CONCRETE	450	C	5.09	MARION
REINSPECTION	S-MA50009821	NOTRE DAME ST	S-MH50008083	S-MH50008084	WWS	No	NO		79.09	CONCRETE	450	C	4.84	MISSION
REINSPECTION	S-MA50013561	NOTRE DAME ST	S-MH70068675	S-MH70068676	CS	Yes	NO		110.94	PVC	300	C	3.14	MISSION
REINSPECTION	S-MA70039101	NOTRE DAME ST	S-MH50008099	S-MH50008084	CS	Yes	NO		100.6	VC	450	C	5.44	MISSION
REINSPECTION	S-MA70137052	NOTRE DAME ST	S-MH70068676	S-MH70068677	CS	Yes	NO		106.09	PVC	300	C	3.8	MISSION
REINSPECTION	S-MA20002841	OAKDEAN BV	S-MH20002595	S-MH20002588	CS	Yes	NO		93.97	CONCRETE	675	C	5.56	WOODHAVEN
REINSPECTION	S-MA20002850	OAKDEAN BV	S-MH20002601	S-MH20002595	CS	Yes	NO		90.43	CONCRETE	675	C	5.36	WOODHAVEN
REINSPECTION	S-MA20003660	OAKDEAN BV	S-MH20003364	S-MH20002601	CS	Yes	NO		90.53	CONCRETE	600	C	4.74	WOODHAVEN
REINSPECTION	S-MA20003663	OAKDEAN BV	S-MH20003354	S-MH20003364	CS	Yes	NO		92.96	CONCRETE	600	*UNKNOWN	4.44	WOODHAVEN
REINSPECTION	S-MA20003747	OAKDEAN BV	S-MH20003506	S-MH20003436	CS	Yes	NO		114.76	POLYCONC	300	C	4.02	WOODHAVEN
REINSPECTION	S-MA20003825	OAKDEAN BV	S-MH20003520	S-MH20003506	CS	Yes	NO		68.34	POLYCONC	300	C	4.02	WOODHAVEN
REINSPECTION	S-MA70025213	OAKDEAN BV	S-MH20003519	S-MH70008663	CS	Yes	NO		34.04	PVC	250	C	3.49	WOODHAVEN
REINSPECTION	S-MA70025214	OAKDEAN BV	S-MH70008663	S-MH20003520	CS	Yes	NO		37.84	POLYCONC	300	C	3.72	WOODHAVEN
REINSPECTION	S-MA20003772	OAKDEAN CR	S-MH20003458	S-MH20003518	WWS	Yes	NO		64.01	CONCRETE	200	C	2.53	WOODHAVEN
REINSPECTION	S-MA20003840	OAKDEAN CR	S-MH20003518	S-MH20003530	WWS	Yes	NO		63.27	CONCRETE	200	C	3.16	WOODHAVEN
REINSPECTION	S-MA20003841	OAKDEAN CR	S-MH20003530	S-MH20003520	WWS	Yes	NO		24.38	CONCRETE	200	C	3.56	WOODHAVEN
REINSPECTION	S-MA50005422	ORMISTON RD	S-MH50004635	S-MH50004636	WWS	Yes	NO	Yes	63.82	CONCRETE	250	C	2.99	MISSION
REINSPECTION	S-MA50005423	ORMISTON RD	S-MH50004636	S-MH50004637	WWS	Yes	NO	Yes	63.7	CONCRETE	250	C	2.45	MISSION
REINSPECTION	S-MA50005425	ORMISTON RD	S-MH50004637	S-MH50004639	WWS	Yes	NO	Yes	70.1	CONCRETE	250	C	3.29	MISSION

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50005447	ORMISTON RD	S-MH50004640	S-MH50004661	CS	Yes	NO	Yes	106.89	CONCRETE	600	C	3.76	MISSION
REINSPECTION	S-MA40010448	PANET RD	S-MH40009427	S-MH40009498	CS	Yes	NO		83.45	CONCRETE	300	C	3.2	ROLAND
REINSPECTION	S-MA40010516	PANET RD	S-MH40009561	S-MH40009493	CS	Yes	NO		85.95	AC	400	C	4.61	ROLAND
REINSPECTION	S-MA40010522	PANET RD	S-MH40009498	S-MH40009493	CS	Yes	NO		49	CONCRETE	300	C	4.61	ROLAND
REINSPECTION	S-MA40010583	PANET RD	S-MH40009560	S-MH40009561	CS	Yes	NO		86.22	CONCRETE	375	C	3.59	ROLAND
REINSPECTION	S-MA40011663	PANET RD	S-MH40009494	S-MH40009493	CS	Yes	NO		23.18	CONCRETE	450	C	4.77	ROLAND
REINSPECTION	S-MA40011664	PANET RD	S-MH40009493	S-MH40009547	CS	Yes	NO		60.31	CONCRETE	450	C	4.75	ROLAND
REINSPECTION	S-MA50012465	PANET RD	S-MH50010047	S-MH50010048	WWS	Yes	NO		114	PVC	300	C	4.35	MISSION
REINSPECTION	S-MA50012466	PANET RD	S-MH50010048	S-MH50010049	WWS	Yes	NO		117.8	PVC	300	C	3.91	MISSION
REINSPECTION	S-MA50012594	PANET RD	S-MH50010046	S-MH50010047	WWS	Yes	NO		110.04	PVC	300	C	4.35	MISSION
REINSPECTION	S-MA50013525	PANET RD	S-MH50010844	S-MH50010845	CS	No	NO		91.9	CONCRETE	1200	C	5.97	MISSION
REINSPECTION	S-MA50013533	PANET RD	S-MH50010850	S-MH50010851	CS	No	NO		94.5	CONCRETE	1250	C	5.79	MISSION
REINSPECTION	S-MA50013535	PANET RD	S-MH50010843	S-MH50010844	CS	No	NO		92.6	CONCRETE	1200	C	6.22	MISSION
REINSPECTION	S-MA50013630	PANET RD	S-MH50010918	S-MH50010919	CS	Yes	NO		104.61	CONCRETE	600	C	4.01	MISSION
REINSPECTION	S-MA50013631	PANET RD	S-MH50010919	S-MH50010920	CS	Yes	NO		75	CONCRETE	750	C	4.24	MISSION
REINSPECTION	S-MA50013632	PANET RD	S-MH50010920	S-MH50010921	CS	Yes	NO		82.3	CONCRETE	750	C	4.37	MISSION
REINSPECTION	S-MA50014909	PANET RD	S-MH50010049	S-MH50011980	CS	Yes	NO		94.48	PVC	300	C	4.64	MISSION
REINSPECTION	S-MA50017654	PANET RD	S-MH50010657	S-MH70016282	CS	No	NO		95.61	CONCRETE	2250 x 1500	E	7.17	MISSION
REINSPECTION	S-MA70004973	PANET RD	S-MH70002253	S-TE70001984	WWS	Yes	NO		39	PVC	150	C	1.99	MISSION
REINSPECTION	S-MA70032315	PANET RD	S-MH50010298	S-TE50004119	CS	No	NO		120.82	CONCRETE	1375	C	5.77	MISSION
REINSPECTION	S-MA70040189	PANET RD	S-MH70015934	S-MH70001824	CS	No	NO		32.6	CONCRETE	1050	C	5.38	ROLAND
REINSPECTION	S-MA50009972	PLINGUET ST	S-MH50008193	S-MH50008194	CS	Yes	NO		102.27	CONCRETE	375	C	4.27	MISSION
REINSPECTION	S-MA50009990	PLINGUET ST	S-MH50008208	S-MH50008193	CS	Yes	NO		111.84	CONCRETE	375	C	4.12	MISSION
REINSPECTION	S-MA50009991	PLINGUET ST	S-MH50008209	S-MH50008208	CS	Yes	NO		102.83	CONCRETE	375	C	3.53	MISSION
REINSPECTION	S-MA50010446	PLINGUET ST	S-MH50008472	S-MH50008473	CS	Yes	NO		86.9	CONCRETE	750	C	5.01	MISSION
REINSPECTION	S-MA50010447	PLINGUET ST	S-MH50008473	S-MH50008474	CS	No	NO		89.6	CONCRETE	900	C	5.01	MISSION
REINSPECTION	S-MA50010448	PLINGUET ST	S-MH50008474	S-MH50008475	CS	No	NO		89.9	CONCRETE	900	C	5.2	MISSION
REINSPECTION	S-MA50010493	PLINGUET ST	S-MH50008207	S-MH50008512	CS	No	NO		68.61	PLINBRIC	2700 x 1800	E	8.31	MISSION
REINSPECTION	S-MA50014956	PLINGUET ST	S-MH50012021	S-MH50012022	CS	Yes	NO		93.01	CONCRETE	450	C	3.03	MISSION
REINSPECTION	S-MA50014957	PLINGUET ST	S-MH50012022	S-MH50010872	CS	Yes	NO		91.13	CONCRETE	600	C	3.42	MISSION
REINSPECTION	S-MA70016166	PLINGUET ST	S-MH70006485	S-MH50008207	CS	No	NO		28.22	CONCRETE	2700 x 1800	E	8.13	MISSION
REINSPECTION	S-MA70025386	PLINGUET ST	S-MH50010872	S-MH50008472	CS	Yes	NO		85.99	CONCRETE	750	C	3.92	MISSION
REINSPECTION	S-MA70032662	PLINGUET ST	S-MH50008206	S-MH70006485	CS	No	NO		58.65	CONCRETE	2700 x 1800	E	7.95	MISSION
REINSPECTION	S-MA70041385	PLINGUET ST	S-MH50008192	S-MH70016814	CS	Yes	NO	Yes	1.94	CMP	300	C	3.11	MISSION
REINSPECTION	S-MA50002585	PROSPER ST	S-MH50002184	S-MH50002172	CS	No	NO		33.07	CONCRETE	900	C	5.03	MISSION
REINSPECTION	S-MA70041521	PROSPER ST	S-MH70016894	S-MH50002168	CS	Yes	NO		9.18	PVC	250	C	3.02	MISSION
REINSPECTION	S-MA70041582	PROSPER ST	S-MH70016914	S-MH70016934	CS	Yes	NO		79.11	PVC	250	C	5.01	MISSION
REINSPECTION	S-MA70041583	PROSPER ST	S-MH70016894	S-MH70016915	CS	Yes	NO		118.6	PVC	250	C	3.6	MISSION
REINSPECTION	S-MA70041621	PROSPER ST	S-MH70016934	S-MH50002172	CS	Yes	NO		6.74	PVC	300	C	5.16	MISSION
REINSPECTION	S-MA70042549	PROSPER ST	S-MH50002172	S-MH70017397	CS	No	NO		59.52	CONCRETE	900	C	5.09	MISSION
REINSPECTION	S-MA70045684	PROSPER ST	S-MH70016934	S-PL70026241	CS	No	NO		1	CONCRETE	900	C	0	MISSION
REINSPECTION	S-MA70045685	PROSPER ST	S-PL70026242	S-MH70016934	CS	No	NO		1	CONCRETE	900	C	0	MISSION
REINSPECTION	S-MA70052370	PROSPER ST	S-MH70017214	S-MH50002168	CS	Yes	NO		5.29	VC	300	C	2.91	MISSION
REINSPECTION	S-MA50009920	PROVENCHER BV	S-MH50008158	S-MH50008101	CS	Yes	NO		105.96	VC	375	C	4.71	MISSION
REINSPECTION	S-MA50010491	PROVENCHER BV	S-MH50008510	S-MH50008507	CS	Yes	NO		93.91	CONCRETE	300	C	5.18	MISSION
REINSPECTION	S-MA50010492	PROVENCHER BV	S-MH50008511	S-MH50008507	CS	Yes	NO		107.71	CONCRETE	300	C	3.26	MISSION
REINSPECTION	S-MA50010497	PROVENCHER BV	S-MH50008513	S-MH50008514	CS	No	NO		70.27	PLINBRIC	2700 x 1800	E	9.14	MISSION
REINSPECTION	S-MA50010499	PROVENCHER BV	S-MH50008514	S-MH50008515	CS	No	NO		70.01	PLINBRIC	2700 x 1800	E	9.14	MISSION
REINSPECTION	S-MA50010500	PROVENCHER BV	S-MH50008515	S-MH50008507	CS	No	NO		70.1	PLINBRIC	2700 x 1800	E	8.88	MISSION
REINSPECTION	S-MA50010539	PROVENCHER BV	S-PL50001851	S-MH70017580	WWS	Yes	NO		114	VC	150	C	0	MISSION
REINSPECTION	S-MA50010540	PROVENCHER BV	S-MH50008507	S-MH50008549	CS	No	NO		71.27	PLINBRIC	2700 x 1800	E	8.52	MISSION
REINSPECTION	S-MA50010549	PROVENCHER BV	S-MH50008556	S-MH50008557	CS	No	NO		62.38	CONCRETE	1500	C	7.91	MISSION
REINSPECTION	S-MA50010606	PROVENCHER BV	S-MH70017580	S-MH50008510	CS	Yes	NO		90.09	CONCRETE	300	C	3.54	MISSION
REINSPECTION	S-MA70026806	RINELLA PL	S-MH70009341	S-MH50002662	CS	Yes	NO		2.24	VC	375	C	3.85	DESPINS
REINSPECTION	S-MA50002798	RITCHOT ST	S-MH50002388	S-MH50002389	CS	No	NO	Yes	94.54	CONCRETE	1350 x 900	E	5.21	DESPINS
REINSPECTION	S-MA50003014	RITCHOT ST	S-MH50002546	S-MH50002545	CS	Yes	NO		10.01	CONCRETE	300	C	3.89	DESPINS
REINSPECTION	S-MA50003033	RITCHOT ST	S-MH50002561	S-MH50002562	CS	Yes	NO		96.71	CONCRETE	300	C	3.31	DESPINS
REINSPECTION	S-MA70057647	RITCHOT ST	S-MH70025729	S-MH70025730	WWS	Yes	NO	Yes	98.76	CONCRETE	300	C	6.24	DESPINS
REINSPECTION	S-MA70057785	RITCHOT ST	S-MH70025827	S-MH70025826	WWS	Yes	NO		69.06	PVC	250	C	5.62	DESPINS
REINSPECTION	S-MA40011155	RIVERTON AV	S-MH40010098	S-MH40010096	CS	Yes	NO		89.4	CONCRETE	300	C	3.23	ROLAND
REINSPECTION	S-MA40011156	RIVERTON AV	S-MH40010096	S-MH40010097	CS	Yes	NO		89.49	CONCRETE	300	C	4.25	ROLAND
REINSPECTION	S-MA40011157	RIVERTON AV	S-MH40010097	S-MH40010116	CS	Yes	NO		89.49	CONCRETE	300	C	4.45	ROLAND
REINSPECTION	S-MA40011175	RIVERTON AV	S-MH40010116	S-MH40010117	CS	Yes	NO		89.47	CONCRETE	300	C	6	ROLAND
REINSPECTION	S-MA40011198	RIVERTON AV	S-MH40010140	S-MH40010117	CS	No	NO		47.84	CONCRETE	1175 x 925	E	6.38	ROLAND
REINSPECTION	S-MA50012688	SOFTLEY RD	S-MH50010211	S-MH50010212	WWS	Yes	NO		92.98	CONCRETE	300	C	2.23	MISSION
REINSPECTION	S-MA50012689	SOFTLEY RD	S-MH50010213	S-MH50010212	WWS	Yes	NO		35.92	CONCRETE	300	C	2	MISSION
REINSPECTION	S-MA50014216	SOFTLEY RD	S-MH50010212	S-MH50011362	WWS	Yes	NO		112.34	CONCRETE	300	C	2.55	MISSION
REINSPECTION	S-MA50014217	SOFTLEY RD	S-MH50011362	S-MH50011363	WWS	Yes	NO		120.91	CONCRETE	300	C	2.82	MISSION
REINSPECTION	S-MA50014218	SOFTLEY RD	S-MH50011363	S-MH50011364	WWS	Yes	NO		124.4	CONCRETE	300	C	3.63	MISSION
REINSPECTION	S-MA50005455	SPEERS RD	S-MH50004669	S-MH50004670	CS	Yes	NO		8.2	CONCRETE	600	C	5.54	MISSION
REINSPECTION	S-MA50006243	SPEERS RD	S-MH50005321	S-MH50005317	CS	Yes	NO	Yes	42.7	CONCRETE	300	C	3.96	MISSION
REINSPECTION	S-MA50006968	SPEERS RD	S-MH50004670	S-MH50005966	CS	No	NO		108	CONCRETE	2025 x 1350	E	5.63	MISSION
REINSPECTION	S-MA50006989	SPEERS RD	S-MH50005982	S-MH50005985	CS	No	NO		79.3	CONCRETE	2025 x 1350	E	6.63	MISSION
REINSPECTION	S-MA50006990	SPEERS RD	S-MH50005985	S-MH50005986	CS	No	NO		116.69	CONCRETE	2025 x 1350	E	6.84	MISSION
REINSPECTION	S-MA50007000	SPEERS RD	S-MH50005977	S-MH50005980	CS	No	NO		71.5	CONCRETE	2025 x 1350	E	6.2	MISSION
REINSPECTION	S-MA50007001	SPEERS RD	S-MH50005980	S-MH50005981	CS	No	NO		69.5	CONCRETE	2025 x 1350	E	6.52	MISSION
REINSPECTION	S-MA50007002	SPEERS RD	S-MH50005981	S-MH50005982	CS	No	NO		71.8	CONCRETE	2025 x 1350	E	6.52	MISSION
REINSPECTION	S-MA50007107	SPEERS RD	S-MH50006004	S-TE70001945	CS	No	NO		107	CONCRETE	1050	C	3.7	MISSION
REINSPECTION	S-MA50009175	SPEERS RD	S-MH50005327	S-MH50005317	WWS	Yes	NO	Yes	7.6	CONCRETE	400	C	2.46	MISSION
REINSPECTION	S-MA50018901	SPEERS RD	S-MH50005976	S-MH50005977	CS	No	NO		59.59	CONCRETE	2025 x 1350	E	5.77	MISSION
REINSPECTION	S-MA70004870	SPEERS RD	S-MH50005966	S-MH50005975	CS	No	NO		102	CONCRETE	2025 x 1350	E	5.63	MISSION
REINSPECTION	S-MA70023015	SPEERS RD	S-MH50005330	S-MH50004662	CS	No	NO	Yes	182.46	CONCRETE	1500	C	4.15	MISSION
REINSPECTION	S-MA70040704	SPEERS RD	S-MH70016315	S-MH50004670	CS	No	NO		19.87	CONCRETE	1500	C	5.52	MISSION
REINSPECTION	S-MA50002580	ST CATHERINE ST	S-MH50002179	S-MH50002180	WWS	Yes	NO		71.9	VC	300	C	3.93	MISSION SEPARATE
REINSPECTION	S-MA50002582	ST CATHERINE ST	S-MH50002181	S-MH50002182	WWS	Yes	NO		83	VC	300	C	3.5	MISSION SEPARATE
REINSPECTION	S-MA50002583	ST CATHERINE ST	S-MH50002182	S-MH50002183	WWS	Yes	NO		96.39	CONCRETE	300	C	4.83	MISSION SEPARATE
REINSPECTION	S-MA50002584	ST CATHERINE ST	S-MH50002183	S-MH50002184	CS	No	NO		58.76	CONCRETE	900	C	5.03	MISSION
REINSPECTION	S-MA50002720	ST JEAN BAPTISTE ST	S-MH50002312	S-MH50002313	CS	Yes	NO	Yes	48.43	CONCRETE	300	C	4	DESPINS
REINSPECTION	S-MA50002745	ST JEAN BAPTISTE ST	S-MH50002337	S-MH50002338	CS	Yes	NO		117.42	CONCRETE	300	C	3.06	DESPINS

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50002746	ST JEAN BAPTISTE ST	S-MH50002338	S-MH50002339	CS	Yes	NO		96.39	CONCRETE	450	C	3.86	DESPINS
REINSPECTION	S-MA50002747	ST JEAN BAPTISTE ST	S-MH50002339	S-MH50002313	CS	Yes	NO		49.09	CONCRETE	450	C	3.91	DESPINS
REINSPECTION	S-MA50002795	ST JEAN BAPTISTE ST	S-MH50002386	S-MH50002387	CS	No	NO	Yes	77.94	VC	1350 x 900	E	4.98	DESPINS
REINSPECTION	S-MA50002796	ST JEAN BAPTISTE ST	S-MH50002387	S-MH50002337	CS	Yes	NO	Yes	81.35	PVC	300	C	5.25	DESPINS
REINSPECTION	S-MA50002797	ST JEAN BAPTISTE ST	S-MH50002387	S-MH50002388	CS	No	NO	Yes	13.96	CONCRETE	1350 x 900	E	5.21	DESPINS
REINSPECTION	S-MA50003032	ST JEAN BAPTISTE ST	S-MH50002313	S-MH50002545	CS	No	NO		104.25	BRICK	1150 x 750	E	4	DESPINS
REINSPECTION	S-MA40010325	STAPLETON ST	S-MH40009333	S-MH40009764	CS	No	NO		146.8	CONCRETE	1500	C	6.64	ROLAND
REINSPECTION	S-MA40010332	STAPLETON ST	S-MH40009394	S-TE40003416	CS	No	NO		60.54	CONCRETE	900	C	6.24	ROLAND
REINSPECTION	S-MA40010334	STAPLETON ST	S-MH40009336	S-TE40003417	CS	Yes	NO		9.64	CONCRETE	300	C	5.82	ROLAND
REINSPECTION	S-MA40010335	STAPLETON ST	S-MH40009334	S-MH40009400	CS	Yes	NO		18.66	CONCRETE	525	C	5.56	ROLAND
REINSPECTION	S-MA40010336	STAPLETON ST	S-MH40009401	S-MH40009334	CS	Yes	NO		52.05	CONCRETE	525	C	4.86	ROLAND
REINSPECTION	S-MA40010337	STAPLETON ST	S-MH40009335	S-MH40009336	CS	Yes	NO		87.1	CONCRETE	300	C	5.81	ROLAND
REINSPECTION	S-MA40010409	STAPLETON ST	S-MH40009451	S-PL40003445	CS	Yes	NO		31.91	CONCRETE	300	C	2.94	ROLAND
REINSPECTION	S-MA40010461	STAPLETON ST	S-MH40009444	S-MH40009445	CS	No	NO		22.23	CONCRETE	900	C	5.12	ROLAND
REINSPECTION	S-MA40010462	STAPLETON ST	S-MH40009488	S-MH40009444	CS	No	NO		63.76	CONCRETE	900	C	5.04	ROLAND
REINSPECTION	S-MA40010466	STAPLETON ST	S-MH40009446	S-MH40009449	CS	Yes	NO		66.75	CONCRETE	450	C	4.26	ROLAND
REINSPECTION	S-MA40010471	STAPLETON ST	S-MH40009512	S-MH40009441	CS	Yes	NO		88.82	CONCRETE	600	C	5.16	ROLAND
REINSPECTION	S-MA40010477	STAPLETON ST	S-MH40009449	S-MH40009451	CS	Yes	NO		87.61	CONCRETE	300	C	4.12	ROLAND
REINSPECTION	S-MA40010500	STAPLETON ST	S-PL40003505	S-MH40009478	CS	Yes	NO		14	CONCRETE	300	C	3.07	ROLAND
REINSPECTION	S-MA40010507	STAPLETON ST	S-MH40009478	S-MH40009533	CS	Yes	NO		91.93	CONCRETE	300	C	3.07	ROLAND
REINSPECTION	S-MA40010511	STAPLETON ST	S-MH40009507	S-MH40009488	CS	Yes	NO		96.31	CONCRETE	750	C	4.93	ROLAND
REINSPECTION	S-MA40011660	STAPLETON ST	S-TE40003416	S-MH40009333	CS	No	NO		2.94	CONCRETE	1525	C	6.82	ROLAND
REINSPECTION	S-MA40011661	STAPLETON ST	S-MH40009400	S-TE40003417	CS	Yes	NO		14.89	CONCRETE	525	C	5.26	ROLAND
REINSPECTION	S-MA40011662	STAPLETON ST	S-TE40003417	S-TE40003416	CS	No	NO		0.2	CONCRETE	1525	C	0	ROLAND
REINSPECTION	S-MA70004016	STAPLETON ST	S-MH70001826	S-MH70001827	CS	No	NO		99.78	CONCRETE	1050	C	5.42	ROLAND
REINSPECTION	S-MA70044421	STAPLETON ST	S-MH40009441	S-MH40009445	CS	Yes	NO		7.32	CONCRETE	600	C	5.19	ROLAND
REINSPECTION	S-MA20002840	SUNNYSIDE BV	S-MH20002588	S-MH20002605	CS	No	NO		116.94	CONCRETE	1200 x 1140	E	6.21	WOODHAVEN
REINSPECTION	S-MA20002866	SUNNYSIDE BV	S-MH20002609	S-MH20002605	CS	Yes	NO		91.35	CONCRETE	375	C	6.21	WOODHAVEN
REINSPECTION	S-MA20002872	SUNNYSIDE BV	S-MH20002612	S-MH20002609	CS	Yes	NO		90.99	CONCRETE	375	C	5.18	WOODHAVEN
REINSPECTION	S-MA20002877	SUNNYSIDE BV	S-MH20003357	S-MH20002612	CS	Yes	NO		89.12	CONCRETE	300	C	4.57	WOODHAVEN
REINSPECTION	S-MA20003655	SUNNYSIDE BV	S-MH20003356	S-MH20003357	CS	Yes	NO		78.7	CONCRETE	300	C	3.11	WOODHAVEN
REINSPECTION	S-MA50003132	TACHE AV	S-MH50002653	S-MH50002654	YES	Yes	YES		65.5	CONCRETE	600	C	5.53	DESPINS
REINSPECTION	S-MA50003133	TACHE AV	S-MH50002654	S-MH50002655	CS	Yes	YES		68.6	CONCRETE	600	C	6.49	DESPINS
REINSPECTION	S-MA50003134	TACHE AV	S-MH50002655	S-MH50002635	CS	Yes	YES		15.33	CONCRETE	600	C	6.71	DESPINS
REINSPECTION	S-MA50003137	TACHE AV	S-MH50002634	S-MH50002635	YES	No	YES		14.8	CONCRETE	1200	C	7.11	DESPINS
REINSPECTION	S-MA50003142	TACHE AV	S-MH50002657	S-MH50002661	YES	Yes	YES		9.4	CONCRETE	250	C	3.16	MARION
REINSPECTION	S-MA50003441	TACHE AV	S-MH50002750	S-MH50002945	YES	Yes	YES		65.15	VC	300	C	4.76	DESPINS
REINSPECTION	S-MA50003442	TACHE AV	S-MH50002945	S-MH50002661	CS	Yes	YES		37.89	VC	300	C	4.21	DESPINS
REINSPECTION	S-MA50008345	TACHE AV	S-MH50007097	S-MH50007098	CS	Yes	YES		12.7	VC	450	C	6.46	MARION
REINSPECTION	S-MA70003480	TACHE AV	S-PL70019460	S-MH50007097	YES	Yes	YES		10.18	VC	250	*UNKNOWN	4.12	MARION
REINSPECTION	S-MA70015935	TACHE AV	S-MH70006400	S-MH50007097	YES	Yes	YES		195.76	VC	450	C	6.25	MARION
REINSPECTION	S-MA70017690	TACHE AV	S-MH70010291	S-MH70006397	YES	No	YES		14.03	CONCRETE	1350	C	6.78	DESPINS
REINSPECTION	S-MA70025839	TACHE AV	S-MH70001486	S-MH70008899	CS	Yes	YES		27.74	CONCRETE	300	C	5.18	MARION
REINSPECTION	S-MA70025840	TACHE AV	S-MH70008899	S-MH70008900	CS	Yes	YES		19.35	CONCRETE	300	C	6.39	MARION
REINSPECTION	S-MA70025848	TACHE AV	S-MH70001488	S-MH70008899	YES	Yes	YES		1.23	CONCRETE	200	C	0	MARION
REINSPECTION	S-MA70025855	TACHE AV	S-MH50007098	S-MH70008900	CS	Yes	YES		61.17	VC	450	C	6.46	MARION
REINSPECTION	S-MA70025860	TACHE AV	S-MH70008900	S-MH70008902	YES	Yes	YES		32.72	CONCRETE	450	C	6.89	MARION
REINSPECTION	S-MA70025867	TACHE AV	S-MH70008902	S-MH70008903	CS	Yes	YES		66.58	CONCRETE	450	C	7.24	MARION
REINSPECTION	S-MA70026805	TACHE AV	S-MH50002661	S-MH70009341	CS	Yes	YES		95.09	VC	375	C	4.17	DESPINS
REINSPECTION	S-MA70028366	TACHE AV	S-MH50002635	S-MH70010291	YES	No	YES		2.74	CONCRETE	1200	C	7.51	DESPINS
REINSPECTION	S-MA70040585	TACHE AV	S-MH70016214	S-MH50002750	YES	Yes	YES		77.12	VC	300	C	6.25	DESPINS
REINSPECTION	S-MA70074760	TACHE AV	S-MH70036021	S-MH70036022	YES	Yes	YES		11.57	PVC	250	C	4.88	DESPINS
REINSPECTION	S-MA70074761	TACHE AV	S-MH70036022	S-MH70036023	CS	Yes	YES		87.84	PVC	250	C	6.07	DESPINS
REINSPECTION	S-MA70074762	TACHE AV	S-MH70036023	S-MH70010291	CS	Yes	YES		15.17	PVC	250	C	6.07	DESPINS
REINSPECTION	S-MA40010365	TALBOT AV	S-MH40009383	S-MH40009881	CS	No	NO		143.38	CONCRETE	900	C	5.72	ROLAND
REINSPECTION	S-MA40010391	TALBOT AV	S-MH40009445	S-MH40009383	CS	Yes	NO		132.48	CONCRETE	750	C	5.47	ROLAND
REINSPECTION	S-MA40010536	TALBOT AV	S-MH40009515	S-MH40009512	CS	Yes	NO		83.23	CONCRETE	600	C	4.85	ROLAND
REINSPECTION	S-MA40010537	TALBOT AV	S-MH40009544	S-MH40009515	CS	Yes	NO		17.56	CONCRETE	450	C	4.81	ROLAND
REINSPECTION	S-MA40010567	TALBOT AV	S-PL40003506	S-MH40009545	CS	Yes	NO		33.53	CONCRETE	300	C	4.2	ROLAND
REINSPECTION	S-MA40010688	TALBOT AV	S-MH40009730	S-MH40009681	CS	No	NO		112.66	CONCRETE	1550 x 1200	E	6.52	ROLAND
REINSPECTION	S-MA40010740	TALBOT AV	S-MH40009713	S-MH40009729	CS	No	NO		75.42	CONCRETE	1325	*UNKNOWN	6.51	ROLAND
REINSPECTION	S-MA40010746	TALBOT AV	S-MH40009796	S-MH40009713	CS	No	NO		174.59	CONCRETE	1325 x 1025	E	6.51	ROLAND
REINSPECTION	S-MA40010764	TALBOT AV	S-MH40009725	S-MH40009730	CS	Yes	NO		85.81	CONCRETE	300	C	6.11	ROLAND
REINSPECTION	S-MA40010830	TALBOT AV	S-MH40009831	S-MH40009796	CS	No	NO		85.25	CONCRETE	1325 x 1025	E	6.37	ROLAND
REINSPECTION	S-MA40010833	TALBOT AV	S-MH40009797	S-MH40009796	CS	Yes	NO		57	CONCRETE	300	C	6.17	ROLAND
REINSPECTION	S-MA40010863	TALBOT AV	S-MH40009827	S-MH40009830	CS	Yes	NO		77.86	CONCRETE	750	C	5.9	ROLAND
REINSPECTION	S-MA40010867	TALBOT AV	S-MH40009832	S-MH40009831	CS	Yes	NO		75.1	CONCRETE	300	C	5.79	ROLAND
REINSPECTION	S-MA40010927	TALBOT AV	S-MH40009884	S-MH40009881	CS	Yes	NO	Yes	41.69	CONCRETE	450	C	5.72	ROLAND
REINSPECTION	S-MA40011135	TALBOT AV	S-MH40010088	S-MH40010104	CS	No	NO		131.87	CONCRETE	1875 x 1450	E	6.91	ROLAND
REINSPECTION	S-MA40011145	TALBOT AV	S-MH40010117	S-MH40010089	CS	No	NO	Yes	75.07	CONCRETE	1175 x 925	E	6.87	ROLAND
REINSPECTION	S-MA40011149	TALBOT AV	S-MH40010073	S-TE40003767	CS	Yes	NO	Yes	8.54	CONCRETE	750	C	6.86	ROLAND
REINSPECTION	S-MA40011151	TALBOT AV	S-MH40010089	S-MH40010088	CS	No	NO	Yes	135.64	CONCRETE	1875 x 1450	E	6.85	ROLAND
REINSPECTION	S-MA40011163	TALBOT AV	S-MH40010104	S-MH40010105	CS	No	NO	Yes	141.27	CONCRETE	1875 x 1450	E	7.34	ROLAND
REINSPECTION	S-MA40011172	TALBOT AV	S-MH40010112	S-MH40010105	CS	Yes	NO	Yes	88.94	CONCRETE	300	C	5.52	ROLAND
REINSPECTION	S-MA70044521	TALBOT AV	S-MH40009545	S-MH40009544	CS	Yes	NO		3.01	CONCRETE	450	C	4.83	ROLAND
REINSPECTION	S-MA50013665	THEO NUYTTEN ST	S-MH50010952	S-MH50010953	CS	Yes	NO		77.5	CONCRETE	375	C	3.38	MISSION
REINSPECTION	S-MA40010324	THOMAS AV	S-MH40009776	S-MH40009332	CS	Yes	NO		83.7	CONCRETE	300	C	3.76	ROLAND
REINSPECTION	S-MA40010330	THOMAS AV	S-MH40009331	S-MH40009335	CS	Yes	NO		18.58	CONCRETE	300	C	4.47	ROLAND
REINSPECTION	S-MA40010331	THOMAS AV	S-MH40009332	S-MH40009331	CS	Yes	NO		12.35	CONCRETE	300	C	3.76	ROLAND
REINSPECTION	S-MA40010675	THOMAS AV	S-MH40009652	S-MH40009651	CS	Yes	NO		105.78	CONCRETE	300	C	3.89	ROLAND
REINSPECTION	S-MA40010676	THOMAS AV	S-MH40009754	S-MH40009652	CS	Yes	NO		98.45	CONCRETE	300	C	3.93	ROLAND
REINSPECTION	S-MA40010678	THOMAS AV	S-MH40009750	S-MH40009653	CS	No	NO		119.24	CONCRETE	1500	C	7.39	ROLAND
REINSPECTION	S-MA40010779	THOMAS AV	S-MH40009743	S-MH40009766	CS	Yes	NO		99.06	CONCRETE	300	C	3.07	ROLAND
REINSPECTION	S-MA40010789	THOMAS AV	S-MH40009752	S-MH40009743	CS	Yes	NO		99.06	CONCRETE	300	C	3.13	ROLAND
REINSPECTION	S-MA40010790	THOMAS AV	S-MH40009753	S-MH40009754	CS	Yes	NO		98.15	PVC	300	C	3.93	ROLAND
REINSPECTION	S-MA40010815	THOMAS AV	S-MH40009775	S-MH40009776	CS	Yes	NO		83.48	CONCRETE	300	C	3.56	ROLAND
REINSPECTION	S-MA70132498	THOMAS AV	S-MH70066075	S-CN00132417	CS	Yes	NO		8.31	PVC	250	C	0	ROLAND
REINSPECTION	S-MA50009917	TISSOT ST	S-MH50008155	S-MH50008156	CS	Yes	NO	Yes	39.32	CONCRETE	250	C	2.07	MISSION
REINSPECTION	S-MA50009950	TISSOT ST	S-MH50008175	S-MH50008176	CS	Yes	NO	Yes	50.3	CONCRETE	300	C		

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
REINSPECTION	S-MA50009960	TISSOT ST	S-MH50008183	S-MH50008157	CS	Yes	NO	Yes	61.52	CONCRETE	375	C	4.08	MISSION
REINSPECTION	S-MA50003060	TRAVERSE AV	S-MH50002564	S-MH50002586	CS	No	NO		93.82	CONCRETE	1350 x 900	E	4.48	DESPINS
REINSPECTION	S-MA50002587	TREMBLAY ST	S-MH50002185	S-MH50002186	WWS	Yes	NO		122.28	VC	300	C	3.25	MISSION SEPARATE
REINSPECTION	S-MA50002589	TREMBLAY ST	S-MH50002187	S-MH50002188	WWS	Yes	NO		107.5	VC	300	C	3.66	MISSION SEPARATE
REINSPECTION	S-MA50013291	TURENNE ST	S-MH50010680	S-MH50010681	CS	No	NO		118.9	CONCRETE	1050	C	5.38	MISSION
REINSPECTION	S-MA50013628	TURENNE ST	S-MH50010916	S-MH50010917	CS	Yes	NO		33.2	CONCRETE	450	C	2.98	MISSION
REINSPECTION	S-MA50013629	TURENNE ST	S-MH50010917	S-MH50010918	CS	Yes	NO		83.7	CONCRETE	450	C	3.56	MISSION
REINSPECTION	S-MA40011052	TYNE AV	S-MH40009994	S-MH40010022	CS	Yes	NO		93.11	CONCRETE	375	C	4.42	ROLAND
REINSPECTION	S-MA40007536	UNION AV E	S-MH40006918	S-MH40006877	CS	Yes	NO	Yes	99.55	CONCRETE	450	C	4.86	ROLAND
REINSPECTION	S-MA40007539	UNION AV E	S-MH40006877	S-MH40006873	CS	No	NO	Yes	80.55	CONCRETE	900	C	5.17	ROLAND
REINSPECTION	S-MA40007598	UNION AV E	S-MH40006920	S-MH40006918	CS	Yes	NO	Yes	99.11	CONCRETE	450	C	4.69	ROLAND
REINSPECTION	S-MA40007599	UNION AV E	S-MH40006919	S-MH40006920	CS	Yes	NO	Yes	11.25	CONCRETE	450	C	4.53	ROLAND
REINSPECTION	S-MA40007604	UNION AV E	S-MH40006925	S-MH40006919	CS	Yes	NO	Yes	100.79	CONCRETE	450	C	4.53	ROLAND
REINSPECTION	S-MA40007608	UNION AV E	S-MH40006935	S-MH40006925	CS	Yes	NO	Yes	87.81	CONCRETE	375	C	3.92	ROLAND
REINSPECTION	S-MA40007610	UNION AV E	S-MH40006928	S-MH40006919	CS	Yes	NO	Yes	80.49	CONCRETE	450	C	4.51	ROLAND
REINSPECTION	S-MA40008295	UNION AV E	S-MH40007544	S-MH40007579	CS	Yes	NO	Yes	82.75	CONCRETE	300	C	3.63	ROLAND
REINSPECTION	S-MA40008297	UNION AV E	S-MH40007527	S-MH40007526	CS	Yes	NO	Yes	82.57	CONCRETE	300	C	2.72	ROLAND
REINSPECTION	S-MA40008316	UNION AV E	S-MH40007562	S-MH40007587	CS	Yes	NO	Yes	82.89	CONCRETE	300	C	4.44	ROLAND
REINSPECTION	S-MA40008334	UNION AV E	S-MH40007579	S-MH40007562	CS	Yes	NO	Yes	82.97	CONCRETE	300	C	4	ROLAND
REINSPECTION	S-MA40010854	UNION AV E	S-MH40009820	S-MH40009819	CS	Yes	NO		51.82	CONCRETE	300	C	3.04	ROLAND
REINSPECTION	S-MA50003108	VALADE ST	S-MH50002630	S-MH50002631	CS	No	NO		73.8	CONCRETE	900	C	4.91	DESPINS
REINSPECTION	S-MA50003109	VALADE ST	S-MH50002631	S-MH50002632	CS	No	NO		87.53	CONCRETE	900	C	4.61	DESPINS
REINSPECTION	S-MA50003110	VALADE ST	S-MH50002580	S-MH50002633	CS	No	NO		93.93	CONCRETE	1200	C	5.41	DESPINS
REINSPECTION	S-MA50003135	VALADE ST	S-MH50002632	S-MH50002656	CS	No	NO		64.87	CONCRETE	900	C	5.64	DESPINS
REINSPECTION	S-MA50013482	VAN BELLEGHAM AV	S-MH50010811	S-MH50010812	CS	No	NO		91.11	PLINBRIC	2750 x 1825	E	8.11	MISSION
REINSPECTION	S-MA40010753	WAGNER ST	S-MH40009801	S-MH40009722	CS	Yes	NO		56.39	CONCRETE	300	C	3.6	ROLAND
REINSPECTION	S-MA70003873	WAGNER ST	S-MH40009722	S-MH70001762	CS	Yes	NO		84.75	CONCRETE	375	C	4.35	ROLAND
REINSPECTION	S-MA50012469	WARMAN RD	S-MH50010051	S-MH50010052	WWS	Yes	NO		52.39	PVC	300	C	2.45	MISSION
REINSPECTION	S-MA50012470	WARMAN RD	S-MH50010044	S-MH50010052	WWS	Yes	NO		34.98	PVC	300	C	2.22	MISSION
REINSPECTION	S-MA50012472	WARMAN RD	S-MH50010052	S-MH50010053	WWS	Yes	NO		42.62	PVC	300	C	3.08	MISSION
REINSPECTION	S-MA50012474	WARMAN RD	S-MH50010053	S-MH50010054	WWS	Yes	NO		109.14	PVC	300	C	3.08	MISSION
REINSPECTION	S-MA50012475	WARMAN RD	S-MH50010054	S-MH50010046	WWS	Yes	NO		110	PVC	300	C	3.24	MISSION
REINSPECTION	S-MA50012687	WARMAN RD	S-MH50010210	S-MH50010211	WWS	Yes	NO		92.9	CONCRETE	300	C	2.23	MISSION
REINSPECTION	S-MA40011001	WATT ST	S-MH40009967	S-MH40009952	CS	No	YES		67.97	CONCRETE	2060 x 1625	E	8.14	ROLAND
REINSPECTION	S-MA40011002	WATT ST	S-MH40009952	S-MH40009951	CS	No	YES		40.54	CONCRETE	2060 x 1625	E	8.14	ROLAND
REINSPECTION	S-MA40011020	WATT ST	S-MH40009963	S-MH40009967	CS	No	YES		68.56	CONCRETE	2060 x 1625	E	8.04	ROLAND
REINSPECTION	S-MA40008245	WINDSOR AV	S-MH40007507	S-MH40006493	CS	Yes	NO	Yes	102.44	CONCRETE	375	C	4.99	ROLAND
REINSPECTION	S-MA40008252	WINDSOR AV	S-MH40007513	S-MH40007514	CS	Yes	NO	Yes	104.65	CONCRETE	300	C	4.71	ROLAND
REINSPECTION	S-MA40008253	WINDSOR AV	S-MH40007514	S-MH40007507	CS	Yes	NO	Yes	104.9	CONCRETE	300	C	4.71	ROLAND
REINSPECTION	S-MA40008283	WINDSOR AV	S-MH40007537	S-TE70033949	CS	Yes	NO	Yes	45.8	CONCRETE	300	C	0	ROLAND
REINSPECTION	S-MA40008284	WINDSOR AV	S-MH40007538	S-MH40007513	CS	Yes	NO	Yes	105.09	PVC	300	C	4.14	ROLAND
REINSPECTION	S-MA40011671	WINDSOR AV	S-MH40006493	S-MH40010137	CS	No	NO	Yes	45.25	CONCRETE	1050	C	0.5	ROLAND
REINSPECTION	S-MA20005024	WOODHAVEN BV	S-MH20004612	S-MH20004602	CS	Yes	NO		116.28	CONCRETE	450	C	5.38	WOODHAVEN
REINSPECTION	S-MA20005035	WOODHAVEN BV	S-MH20004602	S-MH20004610	CS	Yes	NO		122.64	CONCRETE	450	C	6.29	WOODHAVEN
REINSPECTION	S-MA20005606	WOODHAVEN BV	S-MH20005135	S-MH20005132	CS	Yes	NO		46.23	CONCRETE	300	C	3.13	WOODHAVEN
REINSPECTION	S-MA20005608	WOODHAVEN BV	S-MH20005132	S-MH20005138	CS	Yes	NO		118.88	CONCRETE	300	C	4.17	WOODHAVEN
REINSPECTION	S-MA20005612	WOODHAVEN BV	S-MH20005138	S-MH20005137	CS	Yes	NO		84.02	PVC	375	C	4.18	WOODHAVEN
REINSPECTION	S-MA20005613	WOODHAVEN BV	S-MH20005137	S-MH20004612	CS	Yes	NO		123.77	CONCRETE	375	C	3.91	WOODHAVEN
REINSPECTION	S-MA70121512	WOODHAVEN BV	S-MH20005136	S-MH20005137	WWS	Yes	NO		48.91	PVC	250	C	2.26	WOODHAVEN
REINSPECTION	S-MA20003571	WOODHAVEN CR	S-MH20003279	S-MH20005134	CS	Yes	NO		57.57	CONCRETE	300	C	3.12	WOODHAVEN
REINSPECTION	S-MA20005607	WOODHAVEN CR	S-MH20005134	S-MH20005135	CS	Yes	NO		2.46	CONCRETE	300	C	0.48	WOODHAVEN
REINSPECTION	S-MA50002717	YELLE ST	S-MH50002310	S-MH50002306	CS	No	NO		12.2	CONCRETE	1150 x 750	E	5.6	DESPINS
REINSPECTION	S-MA50002623	YOUVILLE ST	S-MH50002221	S-MH50002219	CS	Yes	NO	Yes	83.82	CONCRETE	300	C	4.3	DESPINS
REINSPECTION	S-MA50002644	YOUVILLE ST	S-MH50002241	S-MH50002242	CS	Yes	NO	Yes	92.14	VC	450	C	4.48	DESPINS
REINSPECTION	S-MA50002645	YOUVILLE ST	S-MH50002219	S-MH50002242	CS	Yes	NO	Yes	100.75	VC	600	C	4.48	DESPINS
REINSPECTION	S-MA50002647	YOUVILLE ST	S-MH50002244	S-MH50002242	CS	Yes	NO	Yes	109.03	CONCRETE	600	C	4.48	DESPINS
REINSPECTION	S-MA50002669	YOUVILLE ST	S-MH50002242	S-MH50002266	CS	Yes	NO	Yes	102.25	CONCRETE	750	C	4.66	DESPINS
REINSPECTION	S-MA50002674	YOUVILLE ST	S-MH50002270	S-MH50002271	CS	No	NO		95.22	CONCRETE	900	C	5.06	DESPINS
REINSPECTION	S-MA50002675	YOUVILLE ST	S-MH50002271	S-MH50002272	CS	No	NO		86.52	CONCRETE	900	C	5.07	DESPINS
REINSPECTION	S-MA50002677	YOUVILLE ST	S-MH50002266	S-MH50002270	CS	No	NO		8.8	CONCRETE	900	C	4.94	DESPINS
REINSPECTION	S-MA50002705	YOUVILLE ST	S-MH50002272	S-MH50002300	CS	No	NO		14.43	CONCRETE	900	C	5.21	DESPINS
REINSPECTION	S-MA50002709	YOUVILLE ST	S-PL50000413	S-MH50002302	CS	Yes	NO		68.65	CONCRETE	300	C	3.44	DESPINS
REINSPECTION	S-MA70014250	YOUVILLE ST	S-MH70005684	S-MH70005685	WWS	Yes	NO		88.31	CONCRETE	300	C	3.14	DESPINS
REINSPECTION	S-MA70018918	YOUVILLE ST	S-MH70006906	S-MH50002300	CS	No	NO		85.86	CONCRETE	850 x 525	E	5.21	DESPINS
REINSPECTION	S-MA70018924	YOUVILLE ST	S-RE70015678	S-MH70006911	WWS	Yes	NO		17.98	PVC	250	C	3.86	DESPINS
REINSPECTION	S-MA70018925	YOUVILLE ST	S-MH70006911	S-MH70006912	WWS	Yes	NO		78	PVC	250	C	4.33	DESPINS
REINSPECTION	S-MA70018926	YOUVILLE ST	S-MH70006912	S-MH50002303	WWS	Yes	NO		13.78	PVC	250	C	4.36	DESPINS
REINSPECTION	S-MA70029401	YOUVILLE ST	S-MH70010914	S-MH70006906	WWS	Yes	NO		81.41	PVC	250	C	4.64	DESPINS
SRS	S-MA20012028	ALEXANDER AV	S-MH20010964	S-MH20011791	SRS	No	NO	Yes	187.46	CONCRETE	1350	C	5.64	CLIFTON
SRS	S-MA20012537	ALEXANDER AV	S-MH20011444	S-MH20011443	SRS	Yes	NO		2.37	CONCRETE	450	C	3.39	AUBREY
SRS	S-MA20009551	ARMOURY AV	S-MH20008814	S-MH20008729	SRS	No	NO		53.04	CONCRETE	1245	C	8.67	AUBREY
SRS	S-MA20009642	ARMOURY AV	S-MH20008813	S-MH20008814	SRS	No	NO		84.22	CONCRETE	1245	C	8.33	AUBREY
SRS	S-MA20009179	ASHBURN ST	S-MH20008401	S-MH20008404	SRS	Yes	NO		11.73	CONCRETE	375	C	3.75	CLIFTON
SRS	S-MA20009186	ASHBURN ST	S-MH20008425	S-MH20008395	SRS	Yes	NO		32	CONCRETE	375	C	6.02	CLIFTON
SRS	S-MA20009188	ASHBURN ST	S-MH20008480	S-MH20008395	SRS	Yes	NO		82.41	CONCRETE	600	C	6.17	CLIFTON
SRS	S-MA20009205	ASHBURN ST	S-MH20008426	S-MH20008425	SRS	Yes	NO		11.39	CONCRETE	375	C	4.2	CLIFTON
SRS	S-MA20010841	ASHBURN ST	S-MH20009892	S-MH20009896	SRS	Yes	NO		11.52	AC	450	C	5.41	CLIFTON
SRS	S-MA20010845	ASHBURN ST	S-MH20009903	S-MH20009905	SRS	Yes	NO		7.55	CONCRETE	300	C	3.43	CLIFTON
SRS	S-MA20010858	ASHBURN ST	S-MH20009910	S-MH20009911	SRS	Yes	NO		12.65	CONCRETE	375	C	3.56	CLIFTON
SRS	S-MA20010859	ASHBURN ST	S-MH20009911	S-MH20009906	SRS	Yes	NO		82.13	CONCRETE	375	C	4.46	CLIFTON
SRS	S-MA20010864	ASHBURN ST	S-MH20010075	S-MH20009905	SRS	Yes	NO		77.41	CONCRETE	600	C	5.38	CLIFTON
SRS	S-MA20011793	BANGOR AV	S-MH20010791	S-MH20010733	SRS	No	NO		143.56	CONCRETE	1650	C	7.28	CLIFTON
SRS	S-MA20011845	BANNATYNE AV W	S-MH20010789	S-MH20010791	SRS	Yes	NO		17.01	CONCRETE	450	C	5.71	CLIFTON
SRS	S-MA20011854	BANNATYNE AV W	S-MH20010789	S-MH20010795	SRS	Yes	NO		2.52	CONCRETE	450	C	5.53	CLIFTON
SRS	S-MA20011856	BANNATYNE AV W	S-MH20010799	S-MH20010798	SRS	Yes	NO		52.11	CONCRETE	600	C	5.12	CLIFTON
SRS	S-MA20012710	BANNATYNE AV W	S-MH20011776	S-TE20004092	SRS	No	NO		117.24	CONCRETE	1500	C	6.24	CLIFTON
SRS	S-MA20012872	BANNATYNE AV W	S-MH20011724	S-MH20011776	SRS	No	NO		110.9	CONCRETE	1500	C	5.75	CLIFTON
SRS	S-MA20012937	BANNATYNE AV W	S-MH20011777	S-TE20004222	SRS	Yes	NO		2.74	CONCRETE	300	C	3.98	CLIFTON
SRS	S-MA20011023	BASSWOOD PL	S-MH20010050	S-MH20010116	SRS	No	NO		166.36	CONCRETE	1350	C	9.18	AUBREY

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
SRS	S-MA70013322	BASSWOOD PL	S-MH70005332	S-MH20010517	SRS	Yes	NO		13.89	PVC	300	C	3.04	CLIFTON
SRS	S-MA20012092	BLAKE ST	S-MH20011018	S-MH20011017	SRS	Yes	NO		82.9	CONCRETE	600	C	4.43	AUBREY
SRS	S-MA20012061	BURY ST	S-MH20010989	S-MH20010990	SRS	Yes	NO		9.31	AC	375	C	4.18	AUBREY
SRS	S-MA20012106	BURY ST	S-MH20011026	S-MH20011035	SRS	Yes	NO		12.54	AC	450	C	3.24	AUBREY
SRS	S-MA20011779	CAMPION ST	S-MH20010734	S-MH20010745	SRS	Yes	NO		99.62	CONCRETE	400	C	5.67	CLIFTON
SRS	S-MA20011994	CATHARINE AV	S-MH20011017	S-MH20010929	SRS	Yes	NO		83.54	CONCRETE	750	C	4.71	AUBREY
SRS	S-MA20012067	CATHARINE AV	S-MH20011028	S-MH20010990	SRS	Yes	NO		39.93	AC	600	C	4.18	AUBREY
SRS	S-MA20012098	CATHARINE AV	S-MH20011019	S-MH20011017	SRS	Yes	NO		1.99	CONCRETE	450	C	4.23	AUBREY
SRS	S-MA20012099	CATHARINE AV	S-MH20011029	S-MH20011028	SRS	Yes	NO		9.72	AC	300	C	3.78	AUBREY
SRS	S-MA20012105	CATHARINE AV	S-MH20011035	S-MH20011028	SRS	Yes	NO		48.16	AC	450	C	3.79	AUBREY
SRS	S-MA20011803	CECIL ST	S-MH20010798	S-MH20010745	SRS	Yes	NO		36.15	CONCRETE	600	C	5.85	CLIFTON
SRS	S-MA20011869	CECIL ST	S-MH20010796	S-MH20010799	SRS	Yes	NO		3.33	CONCRETE	450	C	4.06	CLIFTON
SRS	S-MA20012694	CECIL ST	S-MH20011582	S-MH20011608	SRS	No	NO		84.43	CONCRETE	900	C	4.49	CLIFTON
SRS	S-MA20009356	CLIFTON ST	S-MH20008565	S-TE20002401	SRS	No	NO		66.47	CONCRETE	1200	C	6.87	CLIFTON
SRS	S-MA20009374	CLIFTON ST	S-MH20008601	S-TE20002412	SRS	No	NO	Yes	69.63	CONCRETE	1200	C	6.59	CLIFTON
SRS	S-MA20010263	CLIFTON ST	S-MH20009425	S-MH20009370	SRS	No	NO		68.77	CONCRETE	1200	C	6.24	CLIFTON
SRS	S-MA20011068	CLIFTON ST	S-MH20010085	S-CN00119175	SRS	No	NO		89.92	CONCRETE	900	C	8.26	CLIFTON
SRS	S-MA20011214	CLIFTON ST	S-MH20010227	S-TE20003434	SRS	Yes	NO	Yes	72.54	CONCRETE	750	C	6.53	CLIFTON
SRS	S-MA20011524	CLIFTON ST	S-MH20010504	S-TE20003607	SRS	Yes	NO	Yes	88.39	CONCRETE	375	C	2.73	CLIFTON
SRS	S-MA70026870	DES MEURONS ST	S-MH50006392	S-MH70009358	SRS	Yes	YES		5.89	CONCRETE	300	C	4.79	METCALFE
SRS	S-MA70026890	DES MEURONS ST	S-MH50006393	S-MH70009359	SRS	Yes	YES		4.13	CONCRETE	300	*UNKNOWN	5.47	METCALFE
SRS	S-MA70026891	DES MEURONS ST	S-MH50006395	S-MH70009364	SRS	Yes	YES		5.23	CONCRETE	300	C	6.08	METCALFE
SRS	S-MA70026899	DES MEURONS ST	S-MH70009364	S-MH70009369	SRS	Yes	YES		112.3	CONCRETE	600	C	6.56	METCALFE
SRS	S-MA70026900	DES MEURONS ST	S-MH50006397	S-MH70009369	SRS	Yes	YES		3.42	CONCRETE	300	C	6.38	METCALFE
SRS	S-MA70026904	DES MEURONS ST	S-MH70009369	S-MH70009370	SRS	Yes	YES		68.29	CONCRETE	600	C	6.73	METCALFE
SRS	S-MA70026905	DES MEURONS ST	S-MH70009370	S-MH50006398	SRS	Yes	YES		5.74	CONCRETE	600	C	6.89	METCALFE
SRS	S-MA70026907	DES MEURONS ST	S-MH70009372	S-MH70009358	SRS	Yes	YES		97.1	CONCRETE	450	C	5.24	MARION
SRS	S-MA70026912	DES MEURONS ST	S-MH70009374	S-MH70009364	SRS	Yes	YES		97.3	CONCRETE	375	C	6.06	MARION
SRS	S-MA70026766	DESPINS ST	S-MH70009320	S-TE70012703	SRS	Yes	NO		2.4	CONCRETE	300	C	4.43	DESPINS
SRS	S-MA20009454	DOMINION ST	S-MH20008729	S-MH20008627	SRS	No	NO		113.8	CONCRETE	1245	C	8.67	AUBREY
SRS	S-MA20009455	DOMINION ST	S-MH20008643	S-TE20002453	SRS	Yes	NO		43.77	AC	400	C	5.15	AUBREY
SRS	S-MA20009643	DOMINION ST	S-MH20008824	S-MH20008813	SRS	No	NO		130.24	CONCRETE	1245	C	8.16	AUBREY
SRS	S-MA20009645	DOMINION ST	S-MH20008866	S-MH20008817	SRS	Yes	NO	Yes	7.7	AC	350	C	4.19	AUBREY
SRS	S-MA20009658	DOMINION ST	S-MH20008829	S-MH20008873	SRS	Yes	NO	Yes	84.16	AC	300	C	3.69	AUBREY
SRS	S-MA20009659	DOMINION ST	S-MH20008819	S-MH20008829	SRS	Yes	NO	Yes	6.6	AC	250	C	3.49	AUBREY
SRS	S-MA20010119	DOMINION ST	S-MH20009240	S-MH20009239	SRS	Yes	NO	Yes	22.4	AC	450	C	6.59	AUBREY
SRS	S-MA20010190	DOMINION ST	S-MH20009309	S-MH20009301	SRS	Yes	NO	Yes	81.29	AC	450	C	5.88	AUBREY
SRS	S-MA20010199	DOMINION ST	S-MH20009310	S-MH20009309	SRS	Yes	NO		7.5	AC	250	C	5.25	AUBREY
SRS	S-MA20010950	DOMINION ST	S-MH20009989	S-MH20009988	SRS	Yes	NO		11.58	CONCRETE	375	C	4.8	AUBREY
SRS	S-MA20011253	DOMINION ST	S-MH20010257	S-MH20010262	SRS	Yes	NO		43.98	CONCRETE	600	C	7.37	AUBREY
SRS	S-MA20011257	DOMINION ST	S-MH20010262	S-MH20010247	SRS	Yes	NO		51.2	CONCRETE	600	C	7.68	AUBREY
SRS	S-MA70021840	DOMINION ST	S-MH20010552	S-TE70010344	SRS	Yes	NO		14.11	CONCRETE	300	C	3.02	AUBREY
SRS	S-MA70021841	DOMINION ST	S-MH20010534	S-MH20010554	SRS	Yes	NO		93.4	CONCRETE	450	C	4.03	AUBREY
SRS	S-MA20009563	DOWNING ST	S-MH20008738	S-MH20008814	SRS	Yes	NO		88.38	CONCRETE	450	C	4.48	AUBREY
SRS	S-MA20009564	DOWNING ST	S-MH20008739	S-MH20008738	SRS	Yes	NO		37.86	CONCRETE	450	C	4.22	AUBREY
SRS	S-MA20010203	DOWNING ST	S-MH20009359	S-MH20009315	SRS	Yes	NO	Yes	73	AC	400	C	4.89	AUBREY
SRS	S-MA20010204	DOWNING ST	S-MH20009315	S-MH20009309	SRS	Yes	NO	Yes	95.78	AC	400	C	5.19	AUBREY
SRS	S-MA20010252	DOWNING ST	S-MH20009406	S-MH20009359	SRS	Yes	NO	Yes	64.62	AC	400	C	4.4	AUBREY
SRS	S-MA20010303	DOWNING ST	S-MH20009407	S-MH20009406	SRS	Yes	NO	Yes	7.36	AC	350	C	3.98	AUBREY
SRS	S-MA70022255	DOWNING ST	S-MH70008009	S-MH20008739	SRS	Yes	NO		4.98	CONCRETE	375	C	3.74	AUBREY
SRS	S-MA20011724	DUBLIN AV	S-MH20010742	S-MH70051214	SRS	No	NO		149.78	CONCRETE	1650	C	5.85	CLIFTON
SRS	S-MA20011957	ELGIN AV W	S-MH20010887	S-MH20010893	SRS	Yes	NO		9.74	CONCRETE	450	C	5	CLIFTON
SRS	S-MA20011958	ELGIN AV W	S-MH20010893	S-MH20010889	SRS	No	NO		91.5	CONCRETE	1650	C	5.86	CLIFTON
SRS	S-MA20012241	ELGIN AV W	S-MH20011177	S-MH20011183	SRS	Yes	NO		2.15	CONCRETE	300	C	2.84	CLIFTON
SRS	S-MA20012256	ELGIN AV W	S-MH20011223	S-MH20011176	SRS	No	NO		92.67	CONCRETE	1050	C	5.93	CLIFTON
SRS	S-MA20009178	ELLICE AV	S-MH20008404	S-MH20008395	SRS	Yes	YES		71.87	CONCRETE	375	C	6.01	CLIFTON
SRS	S-MA20009180	ELLICE AV	S-MH20008408	S-TE20002296	SRS	Yes	YES		8.63	CONCRETE	300	C	2.94	CLIFTON
SRS	S-MA20009254	ELLICE AV	S-MH20008471	S-MH20008565	SRS	Yes	YES		96.63	CONCRETE	750	C	6.66	CLIFTON
SRS	S-MA20009272	ELLICE AV	S-MH20008488	S-MH20008485	SRS	Yes	YES		11.67	CONCRETE	450	C	4.91	CLIFTON
SRS	S-MA20009485	ELLICE AV	S-MH20008665	S-MH20008676	SRS	Yes	YES		54.37	AC	600	C	5.08	CLIFTON
SRS	S-MA20009487	ELLICE AV	S-MH20008669	S-MH20008675	SRS	Yes	YES		11.24	CONCRETE	300	C	3.41	CLIFTON
SRS	S-MA20009535	ELLICE AV	S-MH20008710	S-MH20008701	SRS	Yes	YES		13.52	CONCRETE	300	C	4.78	CLIFTON
SRS	S-MA20009653	ELLICE AV	S-MH20008823	S-MH20008824	SRS	No	YES		12.31	CONCRETE	1245	C	7.96	AUBREY
SRS	S-MA20017087	ELLICE AV	S-MH20015339	S-MH70008005	SRS	No	YES		94.74	CONCRETE	2430	C	10.18	AUBREY
SRS	S-MA70021280	ELLICE AV	S-MH20008769	S-MH20008772	SRS	Yes	YES		13.52	VC	300	C	5.27	CLIFTON
SRS	S-MA70024506	ELLICE AV	S-MH20008562	S-MH20008565	SRS	Yes	YES		10.84	CONCRETE	400	C	5.89	CLIFTON
SRS	S-MA20009121	ERIN ST	S-MH20008625	S-MH20008358	SRS	No	NO		99.06	CONCRETE	900	C	5.7	CLIFTON
SRS	S-MA20009142	ERIN ST	S-MH20008358	S-TE20002269	SRS	No	NO		75.35	CONCRETE	900	C	5.7	CLIFTON
SRS	S-MA20009236	ERIN ST	S-MH20008458	S-MH20008471	SRS	Yes	NO		77.11	CONCRETE	450	C	5.41	CLIFTON
SRS	S-MA20009237	ERIN ST	S-MH20008459	S-MH20008458	SRS	Yes	NO		14.79	CONCRETE	450	C	4.5	CLIFTON
SRS	S-MA20009255	ERIN ST	S-MH20008468	S-MH20008471	SRS	Yes	NO		4.5	CONCRETE	300	C	4.7	CLIFTON
SRS	S-MA20009350	ERIN ST	S-MH20008597	S-MH20008556	SRS	Yes	NO		58.22	AC	450	C	4.75	CLIFTON
SRS	S-MA20009355	ERIN ST	S-MH20008666	S-MH20008565	SRS	No	NO		98.09	CONCRETE	1200	C	6.87	CLIFTON
SRS	S-MA20009363	ERIN ST	S-MH20008556	S-MH20008565	SRS	Yes	NO		102.41	AC	600	C	6.59	CLIFTON
SRS	S-MA20009394	ERIN ST	S-MH20008686	S-MH20008601	SRS	No	NO		113.48	CONCRETE	1200	C	6.59	CLIFTON
SRS	S-MA20009402	ERIN ST	S-MH20008594	S-MH20008597	SRS	Yes	NO		17.27	AC	400	C	4	CLIFTON
SRS	S-MA20009405	ERIN ST	S-MH20008599	S-MH20008600	SRS	Yes	NO		16.99	AC	400	C	5.67	CLIFTON
SRS	S-MA20009414	ERIN ST	S-MH20008610	S-MH20008609	SRS	Yes	NO	Yes	15.25	AC	300	C	3.29	CLIFTON
SRS	S-MA20009415	ERIN ST	S-MH20008611	S-MH20008610	SRS	Yes	NO	Yes	25.95	AC	300	C	3.5	CLIFTON
SRS	S-MA20009416	ERIN ST	S-MH20008612	S-MH20008611	SRS	Yes	NO	Yes	12.37	AC	300	C	3.52	CLIFTON
SRS	S-MA20010172	ERIN ST	S-MH20009287	S-MH20009358	SRS	Yes	NO	Yes	106.31	CONCRETE	600	C	4.86	CLIFTON
SRS	S-MA20010181	ERIN ST	S-MH20009295	S-MH20009296	SRS	Yes	NO	Yes	9.99	CONCRETE	450	C	2.96	CLIFTON
SRS	S-MA20010182	ERIN ST	S-MH20009296	S-MH20009287	SRS	Yes	NO	Yes	54.83	CONCRETE	450	C	3.49	CLIFTON
SRS	S-MA20010292	ERIN ST	S-MH20009396	S-MH20009395	SRS	No	NO	Yes	7.01	CONCRETE	1200	C	4.36	CLIFTON
SRS	S-MA20010293	ERIN ST	S-MH20009395	S-MH20009425	SRS	No	NO	Yes	60.3	CONCRETE	1200	C	4.98	CLIFTON
SRS	S-MA20011217	ERIN ST	S-MH20010222	S-MH20010227	SRS	Yes	NO	Yes	101.59	CONCRETE	600	C	6.53	CLIFTON
SRS	S-MA20011281	ERIN ST	S-MH20010277	S-MH20010285	SRS	Yes	NO		15.52	CONCRETE	300	C	3.55	CLIFTON
SRS	S-MA20011290	ERIN ST	S-MH20010285	S-MH20010284	SRS	Yes	NO		74.68	CONCRETE	300	C	4.24	CLIFTON
SRS	S-MA20011292	ERIN ST	S-MH20010284	S-MH20010227	SRS	Yes	NO	Yes	98.4	CONCRETE	525	C	4.28	CLIFTON

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
SRS	S-MA20011300	ERIN ST	S-CB20010292	S-TE20003483	SRS	Yes	NO		6.12	AC	250	C	0	CLIFTON
SRS	S-MA70024507	ERIN ST	S-MH20009392	S-MH20009396	SRS	No	NO	Yes	153.93	CONCRETE	1200	C	4.22	CLIFTON
SRS	S-MA20012624	FLINT ST	S-MH20011530	S-TE70023107	SRS	Yes	NO		26.5	CONCRETE	600	C	5.89	AUBREY
SRS	S-MA20012697	FLINT ST	S-MH20011635	S-TE20004160	SRS	Yes	NO		13.44	AC	300	C	2.8	CLIFTON
SRS	S-MA20012709	FLINT ST	S-MH20011605	S-TE20004093	SRS	Yes	NO		2.74	CONCRETE	375	C	0	CLIFTON
SRS	S-MA20012837	FLINT ST	S-MH20011699	S-MH20011600	SRS	No	NO		166.5	CONCRETE	1800	C	6.04	CLIFTON
SRS	S-MA20011960	GALLAGHER AV	S-MH20010929	S-MH20010921	SRS	Yes	NO		83.99	CONCRETE	750	C	4.96	AUBREY
SRS	S-MA20012069	GALLAGHER AV	S-MH20010992	S-MH20010997	SRS	Yes	NO		46.84	AC	450	C	4.71	AUBREY
SRS	S-MA20012073	GALLAGHER AV	S-MH20010998	S-MH20010997	SRS	No	NO		40.18	CONCRETE	900	C	5.15	AUBREY
SRS	S-MA20012558	GALLAGHER AV W	S-MH20011468	S-MH20011475	SRS	Yes	NO		46.75	CONCRETE	375	C	2.26	CLIFTON
SRS	S-MA20009706	GARFIELD ST N	S-PL70078107	S-MH20008873	SRS	Yes	NO		6.56	AC	250	C	3.69	AUBREY
SRS	S-MA20010186	GARFIELD ST N	S-MH20009299	S-MH20009301	SRS	Yes	NO	Yes	4.88	AC	375	C	6.17	AUBREY
SRS	S-MA20010361	GARFIELD ST N	S-MH20009459	S-MH20015882	SRS	No	NO	Yes	112.7	CONCRETE	1500	C	7.83	AUBREY
SRS	S-MA20011597	GARFIELD ST N	S-MH20009300	S-TE20006397	SRS	Yes	NO	Yes	80.17	AC	500	C	6.29	AUBREY
SRS	S-MA20011613	GARFIELD ST N	S-MH20008873	S-MH70007998	SRS	Yes	NO		78.34	CONCRETE	450	C	4.19	AUBREY
SRS	S-MA70022298	GARFIELD ST N	S-MH20008628	S-TE70010559	SRS	Yes	NO		5.36	CONCRETE	600	C	7.04	AUBREY
SRS	S-MA70022302	GARFIELD ST N	S-MH20008627	S-TE20006113	SRS	No	NO		114.7	CONCRETE	1270	C	8.41	AUBREY
SRS	S-MA70023282	GARFIELD ST N	S-MH20009256	S-TE70010970	SRS	Yes	NO		11.28	AC	250	C	2.76	AUBREY
SRS	S-MA70023283	GARFIELD ST N	S-MH20009239	S-TE20006389	SRS	No	NO		147.6	CONCRETE	1200	C	7.25	AUBREY
SRS	S-MA20010954	GARFIELD ST S	S-MH20009988	S-MH20009993	SRS	Yes	NO		71.3	CONCRETE	450	C	4.81	AUBREY
SRS	S-MA20010960	GARFIELD ST S	S-MH20009993	S-MH20013505	SRS	Yes	NO		71	CONCRETE	525	C	4.89	AUBREY
SRS	S-MA20011579	GARFIELD ST S	S-MH20010554	S-MH20012448	SRS	Yes	NO		111.97	CONCRETE	450	C	5.51	AUBREY
SRS	S-MA20009537	GOULDING ST	S-MH20008707	S-MH20008713	SRS	Yes	NO		10.23	AC	450	C	3.19	CLIFTON
SRS	S-MA20009538	GOULDING ST	S-MH20008713	S-MH20008714	SRS	Yes	NO		35.97	AC	450	C	3.81	CLIFTON
SRS	S-MA20011225	GOULDING ST	S-MH20010237	S-TE20003439	SRS	Yes	NO		8.17	CONCRETE	300	C	5.2	CLIFTON
SRS	S-MA70036907	GOULDING ST	S-MH20010235	S-MH20010242	SRS	Yes	NO		85.1	CONCRETE	375	C	4.76	CLIFTON
SRS	S-MA20011242	GREENWOOD PL	S-MH20010249	S-MH20010257	SRS	Yes	NO		89	CONCRETE	600	C	6.36	AUBREY
SRS	S-MA20011550	GREENWOOD PL	S-MH20010526	S-MH20010532	SRS	Yes	NO		71.87	CONCRETE	450	C	3.93	AUBREY
SRS	S-MA70021825	GREENWOOD PL	S-MH70007909	S-MH20010532	SRS	Yes	NO		17.59	CONCRETE	375	C	3.93	AUBREY
SRS	S-MA20017766	GRUNDY AV	S-MH20015890	S-MH20015899	SRS	No	NO	Yes	111.4	CONCRETE	2150	C	8.39	AUBREY
SRS	S-MA20017232	INGERSOLL ST	S-MH20015464	S-MH20015468	SRS	Yes	NO		73.41	CONCRETE	450	C	4.5	AUBREY
SRS	S-MA20017233	INGERSOLL ST	S-MH20015465	S-MH20015464	SRS	Yes	NO		58.76	CONCRETE	450	C	4.02	AUBREY
SRS	S-MA20017236	INGERSOLL ST	S-MH20015463	S-MH20015465	SRS	Yes	NO		6.41	CONCRETE	375	C	3.49	AUBREY
SRS	S-MA20017241	INGERSOLL ST	S-MH20015473	S-MH20015474	SRS	Yes	NO		8.31	CONCRETE	375	C	5.54	AUBREY
SRS	S-MA20017764	INGERSOLL ST	S-MH20015892	S-MH20015891	SRS	Yes	NO	Yes	6.49	AC	350	C	5.55	AUBREY
SRS	S-MA20012982	JORDAN ST	S-MH20011816	S-MH20011826	SRS	Yes	NO		6.38	CONCRETE	300	C	2.58	CLIFTON
SRS	S-MA20011919	KEEWATIN ST	S-MH20010827	S-MH20010828	SRS	No	YES		80.16	CONCRETE	1050	C	5.86	CLIFTON
SRS	S-MA20012240	KEEWATIN ST	S-MH20011183	S-MH20011176	SRS	Yes	YES		18.19	CONCRETE	300	C	4.89	CLIFTON
SRS	S-MA20012312	KEEWATIN ST	S-MH20011208	S-MH20011223	SRS	Yes	YES		16.33	CONCRETE	400	C	4.65	CLIFTON
SRS	S-MA20012429	KEEWATIN ST	S-MH20011334	S-MH20011343	SRS	Yes	YES		14.79	CONCRETE	400	C	4.55	CLIFTON
SRS	S-MA20012478	KEEWATIN ST	S-MH20011446	S-MH20011389	SRS	Yes	YES		99.62	CONCRETE	600	C	4.23	CLIFTON
SRS	S-MA20012486	KEEWATIN ST	S-MH20011397	S-MH20011392	SRS	Yes	YES		17.54	CONCRETE	300	C	4.93	CLIFTON
SRS	S-MA20012490	KEEWATIN ST	S-MH20011443	S-MH20011401	SRS	Yes	YES		49.85	CONCRETE	450	C	4.25	CLIFTON
SRS	S-MA20012567	KEEWATIN ST	S-MH20011475	S-MH20011476	SRS	Yes	YES		17.62	CONCRETE	600	C	3.88	CLIFTON
SRS	S-MA20012727	LANGFORD ST	S-MH20011608	S-TE20004129	SRS	No	NO		90.85	CONCRETE	900	C	4.49	CLIFTON
SRS	S-MA20012741	LANGFORD ST	S-MH20011620	S-MH20011621	SRS	Yes	NO		3.02	CONCRETE	375	C	4.79	CLIFTON
SRS	S-MA20012755	LANGFORD ST	S-MH20011624	S-MH20011621	SRS	No	NO		165.3	CONCRETE	1800	C	5.72	CLIFTON
SRS	S-MA20012773	LANGFORD ST	S-MH20011642	S-TE20004120	SRS	Yes	NO		2.96	CONCRETE	600	C	3.6	CLIFTON
SRS	S-MA20012774	LANGFORD ST	S-MH20011643	S-MH20011642	SRS	Yes	NO		2.95	CONCRETE	600	C	3.62	CLIFTON
SRS	S-MA20012836	LINCOLN AV	S-MH20011704	S-TE20004161	SRS	Yes	NO		7.88	AC	300	C	3.09	CLIFTON
SRS	S-MA20012530	LOCK ST	S-MH20011462	S-MH20011440	SRS	Yes	NO		62.3	CONCRETE	600	C	4.17	AUBREY
SRS	S-MA20012550	LOCK ST	S-MH20011507	S-MH20011461	SRS	Yes	NO		15.41	CONCRETE	450	C	3.3	AUBREY
SRS	S-MA20012551	LOCK ST	S-MH20011461	S-MH20011462	SRS	Yes	NO		58.9	CONCRETE	450	C	3.43	AUBREY
SRS	S-MA20012036	LOGAN AV	S-MH20010997	S-MH20010964	SRS	No	YES	Yes	84.23	CONCRETE	900	C	5.64	CLIFTON
SRS	S-MA20012450	LOGAN AV	S-MH20011413	S-MH20011357	SRS	No	YES		83.82	CONCRETE	1350	C	5.6	AUBREY
SRS	S-MA20012491	LOGAN AV	S-MH20011389	S-MH20011401	SRS	No	YES		93.08	CONCRETE	900	C	4.26	CLIFTON
SRS	S-MA20012495	LOGAN AV	S-MH20011476	S-MH20011389	SRS	Yes	YES		68.64	CONCRETE	600	C	3.88	CLIFTON
SRS	S-MA20012501	LOGAN AV	S-MH20011440	S-MH20011412	SRS	Yes	YES		59.74	CONCRETE	600	C	4.56	AUBREY
SRS	S-MA20012502	LOGAN AV	S-MH20011412	S-MH20011413	SRS	Yes	YES		34.75	CONCRETE	600	C	4.96	AUBREY
SRS	S-MA20012538	LOGAN AV	S-MH20011445	S-MH20011446	SRS	Yes	YES		2.94	CONCRETE	450	C	3.65	AUBREY
SRS	S-MA70023824	LOGAN AV	S-MH20010912	S-MH70008349	SRS	Yes	YES		63.48	AC	400	C	4.79	AUBREY
SRS	S-MA70026765	LOUIS RIEL ST	S-MH70009319	S-MH70009320	SRS	Yes	NO		125.04	CONCRETE	300	C	4.43	DESPINS
SRS	S-MA70026769	LOUIS RIEL ST	S-MH50002582	S-MH70009319	SRS	Yes	NO		3.81	CONCRETE	300	C	3.85	DESPINS
SRS	S-MA20012724	MCDERMOT AV W	S-MH20011600	S-MH20011539	SRS	No	NO		170	CONCRETE	2250	C	6.68	CLIFTON
SRS	S-MA20012637	MIDLAND ST	S-MH20011539	S-MH70051214	SRS	No	NO		176.43	CONCRETE	2250	C	6.85	CLIFTON
SRS	S-MA20011988	MILTON ST	S-MH20010911	S-MH20010912	SRS	Yes	NO		16.15	AC	400	C	4.53	AUBREY
SRS	S-MA20009445	MINTO ST	S-MH20008638	S-MH20008641	SRS	Yes	NO		8.06	AC	400	C	4.6	AUBREY
SRS	S-MA20011100	MINTO ST	S-MH20010116	S-MH20010134	SRS	No	NO		169.52	CONCRETE	1350	C	9.47	AUBREY
SRS	S-MA20011223	MINTO ST	S-MH20010242	S-MH20010249	SRS	Yes	NO		98.4	CONCRETE	375	C	5.58	CLIFTON
SRS	S-MA20011246	MINTO ST	S-MH20010253	S-MH20010249	SRS	Yes	NO		8.08	CONCRETE	375	C	6.15	AUBREY
SRS	S-MA20010343	MYRTLE ST	S-MH20009445	S-TE20002947	SRS	Yes	NO	Yes	74.13	AC	600	C	6.21	AUBREY
SRS	S-MA70032889	MYRTLE ST	S-MH20009442	S-MH20009454	SRS	Yes	NO	Yes	55.9	CONCRETE	450	C	4.23	AUBREY
SRS	S-MA20010340	NOTRE DAME AV	S-MH20009454	S-MH20009459	SRS	No	YES	Yes	121.4	CONCRETE	1500	C	7.44	AUBREY
SRS	S-MA20010342	NOTRE DAME AV	S-MH20009455	S-MH20009445	SRS	Yes	YES	Yes	4.01	AC	600	C	6.21	AUBREY
SRS	S-MA20011775	NOTRE DAME AV	S-MH20010745	S-TE20007579	SRS	Yes	YES		42.18	CONCRETE	750	C	5.85	CLIFTON
SRS	S-MA20011789	NOTRE DAME AV	S-MH70053349	S-MH20010742	SRS	Yes	YES		9.57	CONCRETE	300	C	5.85	CLIFTON
SRS	S-MA20011800	NOTRE DAME AV	S-MH20010731	S-TE20003718	SRS	Yes	YES		11.07	CONCRETE	300	C	2.8	CLIFTON
SRS	S-MA20011843	NOTRE DAME AV	S-MH20010836	S-MH20010791	SRS	No	YES		152.93	CONCRETE	1650	C	7	CLIFTON
SRS	S-MA20012623	NOTRE DAME AV	S-MH20011550	S-MH20011530	SRS	Yes	YES		104.43	CONCRETE	600	C	6.09	AUBREY
SRS	S-MA20012625	NOTRE DAME AV	S-MH20011541	S-MH20011530	SRS	Yes	YES		4.57	CONCRETE	450	C	5.72	AUBREY
SRS	S-MA20012790	NOTRE DAME AV	S-MH20011655	S-MH20011663	SRS	Yes	YES		75.35	CONCRETE	500	C	5.8	AUBREY
SRS	S-MA20012810	NOTRE DAME AV	S-MH20011679	S-MH20011676	SRS	Yes	YES		12.49	CONCRETE	600	C	5.46	CLIFTON
SRS	S-MA20017750	NOTRE DAME AV	S-MH20015881	S-TE20006408	SRS	Yes	YES	Yes	6.55	CONCRETE	525	C	6.36	AUBREY
SRS	S-MA20017755	NOTRE DAME AV	S-MH20015882	S-TE20006424	SRS	No	YES	Yes	54.66	CONCRETE	1500	C	7.91	AUBREY
SRS	S-MA20017786	NOTRE DAME AV	S-MH20015908	S-MH20015917	SRS	No	YES	Yes	60.3	CONCRETE	2150	C	8.13	AUBREY
SRS	S-MA20012480	PACIFIC AV W	S-MH20011401	S-MH20011392	SRS	No	NO		92.72	CONCRETE	900	C	4.93	CLIFTON
SRS	S-MA20012485	PACIFIC AV W	S-MH20011393	S-MH20011397	SRS	Yes	NO		2.45	CONCRETE	300	C	2.9	AUBREY
SRS	S-MA20013117	PACIFIC AV W	S-MH20011357	S-MH20011228	SRS	No	NO		101.6	CONCRETE	1350	C	5.6	AUBREY
SRS	S-MA20011574	PALMERSTON AV	S-MH70008170	S-MH20010562	SRS	Yes	NO		12.74	CONCRETE	250	C	10.83	AUBREY

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
SRS	S-MA70017580	PALMERSTON AV	S-MH20010562	S-CG00000723	SRS	No	NO		121.21	CONCRETE	2890	C	10.85	AUBREY
SRS	S-MA70021850	PALMERSTON AV	S-MH70007913	S-MH20010562	SRS	No	NO		22.74	CONCRETE	2850	C	11.2	AUBREY
SRS	S-MA20011025	PORTAGE AV	S-MH70007884	S-MH20010050	SRS	Yes	YES		6.46	CONCRETE	525	C	7.99	AUBREY
SRS	S-MA20011125	PORTAGE AV	S-MH20010134	S-TE20005147	SRS	No	YES		157.21	CONCRETE	1500	C	9.63	AUBREY
SRS	S-MA20014936	PORTAGE AV	S-MH20013510	S-MH20013501	SRS	No	YES		154.7	CONCRETE	2700	C	10.65	AUBREY
SRS	S-MA70011116	PORTAGE AV	S-MH20009731	S-MH70004527	SRS	No	YES		353.73	CONCRETE	2700	C	9.82	CLIFTON
SRS	S-MA70021748	PORTAGE AV	S-PL70010287	S-MH20010050	SRS	No	YES		3.43	CONCRETE	1350	C	8.59	AUBREY
SRS	S-MA70021752	PORTAGE AV	S-MH20010140	S-MH20010134	SRS	Yes	YES		7.76	CONCRETE	525	C	8.92	AUBREY
SRS	S-MA20012058	QUELCH ST	S-MH20010999	S-MH20010997	SRS	Yes	NO		3.05	CONCRETE	375	C	4.71	AUBREY
SRS	S-MA20012068	QUELCH ST	S-MH20010990	S-MH20010998	SRS	Yes	NO		60.67	AC	600	C	5.1	AUBREY
SRS	S-MA20012951	QUELCH ST	S-MH20011788	S-MH20011791	SRS	No	NO		3.01	CONCRETE	1200	C	5.12	CLIFTON
SRS	S-MA20010601	RAGLAN RD	S-PL20003100	S-MH20009679	SRS	Yes	NO		3.47	CONCRETE	300	C	2.32	CLIFTON
SRS	S-MA20011476	RAGLAN RD	S-MH20009679	S-MH20010463	SRS	Yes	NO		45.2	CONCRETE	375	C	2.48	CLIFTON
SRS	S-MA20011478	RAGLAN RD	S-MH20010463	S-MH70004527	SRS	Yes	NO		48.75	CONCRETE	375	C	6.13	CLIFTON
SRS	S-MA20010220	RICHARD AV	S-MH20009325	S-MH20009326	SRS	Yes	NO		116.43	AC	500	C	4.59	CLIFTON
SRS	S-MA20010251	RICHARD AV	S-MH20009358	S-MH20009397	SRS	Yes	NO	Yes	35.25	CONCRETE	750	C	5.82	CLIFTON
SRS	S-MA20010500	RICHARD AV	S-MH70008483	S-TE20003039	SRS	Yes	NO		9.39	CONCRETE	750	C	5.14	CLIFTON
SRS	S-MA20010503	RICHARD AV	S-MH20009616	S-MH70051194	SRS	No	NO		322.67	CONCRETE	2700	C	0	CLIFTON
SRS	S-MA20012280	ROSS AV W	S-MH20011198	S-MH20010893	SRS	No	NO		83.54	CONCRETE	1350	C	5.93	CLIFTON
SRS	S-MA20012281	ROSS AV W	S-MH20011193	S-MH20011198	SRS	Yes	NO		9.86	CONCRETE	400	C	4.93	CLIFTON
SRS	S-MA20012297	ROSS AV W	S-MH20011220	S-MH20011208	SRS	Yes	NO		2.79	CONCRETE	400	C	2.74	CLIFTON
SRS	S-MA20012309	ROSS AV W	S-MH20011343	S-MH20011223	SRS	No	NO		95.05	CONCRETE	900	C	5.7	CLIFTON
SRS	S-MA20012282	ROY AV	S-MH20011228	S-MH20011198	SRS	No	NO		81.11	CONCRETE	1350	C	5.72	CLIFTON
SRS	S-MA20012315	ROY AV	S-MH20011226	S-MH20011228	SRS	Yes	NO		8.12	CONCRETE	450	C	4.61	CLIFTON
SRS	S-MA20012430	ROY AV	S-MH20011340	S-MH20011334	SRS	Yes	NO		2.79	CONCRETE	400	C	3.2	CLIFTON
SRS	S-MA20012437	ROY AV	S-MH20011392	S-MH20011343	SRS	No	NO		43.04	CONCRETE	900	C	4.19	CLIFTON
SRS	S-MA20012748	ROY AV	S-MH20011791	S-MH20011624	SRS	No	NO		125.8	CONCRETE	1800	C	5.31	CLIFTON
SRS	S-MA20012766	ROY AV	S-MH20011626	S-MH20011641	SRS	Yes	NO		2.13	CONCRETE	300	C	0	CLIFTON
SRS	S-MA20012851	ROY AV	S-MH20011722	S-MH20011719	SRS	Yes	NO		2.47	CONCRETE	300	C	0	CLIFTON
SRS	S-MA20009404	SARGENT AV	S-MH20008598	S-MH20008601	SRS	Yes	YES		8.74	AC	450	C	6	CLIFTON
SRS	S-MA20009408	SARGENT AV	S-MH20008600	S-MH20008601	SRS	Yes	YES		38.76	AC	400	C	6.41	CLIFTON
SRS	S-MA20009509	SARGENT AV	S-MH20008685	S-MH20008687	SRS	No	YES		3.81	CONCRETE	900	C	5.14	CLIFTON
SRS	S-MA20009511	SARGENT AV	S-MH20008687	S-MH20008686	SRS	No	YES		14.5	CONCRETE	900	C	5.59	CLIFTON
SRS	S-MA20009660	SARGENT AV	S-MH20008838	S-MH20008829	SRS	Yes	YES	Yes	24.91	AC	250	C	3.49	AUBREY
SRS	S-MA20009707	SARGENT AV	S-PL70078108	S-MH20008873	SRS	Yes	YES		22.05	AC	250	C	3.69	AUBREY
SRS	S-MA20009923	SARGENT AV	S-MH20009066	S-TE20002705	SRS	No	YES		3.58	CONCRETE	900	C	5.02	CLIFTON
SRS	S-MA20013107	SARGENT AV	S-MH20009065	S-MH20009513	SRS	No	YES		383.6	CONCRETE	2700	C	8.27	CLIFTON
SRS	S-MA20017120	SARGENT AV	S-MH70007998	S-MH20015336	SRS	No	YES		18	CONCRETE	2250	C	9.47	AUBREY
SRS	S-MA20017124	SARGENT AV	S-MH20015483	S-MH20015372	SRS	Yes	YES		63.14	CONCRETE	450	C	6.36	AUBREY
SRS	S-MA20017125	SARGENT AV	S-MH20015373	S-MH20015372	SRS	Yes	YES		6.75	CONCRETE	375	C	6.37	AUBREY
SRS	S-MA20017253	SARGENT AV	S-MH20015474	S-MH20015483	SRS	Yes	YES		82.99	CONCRETE	450	C	6.1	AUBREY
SRS	S-MA20009625	SARGENT PARK PL	S-MH20008798	S-MH20008799	SRS	Yes	NO	Yes	11.62	AC	350	C	4.4	AUBREY
SRS	S-MA20009626	SARGENT PARK PL	S-MH20008799	S-MH20008815	SRS	Yes	NO	Yes	71.87	AC	350	C	4.69	AUBREY
SRS	S-MA20009646	SARGENT PARK PL	S-MH20008817	S-MH20008815	SRS	Yes	NO	Yes	42.23	AC	350	C	4.69	AUBREY
SRS	S-MA20010038	SARGENT PARK PL	S-MH20008815	S-MH20009173	SRS	Yes	NO	Yes	89.21	PVC	450	C	5.93	AUBREY
SRS	S-MA70013939	SASKATCHEWAN AV	S-MH70051214	S-MH20009616	SRS	No	YES		429.8	CONCRETE	2700	C	0	AUBREY
SRS	S-MA20014951	SHERBURN ST	S-MH20013501	S-MH70007942	SRS	No	NO		110.94	CONCRETE	2850	C	11.02	AUBREY
SRS	S-MA20014952	SHERBURN ST	S-MH70007942	S-MH20013500	SRS	No	NO		45.74	CONCRETE	2850	C	10.95	AUBREY
SRS	S-MA20014953	SHERBURN ST	S-MH20013497	S-MH70007942	SRS	Yes	NO		8.08	CONCRETE	375	C	5.17	AUBREY
SRS	S-MA20014979	SHERBURN ST	S-MH70007941	S-MH20013523	SRS	No	NO		109.78	CONCRETE	2700	C	10.74	AUBREY
SRS	S-MA20014988	SHERBURN ST	S-MH20013532	S-MH70007941	SRS	Yes	NO		6.1	CONCRETE	375	C	4.81	AUBREY
SRS	S-MA20014989	SHERBURN ST	S-MH20013533	S-MH70007941	SRS	No	NO		45.16	CONCRETE	2700	C	10.51	AUBREY
SRS	S-MA20014991	SHERBURN ST	S-MH20013536	S-MH20013533	SRS	No	NO		149.86	CONCRETE	2700	C	10.3	AUBREY
SRS	S-MA20017073	SHERBURN ST	S-MH20015342	S-MH20015323	SRS	No	NO		157.28	CONCRETE	2400	C	9.93	AUBREY
SRS	S-MA20017082	SHERBURN ST	S-MH20015468	S-MH20015338	SRS	Yes	NO		75.05	CONCRETE	450	C	4.52	AUBREY
SRS	S-MA20017086	SHERBURN ST	S-MH70008005	S-MH20015342	SRS	No	NO		61.07	CONCRETE	2400	C	10.18	AUBREY
SRS	S-MA20017103	SHERBURN ST	S-MH20015354	S-MH20015339	SRS	No	NO		157.62	CONCRETE	2430	C	9.95	AUBREY
SRS	S-MA20017108	SHERBURN ST	S-MH20015336	S-MH20015354	SRS	No	NO		152.28	CONCRETE	2430	C	9.87	AUBREY
SRS	S-MA20017121	SHERBURN ST	S-MH20015379	S-MH70007998	SRS	No	NO		108.05	CONCRETE	2250	C	9.47	AUBREY
SRS	S-MA20017128	SHERBURN ST	S-MH20015372	S-TE20006155	SRS	Yes	NO		17.18	CONCRETE	450	C	6.36	AUBREY
SRS	S-MA20017130	SHERBURN ST	S-MH20015824	S-MH20015379	SRS	No	NO		122.07	CONCRETE	2250	C	9.35	AUBREY
SRS	S-MA20017684	SHERBURN ST	S-MH20015820	S-MH20015824	SRS	No	NO		118.41	CONCRETE	2250	C	9.11	AUBREY
SRS	S-MA20017723	SHERBURN ST	S-MH20015847	S-TE20006390	SRS	Yes	NO		6.42	AC	300	C	2.95	AUBREY
SRS	S-MA20017736	SHERBURN ST	S-MH20015899	S-MH20015863	SRS	No	NO	Yes	114.61	CONCRETE	2150	C	8.41	AUBREY
SRS	S-MA20017762	SHERBURN ST	S-MH20015917	S-MH20015890	SRS	No	NO	Yes	114.61	CONCRETE	2150	C	8.39	AUBREY
SRS	S-MA20017763	SHERBURN ST	S-MH20015891	S-TE20006411	SRS	Yes	NO	Yes	81.5	AC	350	C	5.55	AUBREY
SRS	S-MA20017770	SHERBURN ST	S-MH20015895	S-TE20006412	SRS	Yes	NO	Yes	6.1	AC	400	C	4.61	AUBREY
SRS	S-MA20020031	SHERBURN ST	S-MH20013511	S-MH70007940	SRS	Yes	NO		6.09	CONCRETE	375	C	5.62	AUBREY
SRS	S-MA70021917	SHERBURN ST	S-MH70007930	S-MH70007914	SRS	Yes	NO		7.08	CONCRETE	375	C	4.38	AUBREY
SRS	S-MA70021945	SHERBURN ST	S-MH70007946	S-MH70007947	SRS	Yes	NO		7.04	CONCRETE	375	C	4.65	AUBREY
SRS	S-MA70021949	SHERBURN ST	S-MH70007947	S-MH70007913	SRS	No	NO		85.02	CONCRETE	2850	C	11.39	AUBREY
SRS	S-MA70022218	SHERBURN ST	S-MH20015344	S-TE70010531	SRS	Yes	NO		4.77	CONCRETE	450	C	2.82	AUBREY
SRS	S-MA70024276	SHERBURN ST	S-MH20015331	S-MH70080533	SRS	Yes	NO		6.97	AC	250	C	2.7	AUBREY
SRS	S-MA70029555	SHERBURN ST	S-MH20013507	S-MH70007914	SRS	No	NO		94.68	CONCRETE	2850	C	11.34	AUBREY
SRS	S-MA70030785	SHERBURN ST	S-MH20015338	S-MH70008005	SRS	Yes	NO		10.2	CONCRETE	250	C	4.25	AUBREY
SRS	S-MA20011546	SPRAGUE ST	S-MH20010522	S-MH20010526	SRS	Yes	NO		61	CONCRETE	450	C	3.56	CLIFTON
SRS	S-MA20009270	SPRUCE ST	S-MH20008484	S-MH20008485	SRS	Yes	NO		41.81	CONCRETE	300	C	4.91	CLIFTON
SRS	S-MA20010030	SPRUCE ST	S-MH20009166	S-MH20009167	SRS	Yes	NO	Yes	16.12	AC	400	C	4.08	CLIFTON
SRS	S-MA20010089	SPRUCE ST	S-TE20002816	S-MH20009200	SRS	No	NO	Yes	203.2	CONCRETE	1350	C	0	CLIFTON
SRS	S-MA20011035	SPRUCE ST	S-MH20010085	S-MH20010061	SRS	No	NO		87.78	CONCRETE	900	C	8.76	CLIFTON
SRS	S-MA20011057	SPRUCE ST	S-MH20010196	S-MH20010076	SRS	Yes	NO	Yes	87.58	CONCRETE	450	C	4.34	CLIFTON
SRS	S-MA20011185	SPRUCE ST	S-MH20010207	S-MH20010196	SRS	Yes	NO	Yes	7.57	CONCRETE	450	C	4.09	CLIFTON
SRS	S-MA20011193	SPRUCE ST	S-MH20010203	S-MH20010197	SRS	Yes	NO	Yes	14.12	CONCRETE	450	C	4.04	CLIFTON
SRS	S-MA20012648	SPRUCE ST	S-MH20011663	S-MH20011550	SRS	Yes	NO		68.69	CONCRETE	600	C	6.09	AUBREY
SRS	S-MA70073625	SPRUCE ST	S-MH20010086	S-CN00119174	SRS	Yes	NO		5.44	CONCRETE	400	C	4.54	CLIFTON
SRS	S-MA70026878	ST LUC ST	S-MH70009359	S-MH70009364	SRS	Yes	NO		72.23	CONCRETE	525	C	6.18	METCALFE
SRS	S-MA20009426	ST MATTHEWS AV	S-MH20008617	S-MH20008616	SRS	No	NO		10.97	CONCRETE	900	C	4.98	CLIFTON
SRS	S-MA20009435	ST MATTHEWS AV	S-MH20008616	S-MH20008625	SRS	No	NO		50.47	CONCRETE	900	C	5.35	CLIFTON
SRS	S-MA20009442	ST MATTHEWS AV	S-MH20008636	S-MH20008617	SRS	Yes	NO		32.67	AC	500	C	5.05	CLIFTON

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
SRS	S-MA20009444	ST MATTHEWS AV	S-MH20008641	S-MH20008643	SRS	Yes	NO		100.3	AC	400	C	5.14	AUBREY
SRS	S-MA20009451	ST MATTHEWS AV	S-TE20002452	S-MH20008641	SRS	Yes	NO	AC	4.88	AC	250	C	4.66	AUBREY
SRS	S-MA20009777	ST MATTHEWS AV	S-MH20008938	S-MH20008939	SRS	No	NO		4.17	CONCRETE	900	C	7.35	CLIFTON
SRS	S-MA20009778	ST MATTHEWS AV	S-MH20008942	S-MH20008938	SRS	No	NO		2	CONCRETE	900	C	6.11	CLIFTON
SRS	S-MA20009881	ST MATTHEWS AV	S-MH20009037	S-MH20008939	SRS	No	NO		367.3	CONCRETE	2700	C	9.23	CLIFTON
SRS	S-MA20010801	ST MATTHEWS AV	S-MH20008939	S-MH20009831	SRS	No	NO		377	CONCRETE	2700	C	9.37	CLIFTON
SRS	S-MA20017061	ST MATTHEWS AV	S-MH70080533	S-MH20013536	SRS	No	NO		30.1	CONCRETE	2700	C	0	AUBREY
SRS	S-MA20017061	ST MATTHEWS AV	S-MH20015323	S-MH70080533	SRS	No	NO		134.8	CONCRETE	2700	C	0	AUBREY
SRS	S-MA20009181	STRATHCONA ST	S-MH20008395	S-MH20009030	SRS	Yes	NO		80	CONCRETE	600	C	6.17	CLIFTON
SRS	S-MA20009880	STRATHCONA ST	S-MH20009030	S-TE20002684	SRS	Yes	NO		5.35	CONCRETE	600	C	7.72	CLIFTON
SRS	S-MA20009887	STRATHCONA ST	S-MH20009065	S-MH20009037	SRS	No	NO		387.21	CONCRETE	2700	C	9.23	CLIFTON
SRS	S-MA20009969	STRATHCONA ST	S-MH20009111	S-TE20003018	SRS	No	NO		94.32	CONCRETE	2650	C	7.41	CLIFTON
SRS	S-MA20010670	STRATHCONA ST	S-MH20009896	S-TE20003131	SRS	No	NO		104.29	CONCRETE	900	C	8.93	CLIFTON
SRS	S-MA20010770	STRATHCONA ST	S-MH20009905	S-MH200099832	SRS	Yes	NO		82.88	CONCRETE	600	C	7.24	CLIFTON
SRS	S-MA20010771	STRATHCONA ST	S-MH20009832	S-TE20003185	SRS	No	NO		7.35	CONCRETE	900	C	7.33	CLIFTON
SRS	S-MA20010817	STRATHCONA ST	S-MH20009873	S-TE20003211	SRS	Yes	NO		8.18	CONCRETE	600	C	6.72	CLIFTON
SRS	S-MA70026804	TACHE AV	S-MH50002666	S-MH70009341	SRS	Yes	YES		31.92	CONCRETE	375	C	3.91	MARION
SRS	S-MA20011186	TELFER ST N	S-MH20010197	S-MH20010196	SRS	Yes	NO	Yes	94.48	CONCRETE	450	C	4.31	CLIFTON
SRS	S-MA20009271	VALOUR RD	S-MH20008485	S-MH20008480	SRS	Yes	NO		68.99	CONCRETE	450	C	5.8	CLIFTON
SRS	S-MA20009970	VALOUR RD	S-MH20009200	S-MH20009111	SRS	No	NO		72.11	CONCRETE	1350	C	7.39	CLIFTON
SRS	S-MA20010842	VALOUR RD	S-MH20010061	S-MH20009896	SRS	No	NO		89.92	CONCRETE	900	C	8.93	CLIFTON
SRS	S-MA20011036	VALOUR RD	S-MH20010059	S-CN00119173	SRS	Yes	NO		6.63	AC	400	C	4.68	CLIFTON
SRS	S-MA20011054	VALOUR RD	S-MH20010082	S-MH20010076	SRS	Yes	NO	Yes	28.41	CONCRETE	300	C	4.3	CLIFTON
SRS	S-MA20011055	VALOUR RD	S-MH20010083	S-MH20010076	SRS	Yes	NO	Yes	3.9	CONCRETE	375	C	3.79	CLIFTON
SRS	S-MA20009464	WALL ST	S-MH20008648	S-MH20008665	SRS	Yes	YES		71.93	AC	500	C	4.44	CLIFTON
SRS	S-MA20009465	WALL ST	S-MH20008662	S-MH20008648	SRS	Yes	YES		12.85	AC	500	C	4.26	CLIFTON
SRS	S-MA20009481	WALL ST	S-TE20002467	S-MH20008665	SRS	Yes	YES		5.15	AC	250	C	7.57	CLIFTON
SRS	S-MA20009484	WALL ST	S-MH20008676	S-MH20008666	SRS	No	YES		62.96	CONCRETE	1200	C	6.23	CLIFTON
SRS	S-MA20009488	WALL ST	S-MH20008667	S-MH20008676	SRS	Yes	YES		101.8	CONCRETE	750	C	5.07	CLIFTON
SRS	S-MA20009489	WALL ST	S-MH20008690	S-MH20008667	SRS	Yes	YES		81.99	AC	400	C	4.52	CLIFTON
SRS	S-MA20009492	WALL ST	S-MH20008714	S-MH20008676	SRS	Yes	YES		82.39	AC	500	C	5.08	AUBREY
SRS	S-MA20009493	WALL ST	S-MH20008668	S-MH20008667	SRS	Yes	YES		7.46	AC	300	C	3.93	CLIFTON
SRS	S-MA20009512	WALL ST	S-MH20008691	S-MH20008690	SRS	Yes	YES		13.91	AC	400	C	4.24	CLIFTON
SRS	S-MA20010286	WALL ST	S-MH20009427	S-MH20009392	SRS	Yes	YES	Yes	27.22	AC	600	C	3.49	CLIFTON
SRS	S-MA20010288	WALL ST	S-MH20009393	S-MH20009392	SRS	Yes	YES	Yes	6.87	AC	600	C	3.44	CLIFTON
SRS	S-MA20010322	WALL ST	S-MH20009426	S-MH20009427	SRS	Yes	YES	Yes	15.42	AC	600	C	3.25	CLIFTON
SRS	S-MA20011163	WALL ST	S-MH20010174	S-MH20010175	SRS	Yes	YES		6.44	CONCRETE	375	C	3.74	AUBREY
SRS	S-MA20011164	WALL ST	S-MH20010175	S-MH20010176	SRS	Yes	YES		73	CONCRETE	375	C	4.3	AUBREY
SRS	S-MA20011165	WALL ST	S-MH20010176	S-MH20010235	SRS	Yes	YES		71.93	CONCRETE	375	C	4.76	CLIFTON
SRS	S-MA20011207	WALL ST	S-MH20010266	S-MH20010222	SRS	Yes	YES		57.27	CONCRETE	600	C	5.24	CLIFTON
SRS	S-MA20011266	WALL ST	S-MH20010306	S-MH20010266	SRS	Yes	YES		38.99	CONCRETE	525	C	4.17	CLIFTON
SRS	S-MA20011308	WALL ST	S-MH20010302	S-MH20010301	SRS	Yes	YES		11.92	CONCRETE	525	C	3.41	CLIFTON
SRS	S-MA20011314	WALL ST	S-MH20010307	S-MH20010306	SRS	Yes	YES		6.25	CONCRETE	300	C	3.63	CLIFTON
SRS	S-MA20011315	WALL ST	S-MH20010301	S-MH20010306	SRS	Yes	YES		85.77	CONCRETE	525	C	3.63	CLIFTON
SRS	S-MA20011358	WALL ST	S-MH20010352	S-MH20008636	SRS	Yes	YES		15.27	AC	500	C	4.74	CLIFTON
SRS	S-MA70021715	WALL ST	S-MH20010236	S-MH20010235	SRS	Yes	YES		7.72	CONCRETE	300	C	4.76	CLIFTON
SRS	S-MA20010031	WELLINGTON AV	S-MH20009167	S-TE20002807	SRS	Yes	YES	Yes	57.61	AC	400	C	4.08	CLIFTON
SRS	S-MA20010039	WELLINGTON AV	S-MH20009173	S-MH20009240	SRS	Yes	YES	Yes	97.99	AC	450	C	6.59	AUBREY
SRS	S-MA20010135	WELLINGTON AV	S-MH20009253	S-TE20002833	SRS	Yes	YES		3.34	CONCRETE	525	C	0	AUBREY
SRS	S-MA20017721	WELLINGTON AV	S-MH20015857	S-MH20015820	SRS	No	YES		136.1	CONCRETE	2150	C	8.31	AUBREY
SRS	S-MA70011634	WELLINGTON AV	S-MH70051194	S-MH20009513	SRS	No	YES		363.6	CONCRETE	2650	C	0	CLIFTON
SRS	S-MA70047040	WELLINGTON AV	S-MH20009553	S-TE700020462	SRS	Yes	YES		5	CONCRETE	600	C	3.4	CLIFTON
SRS	S-MA70047063	WELLINGTON AV	S-MH20009204	S-MH20009200	SRS	Yes	YES		2.57	CONCRETE	375	C	3.7	CLIFTON
SRS	S-MA20014950	WESTMINSTER AV	S-MH20013500	S-MH20013505	SRS	No	NO		113.84	CONCRETE	2850	C	11.08	AUBREY
SRS	S-MA20014958	WESTMINSTER AV	S-MH20013505	S-MH20013507	SRS	No	NO		48.62	CONCRETE	2850	C	11.09	AUBREY
SRS	S-MA20012072	WHYTE AV	S-MH20010995	S-MH20010998	SRS	Yes	NO		7.92	CONCRETE	450	C	5.1	AUBREY
SRS	S-MA20011918	WILLIAM AV W	S-MH20010828	S-TE20003798	SRS	No	NO		85.99	CONCRETE	1050	C	5.86	CLIFTON
SRS	S-MA20012257	WILLIAM AV W	S-MH20011176	S-MH20010827	SRS	No	NO		75.14	CONCRETE	1050	C	5.93	CLIFTON
SRS	S-MA20012743	WILLIAM AV W	S-MH20011621	S-MH20011699	SRS	No	NO		116.37	CONCRETE	1800	C	6.06	CLIFTON
SRS	S-MA20012832	WILLIAM AV W	S-MH20011703	S-MH20011699	SRS	Yes	NO		6.07	CONCRETE	375	C	3.13	CLIFTON
SRS	S-MA20012621	WINNIPEG AV W	S-MH20011540	S-MH20011539	SRS	Yes	NO		2.94	AC	350	C	3.56	CLIFTON
SRS	S-MA20012622	WINNIPEG AV W	S-MH20011539	S-TE20004060	SRS	Yes	NO		1.79	CONCRETE	375	C	3.33	CLIFTON
SRS	S-MA20020050	WINNIPEG AV W	S-MH20010733	S-MH20010742	SRS	No	NO		154.2	CONCRETE	1650	C	7.29	CLIFTON
SRS	S-MA20010674	WOLEVER AV	S-MH20009831	S-MH20009731	SRS	No	NO		351.7	CONCRETE	2700	C	8.93	CLIFTON
SRS	S-MA20010854	WOLEVER AV	S-MH20009906	S-MH20009905	SRS	Yes	NO		43.89	CONCRETE	375	C	5.27	CLIFTON
SRS	S-MA20011052	WOLEVER AV	S-MH20010074	S-MH20010075	SRS	Yes	NO		5.58	CONCRETE	375	C	3.88	CLIFTON
SRS	S-MA20011056	WOLEVER AV	S-MH20010076	S-MH20010075	SRS	Yes	NO	Yes	38.9	CONCRETE	600	C	4.75	CLIFTON
SRS	S-MA20011250	WOLEVER AV	S-CN00136905	S-TE20003455	SRS	Yes	NO		8.65	CONCRETE	300	C	0	AUBREY
SRS	S-MA20011261	WOLEVER AV	S-MH20010247	S-MH20010563	SRS	Yes	NO		90.34	CONCRETE	600	C	8.42	AUBREY
SRS	S-MA20011595	WOLEVER AV	S-MH20010563	S-MH70007940	SRS	Yes	NO		22	CONCRETE	525	C	8.84	AUBREY
SRS	S-MA20014963	WOLEVER AV	S-MH70007940	S-MH20013510	SRS	No	NO		133.49	CONCRETE	2700	C	10.91	AUBREY
SRS	S-MA20020030	WOLEVER AV	S-MH20013523	S-MH70007940	SRS	Yes	NO		35.4	CONCRETE	270	C	10.91	AUBREY
SRS	S-MA20011528	WOLSELEY AV	S-MH20010505	S-MH20010504	SRS	Yes	YES	Yes	23.5	CONCRETE	375	C	2.73	CLIFTON
SRS	S-MA20011541	WOLSELEY AV	S-MH20010517	S-MH20010522	SRS	Yes	YES		74.45	CONCRETE	375	C	3.56	CLIFTON
SRS	S-MA20011553	WOLSELEY AV	S-MH20010532	S-MH20010534	SRS	Yes	YES		39	CONCRETE	450	C	4.13	AUBREY
SRS	S-MA20011559	WOLSELEY AV	S-MH20010531	S-MH20010534	SRS	Yes	YES		6.97	CONCRETE	450	C	4.23	AUBREY
SRS	S-MA70021852	WOLSELEY AV	S-MH70007914	S-MH20012448	SRS	No	YES		91.24	CONCRETE	2850	C	11.38	AUBREY
SRS	S-MA70021948	WOLSELEY AV	S-MH20012448	S-MH70007947	SRS	No	YES		57.15	CONCRETE	2850	C	11.39	AUBREY
SRS	S-MA20011904	WORTH ST	S-MH20010842	S-TE20007521	SRS	Yes	NO		5.95	AC	300	C	3.19	CLIFTON
SRS	S-MA20011908	WORTH ST	S-MH20010849	S-MH20010836	SRS	Yes	NO		7.74	CONCRETE	450	C	5.99	CLIFTON
SRS	S-MA20012316	WORTH ST	S-MH20011236	S-TE20003936	SRS	Yes	NO		10.78	CONCRETE	375	C	0	AUBREY
SRS	S-MA20019976	WORTH ST	S-MH20010889	S-MH20010836	SRS	No	NO		128.5	CONCRETE	1650	C	6.13	CLIFTON
SRS	S-MA70026863	YARDLEY ST	S-MH70009358	S-MH70009359	SRS	Yes	NO		89.7	CONCRETE	450	C	5.75	METCALFE
SRS	S-MA20010189	YARWOOD AV	S-MH20009301	S-MH20009300	SRS	Yes	NO	Yes	34.27	AC	500	C	6.29	AUBREY
SRS	S-MA20010198	YARWOOD AV	S-MH20009319	S-MH20009309	SRS	Yes	NO		22.1	AC	250	C	2.4	AUBREY
SRS	S-MA20017735	YARWOOD AV	S-MH20015863	S-MH20015857	SRS	No	NO		122.1	CONCRETE	2150	C	7.93	AUBREY
WWS	S-MA70003679	ABBOTSFIELD DR	S-MH70001604	S-MH70001605	WWS	Yes	NO		75.31	CONCRETE	300	C	6.31	COMPARK
WWS	S-MA70003680	ABBOTSFIELD DR	S-MH70001605	S-MH70001606	WWS	Yes	NO		63.72	CONCRETE	300	C	6.65	COMPARK
WWS	S-MA70003681	ABBOTSFIELD DR	S-MH70001606	S-MH70001608	WWS	Yes	NO		84.54	CONCRETE	300	C	6.65	COMPARK

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
WWS	S-MA70003683	ABBOTSFIELD DR	S-MH70001609	S-MH70001610	WWS	Yes	NO		100.75	CONCRETE	300	C	7.66	COMPARK
WWS	S-MA70003690	ABBOTSFIELD DR	S-MH70001615	S-MH70001604	WWS	Yes	NO		46.54	CONCRETE	300	C	6.28	COMPARK
WWS	S-MA70003692	ABBOTSFIELD DR	S-MH70001617	S-MH70001615	WWS	Yes	NO		37.61	PVC	250	C	6.05	COMPARK
WWS	S-MA70003695	ABBOTSFIELD DR	S-MH70001620	S-MH70001621	WWS	Yes	NO		91.48	PVC	250	C	4.96	COMPARK
WWS	S-MA70003696	ABBOTSFIELD DR	S-MH70001621	S-MH70001617	WWS	Yes	NO		60.98	PVC	250	C	5.17	COMPARK
WWS	S-MA70003732	ABBOTSFIELD DR	S-MH70001657	S-MH70001608	WWS	Yes	NO		114.36	PVC	250	C	5.79	COMPARK
WWS	S-MA70003737	ABBOTSFIELD DR	S-MH70001663	S-MH70001606	WWS	Yes	NO		105.95	CONCRETE	250	C	4.25	COMPARK
WWS	S-MA70025769	ABBOTSFIELD DR	S-MH70008883	S-MH70001623	WWS	Yes	NO		52.53	PVC	250	C	4.6	COMPARK
WWS	S-MA70052938	ABBOTSFIELD DR	S-MH70008877	S-MH70023305	WWS	Yes	NO		36.95	PVC	250	C	4.54	COMPARK
WWS	S-MA50007834	ALDERBROOK RD	S-MH50005876	S-MH50005876	WWS	Yes	NO	Yes	47.17	PVC	375	C	8.55	COMPARK
WWS	S-MA50007864	ALDERBROOK RD	S-MH50006753	S-MH50006754	WWS	Yes	NO		69.9	PVC	250	C	4.4	COMPARK
WWS	S-MA50007872	ALDERBROOK RD	S-MH50006761	S-MH50006729	WWS	Yes	NO	Yes	78.34	PVC	250	C	5.11	COMPARK
WWS	S-MA50008705	ALDERBROOK RD	S-MH50006728	S-MH50006729	WWS	Yes	NO	Yes	87.33	PVC	375	C	8.12	COMPARK
WWS	S-MA50010064	ALDERBROOK RD	S-MH50006761	S-MH50008252	WWS	Yes	NO	Yes	73.26	PVC	250	C	3.95	COMPARK
WWS	S-MA50010065	ALDERBROOK RD	S-MH50008252	S-MH50006753	WWS	Yes	NO	Yes	86.75	PVC	250	C	3.2	COMPARK
WWS	S-MA50000128	ALDGATE RD	S-MH50000110	S-MH50000107	WWS	Yes	NO		101.49	PVC	250	C	5.55	BURLAND PARK NORTH
WWS	S-MA50000143	ALDGATE RD	S-MH50000119	S-MH50000121	WWS	Yes	NO		107.21	PVC	250	C	5.41	BURLAND PARK NORTH
WWS	S-MA50000162	ALDGATE RD	S-MH50000133	S-MH50000134	WWS	Yes	NO		91.63	PVC	250	C	4.89	BURLAND PARK NORTH
WWS	S-MA50000210	ALDGATE RD	S-MH50000175	S-MH50000174	WWS	Yes	NO		108.13	PVC	250	C	3.86	BURLAND PARK NORTH
WWS	S-MA70089090	ALDGATE RD	S-MH50000068	S-MH50000069	WWS	Yes	NO		105.75	PVC	250	C	5.55	BURLAND PARK NORTH
WWS	S-MA50006929	AMERSHAM CR	S-MH50005933	S-MH50005934	WWS	Yes	NO		83.9	PVC	250	C	4.26	COMPARK
WWS	S-MA50006930	AMERSHAM CR	S-MH50005934	S-MH50005935	WWS	Yes	NO		63.95	PVC	250	C	4.94	COMPARK
WWS	S-MA50006941	AMERSHAM CR	S-MH50005944	S-MH50005934	WWS	Yes	NO		45.7	PVC	250	C	4.02	COMPARK
WWS	S-MA50012391	AMERSHAM CR	S-MH50009979	S-MH50009980	WWS	Yes	NO		74.8	PVC	250	C	3.3	COMPARK
WWS	S-MA50012393	AMERSHAM CR	S-MH50009979	S-MH50009981	WWS	Yes	NO		97.7	PVC	250	C	3.57	COMPARK
WWS	S-MA50012394	AMERSHAM CR	S-MH50009981	S-MH50005933	WWS	Yes	NO		76.32	PVC	250	C	4.25	COMPARK
WWS	S-MA50006785	ASHFORD DR	S-MH50005802	S-MH50005793	WWS	Yes	NO	Yes	27.1	CONCRETE	250	C	3.55	HIGHBURY PARK
WWS	S-MA50006789	ASHFORD DR	S-MH50005804	S-MH50005805	WWS	Yes	NO	Yes	74.4	CONCRETE	250	C	4.55	HIGHBURY PARK
WWS	S-MA50006816	ASHFORD DR	S-MH50005793	S-MH50005827	WWS	Yes	NO	Yes	101.62	CONCRETE	250	C	3.61	HIGHBURY PARK
WWS	S-MA50006818	ASHFORD DR	S-MH50005828	S-MH50005808	WWS	Yes	NO	Yes	86.88	CONCRETE	250	C	4.35	HIGHBURY PARK
WWS	S-MA50006821	ASHFORD DR	S-MH50005831	S-MH50005808	WWS	Yes	NO	Yes	72.4	CONCRETE	250	C	4.62	HIGHBURY PARK
WWS	S-MA50006823	ASHFORD DR	S-MH50005832	S-MH50005805	WWS	Yes	NO	Yes	80.06	CONCRETE	250	C	4.59	HIGHBURY PARK
WWS	S-MA50010092	ASHFORD DR	S-MH50005793	S-MH50005794	WWS	Yes	NO	Yes	91.15	CONCRETE	250	C	3.91	HIGHBURY PARK
WWS	S-MA50010093	ASHFORD DR	S-MH50005794	S-MH50005804	WWS	Yes	NO	Yes	80.32	CONCRETE	250	C	3.98	HIGHBURY PARK
WWS	S-MA50007508	ASHWORTH ST S	S-MH50006434	S-MH50006435	WWS	Yes	NO	Yes	27.99	PVC	300	C	6.48	COMPARK
WWS	S-MA50007510	ASHWORTH ST S	S-MH50006436	S-MH50006437	WWS	Yes	NO	Yes	64.3	PVC	375	C	6.67	COMPARK
WWS	S-MA50007511	ASHWORTH ST S	S-MH50006437	S-MH50005876	WWS	Yes	NO	Yes	57.06	CONCRETE	375	C	8.55	COMPARK
WWS	S-MA50007516	ASHWORTH ST S	S-MH50005997	S-MH50006435	WWS	Yes	NO	Yes	76.75	PVC	250	C	6.43	COMPARK
WWS	S-MA50007539	ASHWORTH ST S	S-MH50006461	S-MH50006435	WWS	Yes	NO	Yes	91.76	CONCRETE	300	C	6.43	COMPARK
WWS	S-MA50007569	ASHWORTH ST S	S-MH50006486	S-MH50006437	WWS	Yes	NO	Yes	92	CONCRETE	250	C	6.49	COMPARK
WWS	S-MA50007860	ASHWORTH ST S	S-MH50006743	S-MH50006729	WWS	Yes	NO	Yes	79.99	PVC	250	C	5.12	COMPARK
WWS	S-MA50008716	ASHWORTH ST S	S-MH50006727	S-MH50006728	WWS	Yes	NO		103.35	PVC	250	C	5.28	COMPARK
WWS	S-MA70003597	ASHWORTH ST S	S-MH70001539	S-MH70001541	WWS	Yes	NO		92.98	PVC	250	C	4.03	COMPARK
WWS	S-MA70003599	ASHWORTH ST S	S-MH70001541	S-MH70001579	WWS	Yes	NO		54.32	PVC	250	C	4.55	COMPARK
WWS	S-MA70003684	ASHWORTH ST S	S-MH70001610	S-MH70001581	WWS	Yes	NO		115.68	CONCRETE	300	C	7.66	COMPARK
WWS	S-MA70003829	ASHWORTH ST S	S-MH70001732	S-MH70001578	WWS	Yes	NO		79.21	CONCRETE	250	C	4.65	COMPARK
WWS	S-MA70053074	ASHWORTH ST S	S-MH70023405	S-MH70023408	WWS	Yes	NO		63.38	PVC	250	C	4.42	COMPARK
WWS	S-MA70003647	BAISINGER DR	S-MH70001578	S-MH70001580	WWS	Yes	NO		75.34	PVC	250	C	4.71	COMPARK
WWS	S-MA70003648	BAISINGER DR	S-MH70001580	S-MH70001581	WWS	Yes	NO		97.95	PVC	250	C	5.18	COMPARK
WWS	S-MA70003771	BAISINGER DR	S-MH70001689	S-MH70001692	WWS	Yes	NO		96.56	CONCRETE	250	C	3.23	COMPARK
WWS	S-MA70003786	BAISINGER DR	S-MH70001701	S-MH70001580	WWS	Yes	NO		100.43	CONCRETE	250	C	3.46	COMPARK
WWS	S-MA70003788	BAISINGER DR	S-MH70001703	S-MH70001704	WWS	Yes	NO		96.36	CONCRETE	250	C	4.37	COMPARK
WWS	S-MA70003789	BAISINGER DR	S-MH70001704	S-MH70001692	WWS	Yes	NO		72.99	CONCRETE	250	C	3.6	COMPARK
WWS	S-MA70003796	BAISINGER DR	S-MH70001703	S-MH70005147	WWS	Yes	NO		104.95	PVC	250	C	3.45	COMPARK
WWS	S-MA70003862	BAISINGER DR	S-MH70001692	S-MH70001731	WWS	Yes	NO		73.99	PVC	250	C	3.98	COMPARK
WWS	S-MA50006876	BALHAM ST	S-MH50005883	S-MH50005884	WWS	Yes	NO		68.99	PVC	250	C	6.03	COMPARK
WWS	S-MA50010085	BALHAM ST	S-MH50008255	S-MH50005732	WWS	Yes	NO		105.85	PVC	300	C	7.57	COMPARK
WWS	S-MA50006877	BARLOW CR	S-MH50005884	S-MH50005881	WWS	Yes	NO		46.5	PVC	250	C	10.36	COMPARK
WWS	S-MA50006878	BARLOW CR	S-MH50005885	S-MH50005884	WWS	Yes	NO		112.1	PVC	250	C	4.87	COMPARK
WWS	S-MA50008696	BARLOW CR	S-MH50006754	S-MH50006728	WWS	Yes	NO		65.45	PVC	250	C	5.29	COMPARK
WWS	S-MA50010094	BARLOW CR	S-MH50008256	S-MH50008257	WWS	Yes	NO		91.59	PVC	250	C	4.19	COMPARK
WWS	S-MA50010096	BARLOW CR	S-MH50008258	S-MH50008259	WWS	Yes	NO		105.18	PVC	250	C	4.73	COMPARK
WWS	S-MA50010101	BARLOW CR	S-MH50008259	S-MH50008263	WWS	Yes	NO		65.48	PVC	250	C	4.85	COMPARK
WWS	S-MA50010104	BARLOW CR	S-MH50008263	S-MH50008264	WWS	Yes	NO		51.7	PVC	250	C	5.42	COMPARK
WWS	S-MA50010105	BARLOW CR	S-MH50008264	S-MH50005883	WWS	Yes	NO		99.06	PVC	250	C	6.03	COMPARK
WWS	S-MA50010106	BARLOW CR	S-MH50008258	S-MH50008265	WWS	Yes	NO		71.83	PVC	250	C	4.5	COMPARK
WWS	S-MA50010107	BARLOW CR	S-MH50008265	S-MH50005883	WWS	Yes	NO		75.1	PVC	250	C	5.95	COMPARK
WWS	S-MA50010110	BARLOW CR	S-MH50008256	S-MH50008268	WWS	Yes	NO		76.79	PVC	250	C	4.15	COMPARK
WWS	S-MA50010111	BARLOW CR	S-MH50008268	S-MH50005885	WWS	Yes	NO		84.41	PVC	250	C	4.87	COMPARK
WWS	S-MA50000142	BECONTREE BY	S-MH50000119	S-MH50000120	WWS	Yes	NO		105.05	PVC	250	C	3.55	BURLAND PARK NORTH
WWS	S-MA50000005	BRAMBLEFORD CR	S-MH50000006	S-MH50000007	WWS	Yes	NO		77.11	CONCRETE	250	C	2.6	NORMAND PARK
WWS	S-MA70073605	BRAMBLEFORD CR	S-MH70035099	S-MH70035100	WWS	Yes	NO		109.63	PVC	250	C	3	NORMAND PARK
WWS	S-MA50000839	BRIXTON BY	S-MH50000733	S-MH50000734	WWS	Yes	NO		90.3	PVC	250	C	4.22	BURLAND PARK NORTH
WWS	S-MA50000840	BRIXTON BY	S-MH50000720	S-MH50000734	WWS	Yes	NO		88.36	PVC	250	C	4.22	BURLAND PARK NORTH
WWS	S-MA50000879	BRIXTON BY	S-MH50000761	S-MH50000758	WWS	Yes	NO		106.4	PVC	250	C	4.92	HIGHBURY PARK
WWS	S-MA50000884	BRIXTON BY	S-MH50000765	S-MH50000766	WWS	Yes	NO		87.9	PVC	250	C	4.54	HIGHBURY PARK
WWS	S-MA50000885	BRIXTON BY	S-MH50000766	S-MH50000761	WWS	Yes	NO		87.69	PVC	250	C	4.92	HIGHBURY PARK
WWS	S-MA50000886	BRIXTON BY	S-MH50000767	S-MH50000733	WWS	Yes	NO		88.75	PVC	250	C	3.84	BURLAND PARK NORTH
WWS	S-MA50007350	BRIXTON BY	S-MH50006293	S-MH50006294	WWS	Yes	NO		67.3	PVC	250	C	4.07	BURLAND PARK NORTH
WWS	S-MA50007351	BRIXTON BY	S-MH50006294	S-MH50006295	WWS	Yes	NO		112.6	PVC	250	C	4.07	HIGHBURY PARK
WWS	S-MA50007352	BRIXTON BY	S-MH50006295	S-MH50000765	WWS	Yes	NO		85.25	PVC	250	C	4.28	HIGHBURY PARK
WWS	S-MA50007354	BRIXTON BY	S-MH50006296	S-MH50000765	WWS	Yes	NO		95.64	PVC	250	C	4.24	HIGHBURY PARK
WWS	S-MA50008141	BRIXTON BY	S-MH50006293	S-MH50000767	WWS	Yes	NO		73.3	PVC	250	C	3.8	BURLAND PARK NORTH
WWS	S-MA50007402	BROTMAN BY	S-MH50006339	S-MH50006336	WWS	Yes	NO		107.31	PVC	250	C	4.42	HIGHBURY PARK
WWS	S-MA50010181	BROTMAN BY	S-MH50006332	S-MH50006333	WWS	Yes	NO		94.79	PVC	250	C	3.73	HIGHBURY PARK
WWS	S-MA50010182	BROTMAN BY	S-MH50006333	S-MH50006335	WWS	Yes	NO		107.45	PVC	250	C	4.23	HIGHBURY PARK
WWS	S-MA50010185	BROTMAN BY	S-MH50006339	S-MH50006332	WWS	Yes	NO		88.18	PVC	250	C	3.87	HIGHBURY PARK
WWS	S-MA50010097	BROWTON PL	S-MH50008260	S-MH50008259	WWS	Yes	NO		78.74	PVC	250	C	4.73	COMPARK
WWS	S-MA50010098	BROWTON PL	S-MH50008260	S-MH50006753	WWS	Yes	NO		91.51	PVC	250	C	4.37	COMPARK

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
WWS	S-MA50010099	BROWTON PL	S-MH50008261	S-MH50008262	WWS	Yes	NO		70.95	PVC	250	C	3.48	COMPARK
WWS	S-MA50010100	BROWTON PL	S-MH50008262	S-MH50008260	WWS	Yes	NO		65.99	PVC	250	C	3.93	COMPARK
WWS	S-MA50000074	BRUTON PL	S-MH50000064	S-MH50000065	WWS	Yes	NO		92.02	PVC	250	C	3.56	BURLAND PARK NORTH
WWS	S-MA50000075	BRUTON PL	S-MH50000066	S-MH50000067	WWS	Yes	NO		70.38	PVC	250	C	3.19	BURLAND PARK NORTH
WWS	S-MA50000076	BRUTON PL	S-MH50000067	S-MH50000065	WWS	Yes	NO		87.92	PVC	250	C	3.56	BURLAND PARK NORTH
WWS	S-MA50000066	BURLAND AV	S-MH50000058	S-MH50000057	WWS	Yes	NO		82.41	PVC	250	C	3.41	02 BURLAND PARK NORTH
WWS	S-MA50000079	BURLAND AV	S-MH50000060	S-MH50000057	WWS	Yes	NO		110.2	PVC	250	C	3.48	BURLAND PARK NORTH
WWS	S-MA50000080	BURLAND AV	S-MH50000062	S-MH50000069	WWS	Yes	NO		102.49	PVC	250	C	5.55	BURLAND PARK NORTH
WWS	S-MA50000122	BURLAND AV	S-MH50000104	S-MH50000103	WWS	Yes	NO	Yes	26.2	PVC	250	C	6.07	BURLAND PARK NORTH
WWS	S-MA50000126	BURLAND AV	S-MH50000108	S-MH50000068	WWS	Yes	NO		94.22	PVC	250	C	5.5	BURLAND PARK NORTH
WWS	S-MA50000748	BURLAND AV	S-MH50000657	S-MH50000658	WWS	Yes	NO	Yes	74.33	PVC	250	C	6.58	BURLAND PARK NORTH
WWS	S-MA50000749	BURLAND AV	S-MH50000658	S-MH50000659	WWS	Yes	NO	Yes	97.77	PVC	250	C	6.93	BURLAND PARK NORTH
WWS	S-MA50000750	BURLAND AV	S-MH50000659	S-MH50000660	WWS	Yes	NO	Yes	78.72	PVC	250	C	7.3	BURLAND PARK NORTH
WWS	S-MA50000761	BURLAND AV	S-MH50000660	S-MH50000667	WWS	Yes	NO		9.2	CONCRETE	250	C	7.55	BURLAND PARK NORTH
WWS	S-MA50000781	BURLAND AV	S-MH50000687	S-MH50000660	WWS	Yes	NO		88.6	CONCRETE	250	C	7.3	BURLAND PARK NORTH
WWS	S-MA50000789	BURLAND AV	S-MH50000693	S-MH50000658	WWS	Yes	NO	Yes	39.53	CONCRETE	250	C	6.11	BURLAND PARK NORTH
WWS	S-MA50000800	BURLAND AV	S-MH50000697	S-MH50000659	WWS	Yes	NO	Yes	50.83	CONCRETE	250	C	6.68	BURLAND PARK NORTH
WWS	S-MA50000889	BURLAND AV	S-MH50000770	S-MH50000761	WWS	Yes	NO		75.73	PVC	250	C	4.88	HIGHBURY PARK
WWS	S-MA50007399	BURLAND AV	S-MH50006337	S-MH50000760	WWS	Yes	NO		98.29	PVC	300	C	7.75	HIGHBURY PARK
WWS	S-MA50007406	BURLAND AV	S-MH50000760	S-MH50006343	WWS	Yes	NO		79.21	CONCRETE	375	C	7.71	HIGHBURY PARK
WWS	S-MA50000096	CAMBRAI CV	S-MH50000073	S-MH50000080	WWS	Yes	NO		98.03	PVC	250	C	4.28	BURLAND PARK NORTH
WWS	S-MA50000099	CAMBRAI CV	S-MH50000083	S-MH50000080	WWS	Yes	NO		53.32	CONCRETE	250	C	4.15	BURLAND PARK NORTH
WWS	S-MA50007360	CARDNO CV	S-MH50006303	S-MH50006295	WWS	Yes	NO		84.79	PVC	250	C	3.68	HIGHBURY PARK
WWS	S-MA50000826	CHANCERY BY	S-MH50000719	S-MH50000720	WWS	Yes	NO		65.68	PVC	250	C	4.15	HIGHBURY PARK
WWS	S-MA50000827	CHANCERY BY	S-MH50000721	S-MH50000722	WWS	Yes	NO		76.7	PVC	250	C	4.11	HIGHBURY PARK
WWS	S-MA50000830	CHANCERY BY	S-MH50000720	S-MH50000722	WWS	Yes	NO		102.15	PVC	250	C	4.19	HIGHBURY PARK
WWS	S-MA50000866	CHANCERY BY	S-MH50000751	S-MH50000752	WWS	Yes	NO		93.67	PVC	250	C	3.76	HIGHBURY PARK
WWS	S-MA50000867	CHANCERY BY	S-MH50000752	S-MH50000719	WWS	Yes	NO		53.2	PVC	250	C	3.96	HIGHBURY PARK
WWS	S-MA50000868	CHANCERY BY	S-MH50000751	S-MH50000721	WWS	Yes	NO		74.58	PVC	250	C	3.72	HIGHBURY PARK
WWS	S-MA50000878	CHANCERY BY	S-MH50000722	S-MH50000761	WWS	Yes	NO		76.65	PVC	250	C	4.9	HIGHBURY PARK
WWS	S-MA50000136	CHESHAM CV	S-MH50000114	S-MH50000113	WWS	Yes	NO		81.49	PVC	250	C	3.43	BURLAND PARK NORTH
WWS	S-MA50000211	CHESHAM CV	S-MH50000113	S-MH50000176	WWS	Yes	NO		78.98	PVC	250	C	3.61	BURLAND PARK NORTH
WWS	S-MA70003698	COLEMAN CV	S-MH70001623	S-MH70001620	WWS	Yes	NO		90.95	CONCRETE	250	C	4.73	COMPARK
WWS	S-MA70003756	COLEMAN CV	S-MH70001678	S-MH70001620	WWS	Yes	NO		35.85	PVC	250	C	4.74	COMPARK
WWS	S-MA70003758	COLEMAN CV	S-MH70001680	S-MH70001678	WWS	Yes	NO		71.68	PVC	250	C	3.62	COMPARK
WWS	S-MA70158369	COMPARK RD	S-MH70078605	S-MH70078606	WWS	Yes	NO		114.75	PVC	250	C	3.33	COMPARK
WWS	S-MA70003646	COOMBS DR	S-MH70001579	S-MH70001578	WWS	Yes	NO		95.34	PVC	250	C	4.75	COMPARK
WWS	S-MA70003859	COOMBS DR	S-MH70006172	S-MH70001732	WWS	Yes	NO		76.16	PVC	250	C	4.63	COMPARK
WWS	S-MA70003863	COOMBS DR	S-MH70006159	S-MH70001731	WWS	Yes	NO		65.58	PVC	250	C	3.94	COMPARK
WWS	S-MA70015123	DRAHO CR	S-MH70006170	S-MH70006171	WWS	Yes	NO		47	PVC	250	C	3.62	COMPARK
WWS	S-MA70015124	DRAHO CR	S-MH70006171	S-MH70006172	WWS	Yes	NO		70.4	PVC	250	C	3.94	COMPARK
WWS	S-MA50000127	EASTCOTE DR	S-MH50000109	S-MH50000110	WWS	Yes	NO		64.29	PVC	250	C	4.05	BURLAND PARK NORTH
WWS	S-MA50000129	EASTCOTE DR	S-MH50000111	S-MH50000109	WWS	Yes	NO		82.99	PVC	250	C	3.6	BURLAND PARK NORTH
WWS	S-MA50000134	EASTCOTE DR	S-MH50000112	S-MH50000111	WWS	Yes	NO		74.32	PVC	250	C	3.55	BURLAND PARK NORTH
WWS	S-MA50000135	EASTCOTE DR	S-MH50000112	S-MH50000113	WWS	Yes	NO		63.49	PVC	250	C	5.25	NORMAND PARK
WWS	S-MA50000212	EASTCOTE DR	S-MH50000176	S-MH50000175	WWS	Yes	NO		60	PVC	250	C	3.61	BURLAND PARK NORTH
WWS	S-MA50000213	EASTCOTE DR	S-MH50000120	S-MH50000175	WWS	Yes	NO		90.38	PVC	250	C	3.46	BURLAND PARK NORTH
WWS	S-MA50007828	EASTMOUNT DR	S-MH50006723	S-MH50006724	WWS	Yes	NO		89.49	PVC	250	C	4.23	COMPARK
WWS	S-MA50007841	EASTMOUNT DR	S-MH50006735	S-MH50006725	WWS	Yes	NO		87.97	PVC	250	C	4.19	COMPARK
WWS	S-MA50007844	EASTMOUNT DR	S-MH50006737	S-MH50006735	WWS	Yes	NO		82.15	PVC	250	C	4	COMPARK
WWS	S-MA50010069	EASTMOUNT DR	S-MH50008254	S-MH50006723	WWS	Yes	NO		82.96	PVC	250	C	3.58	COMPARK
WWS	S-MA50010071	EASTMOUNT DR	S-MH50008254	S-MH50006737	WWS	Yes	NO		83.42	PVC	250	C	3.38	COMPARK
WWS	S-MA50000013	EASY ST	S-MH50000003	S-MH50000013	WWS	Yes	NO		79.83	CONCRETE	250	C	3.48	NORMAND PARK
WWS	S-MA50000020	EASY ST	S-MH50000003	S-MH50000016	WWS	Yes	NO		76.09	CONCRETE	250	C	3.3	NORMAND PARK
WWS	S-MA50000021	EASY ST	S-MH50000016	S-MH50000017	WWS	Yes	NO		125.8	PVC	250	C	3.32	NORMAND PARK
WWS	S-MA50000022	EASY ST	S-MH50000017	S-MH50000018	WWS	Yes	NO		50.2	PVC	250	C	2.84	NORMAND PARK
WWS	S-MA50000034	EASY ST	S-MH50000029	S-MH50000031	WWS	Yes	NO		80.49	PVC	250	C	3.88	NORMAND PARK
WWS	S-MA50000037	EASY ST	S-MH50000016	S-MH50000034	WWS	Yes	NO		81.08	PVC	250	C	3.58	NORMAND PARK
WWS	S-MA50000086	EASY ST	S-MH50000018	S-MH50000074	WWS	Yes	NO		106.97	PVC	225	C	3.73	NORMAND PARK
WWS	S-MA50000087	EASY ST	S-MH50000074	S-MH50000028	WWS	Yes	NO		51.64	PVC	250	C	3.77	NORMAND PARK
WWS	S-MA70003700	ESTABROOK CV	S-MH70008877	S-MH70001623	WWS	Yes	NO		89.03	PVC	250	C	4.51	COMPARK
WWS	S-MA70025771	ESTABROOK CV	S-MH70008882	S-MH70008884	WWS	Yes	NO		44.42	PVC	250	C	4.19	COMPARK
WWS	S-MA70025772	ESTABROOK CV	S-MH70008884	S-MH70008883	WWS	Yes	NO		22.93	PVC	250	C	4.19	COMPARK
WWS	S-MA50007875	EVERDEN RD	S-MH70001581	S-MH50006764	WWS	Yes	NO		62.31	PVC	300	C	8.02	COMPARK
WWS	S-MA70003768	EVERDEN RD	S-MH70001689	S-MH70001691	WWS	Yes	NO		99.94	CONCRETE	250	C	3.51	COMPARK
WWS	S-MA70003775	EVERDEN RD	S-MH70001691	S-MH70001581	WWS	Yes	NO		105.58	PVC	250	C	5.15	COMPARK
WWS	S-MA70003785	EVERDEN RD	S-MH70001692	S-MH70001701	WWS	Yes	NO		87.11	CONCRETE	250	C	4.14	COMPARK
WWS	S-MA70003828	EVERDEN RD	S-MH70001731	S-MH70001732	WWS	Yes	NO		104.45	CONCRETE	250	C	4.65	COMPARK
WWS	S-MA70003838	EVERDEN RD	S-MH70001740	S-MH70001731	WWS	Yes	NO		104	CONCRETE	250	C	4.01	COMPARK
WWS	S-MA70015122	EVERDEN RD	S-MH70006170	S-MH70006160	WWS	Yes	NO		76.49	PVC	250	C	3.69	COMPARK
WWS	S-MA50000209	FARAWAY LN	S-MH50000174	S-MH50000129	WWS	Yes	NO		72.82	PVC	250	C	4.18	BURLAND PARK NORTH
WWS	S-MA50000216	FARAWAY LN	S-MH70030107	S-MH50000174	WWS	Yes	NO		101.03	PVC	250	C	3.88	BURLAND PARK NORTH
WWS	S-MA70065389	FARAWAY LN	S-PL70038654	S-MH50000174	WWS	Yes	NO		19.41	PVC	250	C	3.86	BURLAND PARK NORTH
WWS	S-MA70065412	FARAWAY LN	S-MH70030107	S-MH70030111	WWS	Yes	NO		38.09	PVC	250	C	3.68	BURLAND PARK SOUTH
WWS	S-MA50000003	FLORIAN PL	S-MH50000004	S-MH50000005	WWS	Yes	NO		46.73	CONCRETE	250	C	3.14	NORMAND PARK
WWS	S-MA50000004	FLORIAN PL	S-MH50000005	S-MH50000002	WWS	Yes	NO		21.55	CONCRETE	250	C	3.14	NORMAND PARK
WWS	S-MA50000006	FLORIAN PL	S-MH50000007	S-MH50000002	WWS	Yes	NO		110.56	PVC	250	C	3.08	NORMAND PARK
WWS	S-MA70003591	FULTON ST	S-MH70001537	S-MH70001664	WWS	Yes	NO		49.53	CONCRETE	250	C	4.02	COMPARK
WWS	S-MA70003592	FULTON ST	S-MH70001537	S-MH70001538	WWS	Yes	NO		113.48	PVC	250	C	5.07	COMPARK
WWS	S-MA70003593	FULTON ST	S-MH70001538	S-MH70001655	WWS	Yes	NO		48.22	PVC	250	C	5.16	COMPARK
WWS	S-MA70003594	FULTON ST	S-MH70001539	S-MH70001540	WWS	Yes	NO		65.72	PVC	250	C	4.72	COMPARK
WWS	S-MA70003595	FULTON ST	S-MH70001540	S-MH70001538	WWS	Yes	NO		73.83	PVC	250	C	5.07	COMPARK
WWS	S-MA70003740	FULTON ST	S-MH70001663	S-MH70001665	WWS	Yes	NO		107.45	CONCRETE	250	C	3.84	COMPARK
WWS	S-MA70003748	FULTON ST	S-MH70001665	S-MH70001656	WWS	Yes	NO		111.38	CONCRETE	250	C	4.98	COMPARK
WWS	S-MA50000799	FURNESS BY	S-MH50000696	S-MH50000697	WWS	Yes	NO	Yes	105.76	CONCRETE	250	C	4.15	BURLAND PARK NORTH
WWS	S-MA70052930	GABLEHURST CR	S-MH70023299	S-MH70001541	WWS	Yes	NO		42.57	PVC	250	C	3.83	COMPARK
WWS	S-MA70005035	GLENHAM CV	S-MH70002278	S-MH70002279	WWS	Yes	NO	Yes	56.13	PVC	250	C	4.68	HIGHBURY PARK
WWS	S-MA70005036	GLENHAM CV	S-MH50001421	S-MH70002279	WWS	Yes	NO	Yes	36.32	PVC	250	C	4.82	HIGHBURY PARK
WWS	S-MA70005045	GLENHAM CV	S-MH70002284	S-MH70002278	WWS	Yes	NO	Yes	69.58	PVC	250	C	3.78	HIGHBURY PARK

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
WWS	S-MA50000125	GOBERT CR	S-MH50000107	S-MH50000108	WWS	Yes	NO		74.85	PVC	250	C	5.55	BURLAND PARK NORTH
WWS	S-MA50000146	GOBERT CR	S-MH70001040	S-MH50000122	WWS	Yes	NO		80.84	PVC	250	C	4.04	BURLAND PARK NORTH
WWS	S-MA500000154	GOBERT CR	S-MH500000128	S-MH500000129	WWS	Yes	NO		87.31	PVC	250	C	4.19	BURLAND PARK NORTH
WWS	S-MA500000157	GOBERT CR	S-MH500000130	S-MH500000128	WWS	Yes	NO		83.37	PVC	250	C	3.76	BURLAND PARK NORTH
WWS	S-MA500000158	GOBERT CR	S-MH500000131	S-MH500000123	WWS	Yes	NO		78.13	PVC	250	C	3.21	BURLAND PARK NORTH
WWS	S-MA500000159	GOBERT CR	S-MH500000132	S-MH500000127	WWS	Yes	NO		80.23	PVC	250	C	3.25	BURLAND PARK NORTH
WWS	S-MA500000160	GOBERT CR	S-MH500000122	S-MH500000121	WWS	Yes	NO		92.45	PVC	250	C	5.41	BURLAND PARK NORTH
WWS	S-MA500000161	GOBERT CR	S-MH500000129	S-MH500000133	WWS	Yes	NO		91.03	PVC	250	C	4.21	BURLAND PARK NORTH
WWS	S-MA70002579	GOBERT CR	S-MH70001039	S-MH500000108	WWS	Yes	NO		95.51	PVC	250	C	5.49	BURLAND PARK NORTH
WWS	S-MA70002583	GOBERT CR	S-MH70001039	S-MH70001040	WWS	Yes	NO		91.07	PVC	250	C	3.4	BURLAND PARK NORTH
WWS	S-MA50006687	GOLDTHORPE CR	S-MH50005717	S-MH50005718	WWS	Yes	NO		52.5	PVC	250	C	4.72	COMPARK
WWS	S-MA50006688	GOLDTHORPE CR	S-MH50005718	S-MH50005719	WWS	Yes	NO		72.75	PVC	250	C	5.51	COMPARK
WWS	S-MA50006690	GOLDTHORPE CR	S-MH50005721	S-MH50005718	WWS	Yes	NO		84.2	PVC	250	C	4.7	COMPARK
WWS	S-MA50006953	GOLDTHORPE CR	S-MH50005956	S-MH50005957	WWS	Yes	NO		62.96	PVC	250	C	4.09	COMPARK
WWS	S-MA50006954	GOLDTHORPE CR	S-MH50005957	S-MH50005721	WWS	Yes	NO		72.2	PVC	250	C	4.13	COMPARK
WWS	S-MA50012378	GOLDTHORPE CR	S-MH50009970	S-MH50005956	WWS	Yes	NO		82.14	PVC	250	C	3.85	COMPARK
WWS	S-MA50012382	GOLDTHORPE CR	S-MH50009973	S-MH50009974	WWS	Yes	NO		80	PVC	250	C	3.28	COMPARK
WWS	S-MA50012383	GOLDTHORPE CR	S-MH50009974	S-MH50009970	WWS	Yes	NO		102.21	PVC	250	C	3.76	COMPARK
WWS	S-MA50012387	GOLDTHORPE CR	S-PL50002431	S-MH50009973	WWS	Yes	NO		36	PVC	250	C	3.24	COMPARK
WWS	S-MA50012388	GOLDTHORPE CR	S-MH50009973	S-MH50009977	WWS	Yes	NO		102.1	PVC	250	C	4.06	COMPARK
WWS	S-MA50013908	GOLDTHORPE CR	S-MH50011102	S-MH50011103	WWS	Yes	NO		84.08	PVC	250	C	3.01	COMPARK
WWS	S-MA50006689	GREENFORD AV	S-MH50005720	S-MH50005719	WWS	Yes	NO		85.7	PVC	250	C	5.58	COMPARK
WWS	S-MA50006931	GREENFORD AV	S-MH50005935	S-MH50005719	WWS	Yes	NO		84	PVC	250	C	5.59	COMPARK
WWS	S-MA50006948	GREENFORD AV	S-MH50005951	S-MH50005720	WWS	Yes	NO		84.75	PVC	250	C	4.35	COMPARK
WWS	S-MA50012389	GREENFORD AV	S-MH50009977	S-MH50005951	WWS	Yes	NO		74.65	PVC	250	C	4.35	COMPARK
WWS	S-MA50012392	GREENFORD AV	S-MH50009980	S-MH50009977	WWS	Yes	NO		76.05	PVC	250	C	3.97	COMPARK
WWS	S-MA50013909	GREENFORD AV	S-MH50011103	S-MH50009973	WWS	Yes	NO		81.24	PVC	250	C	3.28	COMPARK
WWS	S-MA50001066	HACKMORE CR	S-MH50000925	S-MH50000926	WWS	Yes	NO	Yes	71.6	PVC	250	C	3.89	HIGHBURY PARK
WWS	S-MA50001068	HACKMORE CR	S-MH50000926	S-MH50000927	WWS	Yes	NO	Yes	90.21	CONCRETE	250	C	4.27	HIGHBURY PARK
WWS	S-MA50001632	HACKMORE CR	S-MH50001422	S-MH50001423	WWS	Yes	NO	Yes	72.6	PVC	250	C	7.33	HIGHBURY PARK
WWS	S-MA50000779	HEALY CR	S-MH50000685	S-MH50000686	WWS	Yes	NO		77.8	CONCRETE	250	C	5.14	BURLAND PARK NORTH
WWS	S-MA50000785	HEALY CR	S-MH50000690	S-MH50000691	WWS	Yes	NO	Yes	84.96	CONCRETE	250	C	4.56	BURLAND PARK NORTH
WWS	S-MA50000786	HEALY CR	S-MH50000691	S-MH50000685	WWS	Yes	NO	Yes	88.5	CONCRETE	250	C	4.99	BURLAND PARK NORTH
WWS	S-MA50000788	HEALY CR	S-MH50000692	S-MH50000693	WWS	Yes	NO	Yes	119.08	CONCRETE	250	C	5.01	BURLAND PARK NORTH
WWS	S-MA50008156	HEALY CR	S-MH50000696	S-MH50000692	WWS	Yes	NO	Yes	95.36	CONCRETE	250	C	4.77	BURLAND PARK NORTH
WWS	S-MA50008162	HEALY CR	S-MH50000690	S-MH50000692	WWS	Yes	NO	Yes	83.73	CONCRETE	250	C	4.77	BURLAND PARK NORTH
WWS	S-MA50007831	HEDGESTONE CR	S-MH50006726	S-MH50006727	WWS	Yes	NO		116.5	PVC	250	C	4.88	COMPARK
WWS	S-MA50010067	HEDGESTONE CR	S-MH50008253	S-MH50006726	WWS	Yes	NO		84.82	PVC	250	C	4.41	COMPARK
WWS	S-MA50010068	HEDGESTONE CR	S-MH50008253	S-MH50006743	WWS	Yes	NO	Yes	125.53	PVC	250	C	3.54	COMPARK
WWS	S-MA50000040	HENRY PEHRSON CV	S-MH50000035	S-MH50000033	WWS	Yes	NO		64.6	PVC	250	C	4.17	NORMAND PARK
WWS	S-MA50000057	HENRY PEHRSON CV	S-MH50000033	S-MH50000049	WWS	Yes	NO		101.91	PVC	250	C	4.29	NORMAND PARK
WWS	S-MA50000919	HIGHBURY RD	S-MH50000794	S-MH50000795	WWS	Yes	NO	Yes	86.8	PVC	250	C	4.15	HIGHBURY PARK
WWS	S-MA50000920	HIGHBURY RD	S-MH50000795	S-MH50000796	WWS	Yes	NO	Yes	90.46	PVC	250	C	4.66	HIGHBURY PARK
WWS	S-MA50000921	HIGHBURY RD	S-MH50000796	S-MH50000797	WWS	Yes	NO	Yes	42.47	PVC	250	C	6.17	HIGHBURY PARK
WWS	S-MA50000922	HIGHBURY RD	S-MH50000797	S-MH50000775	WWS	Yes	NO	Yes	49.4	PVC	250	C	6.17	HIGHBURY PARK
WWS	S-MA50001069	HIGHBURY RD	S-MH50000927	S-MH50000781	WWS	Yes	NO	Yes	80.04	PVC	250	C	6.91	HIGHBURY PARK
WWS	S-MA50001633	HIGHBURY RD	S-MH50001423	S-MH50001420	WWS	Yes	NO	Yes	75.02	PVC	250	C	7.33	HIGHBURY PARK
WWS	S-MA50006999	HIRT CR	S-MH50005996	S-MH50005994	WWS	Yes	NO	Yes	76.05	PVC	250	C	5.8	COMPARK
WWS	S-MA50007003	HIRT CR	S-MH50005994	S-MH50005997	WWS	Yes	NO	Yes	68.77	PVC	250	C	5.95	COMPARK
WWS	S-MA50007506	HIRT CR	S-PL50001123	S-MH50006433	WWS	Yes	NO	Yes	33.6	PVC	300	C	6.03	COMPARK
WWS	S-MA50007507	HIRT CR	S-MH50006433	S-MH50006434	WWS	Yes	NO	Yes	63.01	PVC	300	C	6.24	COMPARK
WWS	S-MA50007512	HIRT CR	S-MH50005996	S-MH50006438	WWS	Yes	NO	Yes	66.01	PVC	250	C	3.63	COMPARK
WWS	S-MA50007513	HIRT CR	S-MH50006438	S-MH50006433	WWS	Yes	NO	Yes	64.75	PVC	250	C	5.95	COMPARK
WWS	S-MA70003730	HOCHMAN AV	S-MH70001655	S-MH70001656	WWS	Yes	NO		59.23	PVC	250	C	5.16	COMPARK
WWS	S-MA70003739	HOCHMAN AV	S-MH70001664	S-MH70001665	WWS	Yes	NO		58.14	CONCRETE	250	C	4.02	COMPARK
WWS	S-MA50010095	HOLLINGBURY PL	S-MH50008257	S-MH50008258	WWS	Yes	NO		92.06	PVC	250	C	4.19	COMPARK
WWS	S-MA50010108	HOLLINGBURY PL	S-MH50008266	S-MH50008267	WWS	Yes	NO		71.06	PVC	250	C	3.1	COMPARK
WWS	S-MA50010109	HOLLINGBURY PL	S-MH50008267	S-MH50008257	WWS	Yes	NO		45.48	PVC	250	C	4.17	COMPARK
WWS	S-MA50006793	JOHN FORSYTH RD	S-MH50005808	S-MH50005809	WWS	Yes	NO	Yes	89.6	CONCRETE	300	C	5.67	HIGHBURY PARK
WWS	S-MA50006799	JOHN FORSYTH RD	S-MH50005809	S-MH50005815	WWS	Yes	NO	Yes	100.55	CONCRETE	300	C	5.71	HIGHBURY PARK
WWS	S-MA50006800	JOHN FORSYTH RD	S-MH50005815	S-MH50005816	WWS	Yes	NO	Yes	100.55	CONCRETE	300	C	6.03	HIGHBURY PARK
WWS	S-MA50006801	JOHN FORSYTH RD	S-MH50005816	S-MH50005817	WWS	Yes	NO	Yes	73.16	CONCRETE	300	C	6.15	HIGHBURY PARK
WWS	S-MA50007392	JOHN FORSYTH RD	S-MH50006324	S-MH50001420	WWS	Yes	NO		20.4	PVC	250	C	6.78	HIGHBURY PARK
WWS	S-MA50007397	JOHN FORSYTH RD	S-MH50006335	S-MH50000760	WWS	Yes	NO		52.8	PVC	250	C	7.71	HIGHBURY PARK
WWS	S-MA50007398	JOHN FORSYTH RD	S-MH50006336	S-MH50006337	WWS	Yes	NO		29.35	PVC	250	C	7.63	HIGHBURY PARK
WWS	S-MA50007407	JOHN FORSYTH RD	S-MH50006343	S-MH50006344	WWS	Yes	NO		85.17	CONCRETE	375	C	7.65	HIGHBURY PARK
WWS	S-MA50007461	JOHN FORSYTH RD	S-MH50001420	S-MH50006337	WWS	Yes	NO	Yes	79.06	PVC	300	C	7.75	HIGHBURY PARK
WWS	S-MA50010191	JOHN FORSYTH RD	S-MH50006344	S-MH50006345	WWS	No	NO		52.16	CONCRETE	450	C	7.86	HIGHBURY PARK
WWS	S-MA70005037	JOHN FORSYTH RD	S-MH70002279	S-MH50001422	WWS	Yes	NO	Yes	61.57	PVC	250	C	7.22	HIGHBURY PARK
WWS	S-MA50000035	KARA CV	S-MH50000010	S-MH50000032	WWS	Yes	NO		75.38	PVC	250	C	3.94	NORMAND PARK
WWS	S-MA50000036	KARA CV	S-MH50000032	S-MH50000033	WWS	Yes	NO		89.01	PVC	250	C	4.19	NORMAND PARK
WWS	S-MA50000042	KARA CV	S-MH50000037	S-MH50000032	WWS	Yes	NO		67.46	PVC	250	C	3.94	NORMAND PARK
WWS	S-MA50007549	KEVIN PL	S-MH50006470	S-MH50006471	WWS	Yes	NO		61.01	PVC	250	C	3.44	COMPARK
WWS	S-MA50000112	KNOTSBERRY BY	S-MH50000094	S-MH50000095	WWS	Yes	NO	Yes	82.23	PVC	250	C	4.32	BURLAND PARK NORTH
WWS	S-MA50000113	KNOTSBERRY BY	S-MH50000095	S-MH50000096	WWS	Yes	NO	Yes	91.56	PVC	250	C	5.75	BURLAND PARK NORTH
WWS	S-MA50000120	KNOTSBERRY BY	S-MH50000103	S-MH50000096	WWS	Yes	NO	Yes	103.07	PVC	250	C	5.93	BURLAND PARK NORTH
WWS	S-MA50000726	KNOTSBERRY BY	S-MH50000096	S-MH50000637	WWS	Yes	NO	Yes	72.79	PVC	250	C	6.39	BURLAND PARK NORTH
WWS	S-MA50013907	LAMBETH RD	S-PL50002878	S-MH50011102	WWS	Yes	NO		22.67	CONCRETE	250	C	2.9	COMPARK
WWS	S-MA70107300	LAMBETH RD	S-MH70051941	S-MH50011102	WWS	Yes	NO		30	PVC	250	C	2.98	COMPARK
WWS	S-MA70003682	LANYON DR	S-MH70001608	S-MH70001609	WWS	Yes	NO		88.15	CONCRETE	300	C	7.04	COMPARK
WWS	S-MA70003731	LANYON DR	S-MH70001656	S-MH70001657	WWS	Yes	NO		103.18	PVC	250	C	5.79	COMPARK
WWS	S-MA50000088	MALMSBURY AV	S-MH50000062	S-MH50000075	WWS	Yes	NO		89.11	PVC	250	C	3.65	BURLAND PARK NORTH
WWS	S-MA50000089	MALMSBURY AV	S-MH50000075	S-MH50000076	WWS	Yes	NO		76.8	PVC	250	C	3.73	BURLAND PARK NORTH
WWS	S-MA50000111	MALMSBURY AV	S-MH50000062	S-MH50000094	WWS	Yes	NO	Yes	82.6	PVC	250	C	3.76	BURLAND PARK NORTH
WWS	S-MA50000121	MALMSBURY AV	S-MH50000069	S-MH50000104	WWS	Yes	NO	Yes	92.29	PVC	250	C	6.07	BURLAND PARK NORTH
WWS	S-MA50000730	MALMSBURY AV	S-MH50000640	S-MH50000641	WWS	Yes	NO	Yes	105.5	PVC	250	C	4.91	BURLAND PARK NORTH
WWS	S-MA50008150	MALMSBURY AV	S-MH50000080	S-MH50000694	WWS	Yes	NO		108.52	PVC	250	C	4.73	BURLAND PARK NORTH
WWS	S-MA50008151	MALMSBURY AV	S-MH50000694	S-MH50000695	WWS	Yes	NO		107.4	PVC	250	C	5.15	BURLAND PARK NORTH
WWS	S-MA50000849	MANBY AV	S-MH50000735	S-MH50000738	WWS	Yes	NO		78.4	PVC	250	C	3.51	HIGHBURY PARK

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
WWS	S-MA50006817	MANSFIELD CR	S-MH50005827	S-MH50005828	WWS	Yes	NO	Yes	100.04	CONCRETE	250	C	3.66	HIGHBURY PARK
WWS	S-MA70074146	MARDENA CR	S-MH70035536	S-MH70035537	WWS	Yes	NO		85.27	PVC	300	C	4.3	NORMAND PARK
WWS	S-MA70074148	MARDENA CR	S-MH70035542	S-MH70035540	WWS	Yes	NO		88.77	PVC	250	C	3.92	NORMAND PARK
WWS	S-MA70074149	MARDENA CR	S-MH70035540	S-MH70035537	WWS	Yes	NO		94.98	PVC	250	C	4.22	NORMAND PARK
WWS	S-MA70074151	MARDENA CR	S-MH70035543	S-MH70035533	WWS	Yes	NO		62.32	PVC	250	C	3.84	NORMAND PARK
WWS	S-MA70074235	MARDENA CR	S-MH70035537	S-MH70035603	WWS	Yes	NO		71.16	PVC	300	C	4.32	NORMAND PARK
WWS	S-MA70074236	MARDENA CR	S-MH70035603	S-MH70035604	WWS	Yes	NO		104.33	PVC	300	C	4.85	NORMAND PARK
WWS	S-MA70073603	MARINE DR	S-MH70035078	S-MH70035098	WWS	Yes	NO		102.21	PVC	250	C	2.78	NORMAND PARK
WWS	S-MA70073604	MARINE DR	S-MH70035098	S-MH70035099	WWS	Yes	NO		114.63	PVC	250	C	2.78	NORMAND PARK
WWS	S-MA70073606	MARINE DR	S-MH70035100	S-MH70035101	WWS	Yes	NO		54.15	PVC	250	C	3	NORMAND PARK
WWS	S-MA70073609	MARINE DR	S-MH70035078	S-MH70035104	WWS	Yes	NO		111.91	PVC	250	C	2.78	NORMAND PARK
WWS	S-MA70073611	MARINE DR	S-MH70035104	S-MH70035105	WWS	Yes	NO		82.45	PVC	250	C	3.02	NORMAND PARK
WWS	S-MA70073614	MARINE DR	S-MH70035105	S-MH70035101	WWS	Yes	NO		103.39	PVC	250	C	3.02	NORMAND PARK
WWS	S-MA70073618	MARINE DR	S-MH70035109	S-MH70035104	WWS	Yes	NO		118.94	PVC	250	C	2.79	NORMAND PARK
WWS	S-MA50006996	MUNN RD	S-MH50005992	S-MH50005993	WWS	Yes	NO	Yes	69.76	PVC	250	C	5.84	COMPARK
WWS	S-MA50006997	MUNN RD	S-MH50005993	S-MH50005994	WWS	Yes	NO	Yes	82.03	PVC	250	C	5.8	COMPARK
WWS	S-MA50000010	NORMAND PARK DR	S-MH50000014	S-MH50000011	WWS	Yes	NO		57.64	PVC	250	C	3.35	NORMAND PARK
WWS	S-MA50000011	NORMAND PARK DR	S-MH50000011	S-MH50000012	WWS	Yes	NO		67.18	PVC	250	C	3.35	NORMAND PARK
WWS	S-MA50000019	NORMAND PARK DR	S-MH50000011	S-MH50000015	WWS	Yes	NO		101.78	PVC	250	C	3.79	NORMAND PARK
WWS	S-MA50000038	NORMAND PARK DR	S-MH50000034	S-MH50000032	WWS	Yes	NO		98.05	PVC	250	C	3.94	NORMAND PARK
WWS	S-MA50000039	NORMAND PARK DR	S-MH50000031	S-MH50000033	WWS	Yes	NO		84.81	PVC	250	C	4.22	NORMAND PARK
WWS	S-MA50000061	NORMAND PARK DR	S-MH50000049	S-MH50000053	WWS	Yes	NO		100.13	PVC	300	C	4.34	NORMAND PARK
WWS	S-MA50006790	NUTLEY CIR	S-MH50005805	S-MH50005806	WWS	Yes	NO	Yes	67.2	CONCRETE	250	C	4.65	HIGHBURY PARK
WWS	S-MA50006792	NUTLEY CIR	S-MH50005806	S-MH50005808	WWS	Yes	NO	Yes	66.13	CONCRETE	250	C	4.62	HIGHBURY PARK
WWS	S-MA50006819	NUTLEY CIR	S-MH50005829	S-MH50005830	WWS	Yes	NO	Yes	92.7	CONCRETE	250	C	4.38	HIGHBURY PARK
WWS	S-MA50006820	NUTLEY CIR	S-MH50005830	S-MH50005831	WWS	Yes	NO	Yes	77.62	CONCRETE	250	C	4.39	HIGHBURY PARK
WWS	S-MA50006822	NUTLEY CIR	S-MH50005829	S-MH50005832	WWS	Yes	NO	Yes	93.3	CONCRETE	250	C	3.82	HIGHBURY PARK
WWS	S-MA50000758	PADDINGTON RD	S-MH50000665	S-MH50000666	WWS	Yes	NO		104.7	CONCRETE	250	C	3.96	BURLAND PARK NORTH
WWS	S-MA50000780	PADDINGTON RD	S-MH50000686	S-MH50000687	WWS	Yes	NO		76.95	CONCRETE	250	C	5.24	BURLAND PARK NORTH
WWS	S-MA50001097	PADDINGTON RD	S-MH50000734	S-MH50000660	WWS	Yes	NO		95.62	PVC	250	C	7.3	BURLAND PARK NORTH
WWS	S-MA50001098	PADDINGTON RD	S-MH50000735	S-MH50000687	WWS	Yes	NO		106.51	PVC	250	C	5.24	BURLAND PARK NORTH
WWS	S-MA70059091	PADDINGTON RD	S-MH50000667	S-TE70022967	WWS	No	NO		9.42	CONCRETE	600	C	7.54	BURLAND PARK NORTH
WWS	S-MA50000153	PARENTEAU PL	S-MH50000127	S-MH50000123	WWS	Yes	NO		97.72	PVC	250	C	3.25	BURLAND PARK NORTH
WWS	S-MA50000727	PATELY CR	S-MH50000638	S-MH50000637	WWS	Yes	NO	Yes	92.24	PVC	250	C	6.39	BURLAND PARK NORTH
WWS	S-MA50000728	PATELY CR	S-MH50000638	S-MH50000639	WWS	Yes	NO	Yes	66.3	PVC	250	C	3.83	BURLAND PARK NORTH
WWS	S-MA50000729	PATELY CR	S-MH50000639	S-MH50000640	WWS	Yes	NO	Yes	106.55	PVC	250	C	3.68	BURLAND PARK NORTH
WWS	S-MA50000731	PATELY CR	S-MH50000641	S-MH50000642	WWS	Yes	NO		79.99	CONCRETE	250	C	4.98	BURLAND PARK NORTH
WWS	S-MA50000747	PATELY CR	S-MH50000637	S-MH50000657	WWS	Yes	NO	Yes	69.13	PVC	250	C	6.58	BURLAND PARK NORTH
WWS	S-MA50000759	PATELY CR	S-MH50000666	S-MH50000642	WWS	Yes	NO		18.3	CONCRETE	250	C	5	BURLAND PARK NORTH
WWS	S-MA50000760	PATELY CR	S-MH50000662	S-MH50000667	WWS	Yes	NO		82.03	CONCRETE	250	C	7.55	BURLAND PARK NORTH
WWS	S-MA50008152	PATELY CR	S-MH50000695	S-MH50000641	WWS	Yes	NO		83.58	PVC	250	C	5.15	BURLAND PARK NORTH
WWS	S-MA50006940	PEADIN PL	S-MH50005943	S-MH50005944	WWS	Yes	NO		64.57	PVC	250	C	3.7	COMPARK
WWS	S-MA50000068	POITRAS PL	S-MH50000059	S-MH50000060	WWS	Yes	NO		77.6	PVC	250	C	3.48	BURLAND PARK NORTH
WWS	S-MA50000069	POITRAS PL	S-MH50000061	S-MH50000059	WWS	Yes	NO		57.9	PVC	250	C	3.98	BURLAND PARK NORTH
WWS	S-MA50000071	POITRAS PL	S-MH50000063	S-MH50000060	WWS	Yes	NO		96.84	PVC	250	C	3.48	BURLAND PARK NORTH
WWS	S-MA50000077	POITRAS PL	S-MH50000057	S-MH50000068	WWS	Yes	NO		73.61	PVC	250	C	5.24	BURLAND PARK NORTH
WWS	S-MA70073607	PORTSIDE DR	S-MH70035101	S-MH70035547	WWS	Yes	NO		86.1	PVC	300	C	2.89	NORMAND PARK
WWS	S-MA70074069	PORTSIDE DR	S-MH70035489	S-MH70035487	WWS	Yes	NO		94.25	PVC	250	C	3.59	NORMAND PARK
WWS	S-MA70074141	PORTSIDE DR	S-MH70035547	S-MH70035528	WWS	Yes	NO		99.6	PVC	250	C	3.78	NORMAND PARK
WWS	S-MA70074142	PORTSIDE DR	S-MH70035528	S-MH70035530	WWS	Yes	NO		83.25	PVC	300	C	3.78	NORMAND PARK
WWS	S-MA70074143	PORTSIDE DR	S-MH70035530	S-MH70035532	WWS	Yes	NO		108.42	PVC	300	C	4.26	NORMAND PARK
WWS	S-MA70074144	PORTSIDE DR	S-MH70035532	S-MH70035533	WWS	Yes	NO		37.63	PVC	300	C	4.26	NORMAND PARK
WWS	S-MA70074145	PORTSIDE DR	S-MH70035533	S-MH70035536	WWS	Yes	NO		86.24	PVC	300	C	4.06	NORMAND PARK
WWS	S-MA70074204	PORTSIDE DR	S-MH70035545	S-MH70035530	WWS	Yes	NO		90.58	PVC	250	C	3.5	NORMAND PARK
WWS	S-MA50006700	QUEENSBURY BY	S-MH50005731	S-MH50005732	WWS	Yes	NO		49.4	PVC	300	C	7.54	COMPARK
WWS	S-MA50006879	QUEENSBURY BY	S-MH50005732	S-MH50005881	WWS	Yes	NO		45.2	PVC	300	C	10.36	COMPARK
WWS	S-MA50010083	QUEENSBURY BY	S-MH50005736	S-MH50005737	WWS	Yes	NO		60.75	PVC	300	C	6.5	COMPARK
WWS	S-MA50010084	QUEENSBURY BY	S-MH50005737	S-MH50008255	WWS	Yes	NO		90.65	PVC	300	C	6.5	COMPARK
WWS	S-MA50010086	QUEENSBURY BY	S-MH50005733	S-MH50005734	WWS	Yes	NO		73.84	PVC	250	C	3.98	COMPARK
WWS	S-MA50010087	QUEENSBURY BY	S-MH50005734	S-MH50005735	WWS	Yes	NO		85.38	PVC	250	C	4.37	COMPARK
WWS	S-MA50010088	QUEENSBURY BY	S-MH50005735	S-MH50005730	WWS	Yes	NO		76.89	PVC	250	C	5.18	COMPARK
WWS	S-MA50010089	QUEENSBURY BY	S-MH50005730	S-MH50005731	WWS	Yes	NO		62.79	PVC	250	C	5.46	COMPARK
WWS	S-MA50000002	REDVIEW DR	S-MH50000002	S-MH50000003	WWS	Yes	NO		96.37	CONCRETE	250	C	3.1	NORMAND PARK
WWS	S-MA50000007	REDVIEW DR	S-MH50000008	S-MH50000003	WWS	Yes	NO		69.4	CONCRETE	250	C	3.1	NORMAND PARK
WWS	S-MA50000008	REDVIEW DR	S-MH50000009	S-MH50000010	WWS	Yes	NO		66.06	PVC	250	C	3.86	NORMAND PARK
WWS	S-MA50000012	REDVIEW DR	S-MH50000012	S-MH50000013	WWS	Yes	NO		73.5	PVC	250	C	3.48	NORMAND PARK
WWS	S-MA50000014	REDVIEW DR	S-MH50000013	S-MH50000010	WWS	Yes	NO		99.04	PVC	250	C	3.86	NORMAND PARK
WWS	S-MA50000018	REDVIEW DR	S-MH50000015	S-MH50000010	WWS	Yes	NO		117.71	PVC	250	C	3.86	NORMAND PARK
WWS	S-MA50000045	REDVIEW DR	S-MH50000039	S-MH50000009	WWS	Yes	NO		98.3	PVC	250	C	3.48	NORMAND PARK
WWS	S-MA50000046	REDVIEW DR	S-MH50000040	S-MH50000041	WWS	Yes	NO		79.1	CONCRETE	250	C	3.57	NORMAND PARK
WWS	S-MA50000047	REDVIEW DR	S-MH50000041	S-MH50000042	WWS	Yes	NO		86.71	CONCRETE	250	C	3.57	NORMAND PARK
WWS	S-MA50000048	REDVIEW DR	S-MH50000042	S-MH50000009	WWS	Yes	NO		120.78	CONCRETE	250	C	3.48	NORMAND PARK
WWS	S-MA50000060	REDVIEW DR	S-MH50000052	S-MH50000043	WWS	Yes	NO		92.09	PVC	300	C	3.94	NORMAND PARK
WWS	S-MA50000032	REESE CV	S-MH50000028	S-MH50000029	WWS	Yes	NO		66.7	PVC	250	C	3.67	NORMAND PARK
WWS	S-MA50000033	REESE CV	S-MH50000030	S-MH50000029	WWS	Yes	NO		85.04	PVC	250	C	3.67	NORMAND PARK
WWS	S-MA50007593	SACHET PL	S-MH50006509	S-MH50006458	WWS	Yes	NO		96.99	PVC	250	C	4.65	COMPARK
WWS	S-MA50007595	SACHET PL	S-MH50006511	S-MH50006513	WWS	Yes	NO		53.41	PVC	250	C	3.94	COMPARK
WWS	S-MA50018855	SACHET PL	S-MH50006513	S-MH50006458	WWS	Yes	NO		52.9	PVC	250	C	4.48	COMPARK
WWS	S-MA50007603	SAND LILY DR	S-MH50006518	S-MH50006500	WWS	Yes	NO		63.13	PVC	250	C	4.3	COMPARK
WWS	S-MA50007805	SAND LILY DR	S-MH50006500	S-MH50006501	WWS	Yes	NO		81.9	PVC	250	C	4.35	COMPARK
WWS	S-MA50007877	SATINWOOD PL	S-MH50006485	S-MH50006765	WWS	Yes	NO	Yes	81.32	CONCRETE	250	C	3.55	COMPARK
WWS	S-MA50007878	SATINWOOD PL	S-MH50006765	S-MH50006486	WWS	Yes	NO	Yes	15.8	CONCRETE	250	C	3.55	COMPARK
WWS	S-MA50007880	SATINWOOD PL	S-MH50006766	S-MH50006486	WWS	Yes	NO	Yes	65.2	CONCRETE	250	C	3.57	COMPARK
WWS	S-MA50007557	SAUVE CR	S-MH50006466	S-MH50006479	WWS	Yes	NO		101.68	PVC	250	C	4.25	COMPARK
WWS	S-MA50007580	SAUVE CR	S-MH50006497	S-MH50006498	WWS	Yes	NO		37.01	CONCRETE	250	C	3.51	COMPARK
WWS	S-MA50007581	SAUVE CR	S-MH50006498	S-MH50006499	WWS	Yes	NO		94.69	PVC	250	C	4.09	COMPARK
WWS	S-MA50007582	SAUVE CR	S-MH50006499	S-MH50006500	WWS	Yes	NO		103.16	PVC	250	C	4.35	COMPARK
WWS	S-MA50007586	SAUVE CR	S-MH50006503	S-MH50006504	WWS	Yes	NO		80.6	CONCRETE	250	C	3.29	COMPARK
WWS	S-MA50007587	SAUVE CR	S-MH50006504	S-MH50006466	WWS	Yes	NO		74.2	CONCRETE	250	C	3.79	COMPARK

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
WWS	S-MA50007588	SAUVE CR	S-MH50006503	S-MH50006505	WWS	Yes	NO		77.75	CONCRETE	250	C	3.29	COMPARK
WWS	S-MA50007589	SAUVE CR	S-MH50006505	S-MH50006499	WWS	Yes	NO		86.33	CONCRETE	250	C	4.09	COMPARK
WWS	S-MA50007592	SHELDON DR	S-MH50006508	S-MH50006509	WWS	Yes	NO		69.33	PVC	300	C	4.65	COMPARK
WWS	S-MA50007600	SHELDON DR	S-PL50001124	S-MH50006509	WWS	Yes	NO		57.32	CONCRETE	250	C	4.65	COMPARK
WWS	S-MA50007551	SHOAL PL	S-MH50006473	S-MH50006474	WWS	Yes	NO		72.52	PVC	250	C	3.75	COMPARK
WWS	S-MA50007606	SHOREHILL DR	S-MH50006521	S-MH50006506	WWS	Yes	NO		101.38	PVC	250	C	4.27	COMPARK
WWS	S-MA50008835	SHOREHILL DR BRIDGE	S-MH50007351	S-MH50006506	WWS	Yes	NO		99.57	CONCRETE	250	C	4.18	COMPARK
WWS	S-MA50007550	SIMON DR	S-MH50006471	S-MH50006466	WWS	Yes	NO		66	PVC	250	C	3.79	COMPARK
WWS	S-MA50007829	SIMON DR	S-MH50006724	S-MH50006725	WWS	Yes	NO		79.97	PVC	250	C	4.23	COMPARK
WWS	S-MA50007830	SIMON DR	S-MH50006725	S-MH50006726	WWS	Yes	NO		84.9	PVC	250	C	4.33	COMPARK
WWS	S-MA50007840	SIMON DR	S-MH50006734	S-MH50006735	WWS	Yes	NO		29.04	PVC	250	C	4	COMPARK
WWS	S-MA50008888	SOUTHFIELDS DR	S-MH50000769	S-MH50000770	WWS	Yes	NO		82.18	PVC	250	C	3.67	HIGHBURY PARK
WWS	S-MA50000894	SOUTHFIELDS DR	S-MH50000773	S-MH50000774	WWS	Yes	NO	Yes	107.27	PVC	250	C	4.11	HIGHBURY PARK
WWS	S-MA50000895	SOUTHFIELDS DR	S-MH50000774	S-MH50000775	WWS	Yes	NO	Yes	21.8	PVC	250	C	5.97	HIGHBURY PARK
WWS	S-MA50000896	SOUTHFIELDS DR	S-MH50000776	S-MH50000773	WWS	Yes	NO	Yes	101.95	PVC	250	C	3.64	HIGHBURY PARK
WWS	S-MA50000900	SOUTHFIELDS DR	S-MH50000775	S-MH50000780	WWS	Yes	NO	Yes	86.94	PVC	250	C	6.66	HIGHBURY PARK
WWS	S-MA50008115	SOUTHFIELDS DR	S-MH50000769	S-MH50000773	WWS	Yes	NO	Yes	83.01	PVC	250	C	3.74	HIGHBURY PARK
WWS	S-MA50006686	SOUTHGLEN BV	S-MH50005716	S-MH50005717	WWS	Yes	NO		62	PVC	250	C	3.9	COMPARK
WWS	S-MA50007509	SOUTHGLEN BV	S-MH50006435	S-MH50006436	WWS	Yes	NO	Yes	64.5	PVC	375	C	6.67	COMPARK
WWS	S-MA50007552	SOUTHGLEN BV	S-MH50006474	S-MH50006460	WWS	Yes	NO		30	PVC	250	C	5.19	COMPARK
WWS	S-MA50007558	SOUTHGLEN BV	S-MH50006479	S-MH50006459	WWS	Yes	NO		44.97	PVC	250	C	4.19	COMPARK
WWS	S-MA50007584	SOUTHGLEN BV	S-MH50006501	S-MH50006458	WWS	Yes	NO		79.68	PVC	250	C	4.49	COMPARK
WWS	S-MA50007591	SOUTHGLEN BV	S-MH50006507	S-MH50006508	WWS	Yes	NO		77.8	PVC	300	C	4.24	COMPARK
WWS	S-MA50007879	SOUTHGLEN BV	S-MH50006766	S-MH50006461	WWS	Yes	NO	Yes	64.5	CONCRETE	250	C	5.25	COMPARK
WWS	S-MA50010082	SOUTHGLEN BV	S-MH50005719	S-MH50005736	WWS	Yes	NO		92.91	PVC	300	C	5.88	COMPARK
WWS	S-MA50007604	ST ANNES RD	S-MH50006519	S-MH50006520	WWS	Yes	NO	Yes	108.97	PVC	250	C	3.09	COMPARK
WWS	S-MA50007610	ST ANNES RD	S-MH50006520	S-MH50006525	WWS	Yes	NO		49.47	PVC	250	C	3.1	COMPARK
WWS	S-MA50007611	ST ANNES RD	S-MH50006525	S-MH50006521	WWS	Yes	NO		50.34	PVC	250	C	3.42	COMPARK
WWS	S-MA50008836	ST ANNES RD	S-MH70078607	S-MH50007351	WWS	Yes	NO		110.83	CONCRETE	250	C	4.11	COMPARK
WWS	S-MA50008837	ST ANNES RD	S-MH50007352	S-MH50007353	WWS	Yes	NO		99.4	CONCRETE	250	C	4.33	COMPARK
WWS	S-MA70003804	ST ANNES RD	S-MH70001716	S-MH70001615	WWS	Yes	NO	Yes	73.45	CONCRETE	300	C	5.99	COMPARK
WWS	S-MA70009565	ST ANNES RD	S-MH50006506	S-MH50006507	WWS	Yes	NO		81.72	PVC	300	C	4.34	COMPARK
WWS	S-MA70049284	ST ANNES RD	S-MH50006519	S-MH70021093	WWS	Yes	NO	Yes	65.52	PVC	250	C	4.96	COMPARK
WWS	S-MA70049287	ST ANNES RD	S-MH70021093	S-MH70021095	WWS	Yes	NO	Yes	107.83	PVC	250	C	5.05	COMPARK
WWS	S-MA70049288	ST ANNES RD	S-MH70021095	S-MH70021096	WWS	Yes	NO	Yes	75.43	PVC	250	C	5.27	COMPARK
WWS	S-MA70049289	ST ANNES RD	S-MH70021096	S-MH70001716	WWS	Yes	NO	Yes	58.42	PVC	250	C	5.65	COMPARK
WWS	S-MA70049295	ST ANNES RD	S-MH70021097	S-MH70021098	WWS	Yes	NO	Yes	81.66	PVC	250	C	5.53	COMPARK
WWS	S-MA70049296	ST ANNES RD	S-MH70021098	S-MH70021099	WWS	Yes	NO	Yes	79.34	PVC	250	C	5.53	COMPARK
WWS	S-MA70049297	ST ANNES RD	S-MH70021099	S-MH70001716	WWS	Yes	NO	Yes	80.11	PVC	250	C	5.65	COMPARK
WWS	S-MA70127512	ST ANNES RD	S-PL70071068	S-MH70062975	WWS	Yes	NO		32.79	CONCRETE	250	C	3.48	COMPARK
WWS	S-MA70158370	ST ANNES RD	S-MH70078606	S-MH70078607	WWS	Yes	NO		12.1	PVC	250	C	3.34	COMPARK
WWS	S-MA50000049	ST MARYS RD	S-MH50000043	S-MH50000044	WWS	Yes	NO		30.2	PVC	300	C	4.17	NORMAND PARK
WWS	S-MA50000050	ST MARYS RD	S-MH50000044	S-MH50000045	WWS	Yes	NO		51.19	PVC	300	C	4.35	NORMAND PARK
WWS	S-MA50000051	ST MARYS RD	S-MH50000045	S-MH50000048	WWS	Yes	NO		84.25	PVC	300	C	4.35	NORMAND PARK
WWS	S-MA50000054	ST MARYS RD	S-MH50000048	S-MH50000049	WWS	Yes	NO		104.91	PVC	300	C	4.37	NORMAND PARK
WWS	S-MA50000058	ST MARYS RD	S-MH50000050	S-MH50000051	WWS	Yes	NO		60.3	PVC	300	C	3.06	NORMAND PARK
WWS	S-MA50000059	ST MARYS RD	S-MH50000051	S-MH50000052	WWS	Yes	NO		68.5	PVC	300	C	3.24	NORMAND PARK
WWS	S-MA50000062	ST MARYS RD	S-MH50000053	S-MH50000054	WWS	Yes	NO		98.66	CONCRETE	300	C	4.66	NORMAND PARK
WWS	S-MA50000067	ST MARYS RD	S-MH50000058	S-MH50000044	WWS	Yes	NO		79.19	PVC	250	C	4.19	BURLAND PARK NORTH
WWS	S-MA50001763	ST MARYS RD	S-MH50000056	S-MH50001553	WWS	Yes	NO		89.92	CONCRETE	300	C	5.08	BURLAND PARK NORTH
WWS	S-MA50001764	ST MARYS RD	S-MH50001553	S-MH50001554	WWS	Yes	NO		104.93	CONCRETE	300	C	5.47	NORMAND PARK
WWS	S-MA50001766	ST MARYS RD	S-MH50001554	S-MH70035608	WWS	Yes	NO		86.58	CONCRETE	300	C	5.55	NORMAND PARK
WWS	S-MA50001767	ST MARYS RD	S-MH50001556	S-MH50001557	WWS	Yes	NO		100.55	CONCRETE	375	C	6.19	NORMAND PARK
WWS	S-MA50001768	ST MARYS RD	S-MH50001557	S-MH50001558	WWS	Yes	NO		104.92	CONCRETE	375	C	6.61	NORMAND PARK
WWS	S-MA50001769	ST MARYS RD	S-MH50001558	S-MH50001559	WWS	Yes	NO		104.7	CONCRETE	375	C	7.12	NORMAND PARK
WWS	S-MA50001770	ST MARYS RD	S-MH50001559	S-MH50001560	WWS	Yes	NO		104.95	CONCRETE	375	C	7.95	NORMAND PARK
WWS	S-MA70003755	ST MARYS RD	S-MH70001677	S-MH50000048	WWS	Yes	NO		27.49	PVC	200	C	4.11	NORMAND PARK
WWS	S-MA70003757	ST MARYS RD	S-MH70001679	S-MH70001677	WWS	Yes	NO		79.62	PVC	200	C	3.85	NORMAND PARK
WWS	S-MA70016128	ST MARYS RD	S-MH50001560	S-TE70007395	WWS	Yes	NO		32.33	CONCRETE	375	C	7.96	NORMAND PARK
WWS	S-MA70074237	ST MARYS RD	S-MH70035604	S-MH70035605	WWS	Yes	NO		108.81	PVC	300	C	5.77	NORMAND PARK
WWS	S-MA70074242	ST MARYS RD	S-MH70035608	S-MH50001556	WWS	Yes	NO		17.61	CONCRETE	300	C	5.88	NORMAND PARK
WWS	S-MA70074243	ST MARYS RD	S-MH70035605	S-MH70035608	WWS	Yes	NO		106.82	PVC	300	C	5.77	NORMAND PARK
WWS	S-MA50007536	SUNDIAL CR	S-MH50006458	S-MH50006459	WWS	Yes	NO		76.83	PVC	300	C	4.96	COMPARK
WWS	S-MA50007537	SUNDIAL CR	S-MH50006459	S-MH50006460	WWS	Yes	NO		89.19	PVC	300	C	5.24	COMPARK
WWS	S-MA50007538	SUNDIAL CR	S-MH50006460	S-MH50006461	WWS	Yes	NO	Yes	89.1	PVC	300	C	5.3	COMPARK
WWS	S-MA50007545	SUNDIAL CR	S-MH50006459	S-MH50006467	WWS	Yes	NO		95.43	CONCRETE	250	C	3.1	COMPARK
WWS	S-MA50007546	SUNDIAL CR	S-MH50006467	S-MH50006468	WWS	Yes	NO		55.83	CONCRETE	250	C	3.64	COMPARK
WWS	S-MA50007547	SUNDIAL CR	S-MH50006468	S-MH50006469	WWS	Yes	NO		90.73	CONCRETE	250	C	3.92	COMPARK
WWS	S-MA50007548	SUNDIAL CR	S-MH50006469	S-MH50006461	WWS	Yes	NO	Yes	90.79	CONCRETE	250	C	5.25	COMPARK
WWS	S-MA50007380	THEYDON PL	S-MH50006322	S-MH50006323	WWS	Yes	NO		88.04	PVC	250	C	3.56	HIGHBURY PARK
WWS	S-MA50007381	THEYDON PL	S-MH50006323	S-MH50006324	WWS	Yes	NO		68.1	PVC	250	C	4.58	HIGHBURY PARK
WWS	S-MA5000901	TIVERTON BY	S-MH50000780	S-MH50000781	WWS	Yes	NO	Yes	98.59	PVC	250	C	6.98	HIGHBURY PARK
WWS	S-MA50001630	TIVERTON BY	S-MH50000781	S-MH50001420	WWS	Yes	NO	Yes	79.33	PVC	250	C	7.02	HIGHBURY PARK
WWS	S-MA50008126	TIVERTON BY	S-MH50006933	S-MH50000781	WWS	Yes	NO	Yes	87.74	PVC	250	C	7	HIGHBURY PARK
WWS	S-MA50008128	TIVERTON BY	S-MH50006933	S-MH50006934	WWS	Yes	NO	Yes	89.9	PVC	250	C	3.67	HIGHBURY PARK
WWS	S-MA50008131	TIVERTON BY	S-MH50006934	S-MH50000780	WWS	Yes	NO	Yes	85.44	PVC	250	C	6.64	HIGHBURY PARK
WWS	S-MA50000072	TROWBRIDGE BY	S-MH50000063	S-MH50000062	WWS	Yes	NO		84.14	PVC	250	C	3.52	BURLAND PARK NORTH
WWS	S-MA50000073	TROWBRIDGE BY	S-MH50000063	S-MH50000064	WWS	Yes	NO		77.11	PVC	250	C	3.24	BURLAND PARK NORTH
WWS	S-MA50000081	TROWBRIDGE BY	S-MH50000065	S-MH50000070	WWS	Yes	NO		67.6	PVC	250	C	3.68	BURLAND PARK NORTH
WWS	S-MA50000082	TROWBRIDGE BY	S-MH50000070	S-MH50000071	WWS	Yes	NO		76.05	PVC	250	C	3.9	BURLAND PARK NORTH
WWS	S-MA50000083	TROWBRIDGE BY	S-MH50000071	S-MH50000072	WWS	Yes	NO		15.02	PVC	250	C	4.09	BURLAND PARK NORTH
WWS	S-MA50000084	TROWBRIDGE BY	S-MH50000072	S-MH50000073	WWS	Yes	NO		72.18	PVC	250	C	4.28	BURLAND PARK NORTH
WWS	S-MA50000090	TROWBRIDGE BY	S-MH50000076	S-MH50000073	WWS	Yes	NO		74.2	PVC	250	C	4.16	BURLAND PARK NORTH
WWS	S-MA50000063	VAN HULL WY	S-MH50000054	S-MH50000055	WWS	Yes	NO		101.25	CONCRETE	300	C	4.9	NORMAND PARK
WWS	S-MA50000064	VAN HULL WY	S-MH50000055	S-MH50000056	WWS	Yes	NO		104.43	CONCRETE	300	C	5	NORMAND PARK
WWS	S-MA70074066	VAN HULL WY	S-MH70035486	S-MH70035487	WWS	Yes	NO		95.12	PVC	250	C	3.31	NORMAND PARK
WWS	S-MA70074067	VAN HULL WY	S-MH70035488	S-MH70035487	WWS	Yes	NO		96.18	PVC	250	C	3.31	NORMAND PARK
WWS	S-MA70074112	VAN HULL WY	S-MH70035482	S-MH70035519	WWS	Yes	NO		100.28	PVC	250	C	3.81	NORMAND PARK
WWS	S-MA70074113	VAN HULL WY	S-MH70035519	S-MH70035489	WWS	Yes	NO		85.24	PVC	250	C	3.83	NORMAND PARK

INSPECTION TYPE	ASSET NUMBER	STREET NAME	U/S NODE	D/S NODE	FLOW TYPE	TO BE CLEANED	IS REGIONAL ST	LOCAL TO SCHOOL	LENGTH	KNOWN MATERIAL	DIAMETER mm	SHAPE	MAX DEPTH m	SEWER DISTRICT
WWS	S-MA70074140	VAN HULL WY	S-MH70035486	S-MH70035547	WWS	Yes	NO		89.75	PVC	250	C	3.61	NORMAND PARK
WWS	S-MA70074147	VAN HULL WY	S-MH70035519	S-MH70035542	WWS	Yes	NO		55.71	PVC	250	C	3.81	NORMAND PARK
WWS	S-MA70074150	VAN HULL WY	S-MH70035489	S-MH70035543	WWS	Yes	NO		84.01	PVC	250	C	3.83	NORMAND PARK
WWS	S-MA50000147	VERMETTE PL	S-MH50000123	S-MH50000122	WWS	Yes	NO		103.27	PVC	250	C	3.21	BURLAND PARK NORTH
WWS	S-MA50000152	VERMETTE PL	S-MH50000126	S-MH50000122	WWS	Yes	NO		61.48	PVC	250	C	3.11	BURLAND PARK NORTH
WWS	S-MA50000156	VIELLIER'S PL	S-MH50000127	S-MH50000130	WWS	Yes	NO		75.48	PVC	250	C	3.43	BURLAND PARK NORTH
WWS	S-MA50006830	WARDE AV	S-MH50005817	S-MH50005839	WWS	Yes	YES		15.1	CONCRETE	300	C	6.24	HIGHBURY PARK
WWS	S-MA50007409	WARDE AV	S-MH50006345	S-MH50005839	WWS	Yes	YES		19.46	CONCRETE	375	C	10.38	HIGHBURY PARK
WWS	S-MA50007876	WARDE AV	S-MH50006764	S-MH50006728	WWS	Yes	YES		74.66	PVC	375	C	8.02	COMPARK
WWS	S-MA50008191	WARDE AV	S-MH50000665	S-MH50006281	WWS	Yes	YES		56.58	CONCRETE	250	C	3.78	BURLAND PARK NORTH
WWS	S-MA50000876	WESTHAM PL	S-MH50000758	S-MH50000759	WWS	Yes	NO		43.03	PVC	250	C	5.23	HIGHBURY PARK
WWS	S-MA50000877	WESTHAM PL	S-MH50000759	S-MH50000760	WWS	Yes	NO		100.44	PVC	250	C	5.91	HIGHBURY PARK
WWS	S-MA50008118	WESTHAM PL	S-MH50006929	S-MH50000759	WWS	Yes	NO		97.03	PVC	250	C	5.1	HIGHBURY PARK
WWS	S-MA70053068	WILFORD CS	S-MH70023407	S-MH70023406	WWS	Yes	NO		63.46	PVC	250	C	3.7	COMPARK
WWS	S-MA70053069	WILFORD CS	S-MH70023406	S-MH70023405	WWS	Yes	NO		57.32	PVC	250	C	4.21	COMPARK
WWS	S-MA50000144	WILLES'DEN CR	S-MH50000121	S-MH50000107	WWS	Yes	NO		89.16	PVC	250	C	5.55	BURLAND PARK NORTH
WWS	S-MA50000163	WILLES'DEN CR	S-MH50000134	S-MH50000121	WWS	Yes	NO		75.01	PVC	250	C	5.41	BURLAND PARK NORTH

Tender Node	Inspection Type	Flow Type	To Be Cleaned	Location	Regional Street	District	Depth	Known MH Config	Associated Sewer Diameter
S-MH20005292	LDS	LDS	Yes	AINSLIE ST	NO	AINSLIE	4.25		375
S-MH20005346	LDS	LDS	No	AINSLIE ST	NO	AINSLIE	5.29		1350
S-MH20005369	LDS	LDS	Yes	AINSLIE ST	NO	AINSLIE	3.33		600
S-MH20005278	LDS	LDS	Yes	ALDINE ST	NO	AINSLIE	1.87		375
S-MH20005288	LDS	LDS	Yes	ALDINE ST	NO	AINSLIE	2.35		375
S-MH20005304	LDS	LDS	Yes	ALDINE ST	NO	AINSLIE	1.68		300
S-MH20004598	LDS	LDS	Yes	ASSINIBOINE CR	NO	AINSLIE	1.32		375
S-MH20004639	LDS	LDS	Yes	ASSINIBOINE CR	NO	AINSLIE	1.75		450
S-MH20004913	LDS	LDS	No	ASSINIBOINE CR	NO	AINSLIE	4.05		2280
S-MH20004914	LDS	LDS	Yes	ASSINIBOINE CR	NO	AINSLIE	2.46		450
S-MH20004933	LDS	LDS	Yes	ASSINIBOINE CR	NO	AINSLIE	2.64		375
S-MH20017946	LDS	LDS	Yes	ASSINIBOINE CR	NO	AINSLIE	2.25		375
S-MH70075672	LDS	LDS	No	ASSINIBOINE CR	NO	AINSLIE	3.03		2280
S-MH20004633	LDS	LDS	Yes	ASSINIBOINE CR-1ST MH W OF LAKE ST	NO	AINSLIE	3.43		300
S-MH20003565	LDS	LDS	No	BOOTH DR(W PL)-LODGE AV(S OF CL)	NO	AINSLIE	6.46		1650
S-MH20005714	LDS	LDS	Yes	BOURKEWOOD PL	NO	AINSLIE	3.70		600
S-MH20005789	LDS	LDS	Yes	BOURKEWOOD PL	NO	AINSLIE	2.02		300
S-MH20005800	LDS	LDS	Yes	BOURKEWOOD PL	NO	AINSLIE	1.97		250
S-MH20005809	LDS	LDS	Yes	BOURKEWOOD PL	NO	AINSLIE	2.25		375
S-MH20005584	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	2.33		250
S-MH20005600	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	5.44		600
S-MH20005693	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	5.59		600
S-MH20006055	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	2.15		375
S-MH20006058	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	2.29		375
S-MH20006065	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	3.23		525
S-MH20006066	LDS	LDS	Yes	BRAINTREE CR	NO	AINSLIE	3.13		375
S-MH20005564	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	3.32		525
S-MH20005565	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	3.37		525
S-MH20005872	LDS	LDS	No	BRUCE AV	NO	AINSLIE	5.13		1350
S-MH20005879	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	2.93		450
S-MH20005881	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	2.98		450
S-MH20005895	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	2.08		375
S-MH70002764	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	2.93		600
S-MH70074841	LDS	LDS	Yes	BRUCE AV	NO	AINSLIE	4.25		300
S-MH20005666	LDS	LDS	No	CORNWALL AV	NO	AINSLIE	5.37		1800
S-MH20005705	LDS	LDS	Yes	CORNWALL AV	NO	AINSLIE	3.95		450
S-MH20005610	LDS	LDS	Yes	CORNWALL BV	NO	AINSLIE	3.73		525
S-MH20005663	LDS	LDS	Yes	CORNWALL BV	NO	AINSLIE	3.62		525
S-MH20005665	LDS	LDS	No	CORNWALL BV	NO	AINSLIE	5.43		1800
S-MH20005667	LDS	LDS	No	CORNWALL BV	NO	AINSLIE	5.79		1800
S-MH20005706	LDS	LDS	Yes	CORNWALL BV	NO	AINSLIE	3.87		450
S-MH20006114	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.78		375
S-MH20006118	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.77		375
S-MH20006121	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.82		375
S-MH20006127	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.28		375
S-MH20006196	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.59		600
S-MH20006200	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.96		600
S-MH20006201	LDS	LDS	Yes	CREE CR	NO	AINSLIE	2.93		750
S-MH20006204	LDS	LDS	Yes	CREE CR	NO	AINSLIE	4.25		525
S-MH20005029	LDS	LDS	Yes	GOLDEN GATE BY	NO	AINSLIE	3.86		600
S-MH20005349	LDS	LDS	Yes	GOLDEN GATE BY	NO	AINSLIE	3.94		600
S-MH20005180	LDS	LDS	No	HARCOURT ST	NO	AINSLIE	3.65		900
S-MH20005182	LDS	LDS	No	HARCOURT ST	NO	AINSLIE	4.06		900
S-MH20005869	LDS	LDS	Yes	HARCOURT ST	NO	AINSLIE	2.87		600
S-MH20005786	LDS	LDS	Yes	JAMESWOOD DR	NO	AINSLIE	1.97		375
S-MH20005578	LDS	LDS	Yes	LADYWOOD DR	NO	AINSLIE	4.02		525
S-MH20005593	LDS	LDS	Yes	LADYWOOD DR	NO	AINSLIE	3.62		525
S-MH20005606	LDS	LDS	Yes	LADYWOOD DR	NO	AINSLIE	2.76		450
S-MH20005754	LDS	LDS	Yes	LEICESTER SQ	NO	AINSLIE	2.65		300
S-MH20005763	LDS	LDS	Yes	LEICESTER SQ	NO	AINSLIE	2.84		600

S-MH20005782	LDS	LDS	Yes	LEICESTER SQ	NO	AINSLIE	2.57		525
S-MH20005808	LDS	LDS	Yes	LEICESTER SQ	NO	AINSLIE	2.43		525
S-MH20005030	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	4.24	DROP	600
S-MH20005034	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	4.34		600
S-MH20005302	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	1.81		300
S-MH20005309	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	1.55		300
S-MH20005322	LDS	LDS	No	LODGE AV	NO	AINSLIE	5.87		1350
S-MH20005333	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	4.29		600
S-MH20005345	LDS	LDS	No	LODGE AV	NO	AINSLIE	5.84		1350
S-MH20005359	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	2.77		300
S-MH20005360	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	4.33		600
S-MH70002808	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	3.43		750
S-MH70021746	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	3.79		300
S-MH70074821	LDS	LDS	Yes	LODGE AV	NO	AINSLIE	2.26		375
S-MH20005353	LDS	LDS	Yes	LODGE AV S CL-1ST MH E ALDINE ST	NO	AINSLIE	3.19		450
S-MH20005313	LDS	LDS	Yes	LODGE AV S CL-ALDINE ST W CL	NO	AINSLIE	4.43		600
S-MH20005184	LDS	LDS	No	LODGE AV S CL-HARCOURT AV E CL	NO	AINSLIE	5.67		1650
S-MH20005164	LDS	LDS	No	LODGE AV S CL-RONALD ST E CL	NO	AINSLIE	5.73		1650
S-MH20005262	LDS	LDS	No	LODGE AV S CL-THOMPSON DR E CL	NO	AINSLIE	5.87		1500
S-MH20005255	LDS	LDS	No	LODGE AV S OF CL-1ST MH E NIGHTINGALE RD	NO	AINSLIE	6.33		1500
S-MH20005316	LDS	LDS	Yes	LODGE AV S OF CL-MH @ WALLASEY ST W OF CL	NO	AINSLIE	5.64		600
S-MH20005293	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	2.38		525
S-MH20005332	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	4.00		600
S-MH20005334	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.02		525
S-MH20005955	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	5.71		250
S-MH20006014	LDS	LDS	No	MORAY ST	YES	AINSLIE	5.46		1350
S-MH20006016	LDS	LDS	No	MORAY ST	YES	AINSLIE	5.53		1350
S-MH20006053	LDS	LDS	No	MORAY ST	YES	AINSLIE	4.68		1350
S-MH20006068	LDS	LDS	No	MORAY ST	YES	AINSLIE	5.11		1350
S-MH20006090	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	2.40		450
S-MH20006091	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	2.13		450
S-MH20006190	LDS	LDS	No	MORAY ST	YES	AINSLIE	4.21		1350
S-MH20006191	LDS	LDS	No	MORAY ST	YES	AINSLIE	3.75		1650
S-MH20006207	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.24		750
S-MH20006254	LDS	LDS	No	MORAY ST	YES	AINSLIE	3.41		1650
S-MH20006294	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	4.25		600
S-MH70002471	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.52		375
S-MH70002481	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	4.00		525
S-MH70002765	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	1.65		600
S-MH70002785	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	2.53		600
S-MH70002786	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	2.79		600
S-MH70002826	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.16		750
S-MH70002827	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.51		750
S-MH70002844	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.24		750
S-MH70002851	LDS	LDS	Yes	MORAY ST	YES	AINSLIE	3.02		750
S-MH70002914	LDS	LDS	No	MORAY ST	YES	AINSLIE	6.34		900
S-MH70002920	LDS	LDS	No	MORAY ST	YES	AINSLIE	5.57		900
S-MH70002945	LDS	LDS	No	MORAY ST	YES	AINSLIE	5.78		900
S-MH20006304	LDS	LDS	Yes	MORAY ST CL-1ST MH S SAULTEAUX CR	YES	AINSLIE	3.04		750
S-MH20006245	LDS	LDS	No	MORAY ST CL-1ST MH S SAULTEAUX CR SLEG	YES	AINSLIE	3.20		1050
S-MH20006303	LDS	LDS	Yes	MORAY ST CL-2ND MH S SAULTEAUX CR	NO	AINSLIE	3.21		750
S-MH20006246	LDS	LDS	No	MORAY ST CL-2ND MH S SAULTEAUX CR SLEG	YES	AINSLIE	3.23		1200
S-MH20006265	LDS	LDS	No	MORAY ST CL-CL OF SAULTEAUX CR SLEG	NO	AINSLIE	3.17		1050
S-MH20006305	LDS	LDS	Yes	MORAY ST EPL-1ST MH S SAULTEAUX CR	YES	AINSLIE	3.10		450
S-MH20006298	LDS	LDS	Yes	MORAY ST EPL-MH @ SAULTEAUX CR NLEG SPL	YES	AINSLIE	2.60		450
S-MH20006264	LDS	LDS	Yes	MORAY ST-1ST MH NE SAULTEAUX CR	NO	AINSLIE	2.98		450
S-MH20006299	LDS	LDS	Yes	MORAY ST-NE PL SAULTEAUX CR	NO	AINSLIE	2.61		450
S-MH20006250	LDS	LDS	No	MURRAY PARK RD	NO	AINSLIE	3.75		1500
S-MH20005582	LDS	LDS	No	NESS AV	YES	AINSLIE	5.28		1350
S-MH20005601	LDS	LDS	No	NESS AV	YES	AINSLIE	5.75		1350
S-MH20005649	LDS	LDS	No	NESS AV	YES	AINSLIE	6.67	DROP	2100
S-MH20005650	LDS	LDS	No	NESS AV	YES	AINSLIE	6.29	DROP	2100

S-MH20005918	LDS	LDS	Yes	NESS AV	YES	AINSLIE	2.12		525
S-MH20005921	LDS	LDS	Yes	NESS AV	YES	AINSLIE	2.74		375
S-MH20005941	LDS	LDS	Yes	NESS AV	YES	AINSLIE	1.80		300
S-MH20005953	LDS	LDS	No	NESS AV	YES	AINSLIE	5.51		1350
S-MH20006005	LDS	LDS	No	NESS AV	YES	AINSLIE	3.70		1200
S-MH20006007	LDS	LDS	No	NESS AV	YES	AINSLIE	3.95		1350
S-MH20006008	LDS	LDS	No	NESS AV	YES	AINSLIE	4.03		1350
S-MH70024346	LDS	LDS	Yes	NESS AV	YES	AINSLIE	3.01		300
S-MH20005862	LDS	LDS	Yes	NIGHTINGALE RD	NO	AINSLIE	2.71		750
S-MH20004904	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	2.75		300
S-MH20004905	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	2.04		600
S-MH20004921	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	2.20		600
S-MH20004925	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	2.05		450
S-MH20004926	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	1.98		600
S-MH20004946	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	4.35		600
S-MH20004947	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	2.89		300
S-MH20004948	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	3.87		300
S-MH70013279	LDS	LDS	Yes	OLIVE ST	NO	AINSLIE	1.58		450
S-MH20005727	LDS	LDS	Yes	PAISLEY PL	NO	AINSLIE	2.61		300
S-MH20005747	LDS	LDS	Yes	PAISLEY PL	NO	AINSLIE	3.34		600
S-MH20005750	LDS	LDS	Yes	PAISLEY PL	NO	AINSLIE	2.85		450
S-MH20004884	LDS	LDS	Yes	PINEWOOD DR	NO	AINSLIE	1.67		450
S-MH20004906	LDS	LDS	Yes	PINEWOOD DR	NO	AINSLIE	1.85		450
S-MH20005202	LDS	LDS	Yes	PINEWOOD DR	NO	AINSLIE	1.92		375
S-MH20005181	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	3.14		750
S-MH20005244	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	2.87		750
S-MH20005281	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	1.91		450
S-MH70002468	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	2.63		375
S-MH70002470	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	2.33		375
S-MH70002476	LDS	LDS	No	PORTAGE AV	YES	AINSLIE	6.36		900
S-MH70002480	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	3.32		525
S-MH70002490	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	1.76		450
S-MH70002491	LDS	LDS	Yes	PORTAGE AV	YES	AINSLIE	2.60		525
S-MH70002852	LDS	LDS	No	PORTAGE AV	YES	AINSLIE	4.28		900
S-MH20004881	LDS	LDS	Yes	RITA ST	NO	AINSLIE	0.70		200
S-MH20004890	LDS	LDS	Yes	RITA ST	NO	AINSLIE	2.43		375
S-MH20004900	LDS	LDS	Yes	RITA ST	NO	AINSLIE	2.37		450
S-MH20004901	LDS	LDS	Yes	RITA ST	NO	AINSLIE	3.12		600
S-MH20004909	LDS	LDS	Yes	RITA ST	NO	AINSLIE	3.90		600
S-MH20005031	LDS	LDS	No	RITA ST	NO	AINSLIE	5.83		1350
S-MH20005562	LDS	LDS	Yes	RITA ST	NO	AINSLIE	3.08		450
S-MH70056295	LDS	LDS	Yes	RITA ST	NO	AINSLIE	1.56		250
S-MH20006282	LDS	LDS	Yes	SALTEAUX CR(CL)-1ST MH W OF MORAY ST	NO	AINSLIE	2.26		450
S-IO00021803	LDS	LDS	Yes	SASKATCHEWAN AV	YES	AINSLIE	4.25	SEWER INLET STRUCTURE	250
S-MH20006100	LDS	LDS	Yes	SASKATCHEWAN AV CL-1ST MH E MORAY ST	YES	AINSLIE	2.29		375
S-MH20006102	LDS	LDS	Yes	SASKATCHEWAN AV CL-1ST MH W MORAY ST	YES	AINSLIE	2.09		375
S-MH20006112	LDS	LDS	Yes	SASKATCHEWAN AV CL-2ND MH E MORAY ST	YES	AINSLIE	1.73		375
S-MH20006097	LDS	LDS	Yes	SASKATCHEWAN AV CL-MH @ MORAY ST EPL	YES	AINSLIE	2.51		450
S-MH20006106	LDS	LDS	Yes	SASKATCHEWAN AV SPL-2ND MH W MORAY ST	YES	AINSLIE	2.19		300
S-MH20006088	LDS	LDS	Yes	SASKATCHEWAN AV SPL-3RD MH W MORAY ST	YES	AINSLIE	2.52		300
S-MH20006086	LDS	LDS	Yes	SASKATCHEWAN AV SPL-4TH MH W MORAY ST	YES	AINSLIE	2.09		300
S-MH20006084	LDS	LDS	Yes	SASKATCHEWAN AV SPL-5TH MH W MORAY ST	YES	AINSLIE	1.09		300
S-MH20006083	LDS	LDS	Yes	SASKATCHEWAN AV SPL-6TH MH W MORAY ST	YES	AINSLIE	1.83		300
S-MH20006317	LDS	LDS	Yes	SAULTEAUX CR	NO	AINSLIE	1.77		375
S-MH20006314	LDS	LDS	Yes	SAULTEAUX CR ELEG EPL-1ST MH N SAULTEAUX CR SLEG	NO	AINSLIE	2.07		450
S-MH20006313	LDS	LDS	Yes	SAULTEAUX CR ELEG EPL-2ND MH N SAULTEAUX CR SLEG	NO	AINSLIE	2.24		375
S-MH20006324	LDS	LDS	Yes	SAULTEAUX CR ELEG EPL-MH @ SAULTEAUX CR SLEG CL	NO	AINSLIE	1.89		600
S-MH20006319	LDS	LDS	Yes	SAULTEAUX CR NLEG CL-1ST MH E MORAY ST	NO	AINSLIE	2.43		600
S-MH20006320	LDS	LDS	Yes	SAULTEAUX CR NLEG CL-2ND MH E MORAY ST	NO	AINSLIE	2.40		450
S-MH20006323	LDS	LDS	Yes	SAULTEAUX CR SLEG CL-1ST MH W SAULTEAUX CR ELEG	NO	AINSLIE	2.33		600
S-MH20006256	LDS	LDS	No	SAULTEAUX CR W LEG-2ND MH N OF MURRAY PARK RD	NO	AINSLIE	3.02		1350
S-MH20006275	LDS	LDS	Yes	SAULTEAUX CR W LEG-3RD MH N OF MURRAY PARK RD	NO	AINSLIE	2.65		450

S-MH20006274	LDS	LDS	Yes	SAULTEAUX CR W LEG-4TH MH N OF MURRAY PARK RD	NO	AINSLIE	2.21		375
S-MH20006251	LDS	LDS	No	SAULTEAUX CR W LEG-MH @ MORAY ST	NO	AINSLIE	3.32		1350
S-MH20006300	LDS	LDS	Yes	SAULTEAUX CR W LEG-MH @ MORAY ST	NO	AINSLIE	2.55		750
S-MH20005725	LDS	LDS	No	SILVER AV	NO	AINSLIE	5.03		1800
S-MH20005726	LDS	LDS	No	SILVER AV	NO	AINSLIE	4.64		1200
S-MH20005575	LDS	LDS	Yes	SILVERWOOD BY	NO	AINSLIE	2.65		450
S-MH20005581	LDS	LDS	Yes	SILVERWOOD BY	NO	AINSLIE	2.21		450
S-MH20005591	LDS	LDS	Yes	SILVERWOOD BY	NO	AINSLIE	2.86		300
S-MH70063866	LDS	LDS	Yes	SINAWIK BY	NO	AINSLIE	2.37		450
S-MH70063868	LDS	LDS	Yes	SINAWIK BY	NO	AINSLIE	2.56		450
S-MH20005912	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	2.01		375
S-MH20005992	LDS	LDS	No	STRAUSS DR	NO	AINSLIE	3.80		1050
S-MH20005993	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	3.82		600
S-MH20005994	LDS	LDS	No	STRAUSS DR	NO	AINSLIE	3.60		1050
S-MH20005997	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	2.10		375
S-MH20006026	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	2.09		450
S-MH20006029	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	2.13		300
S-MH20006038	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	2.74		600
S-MH20006045	LDS	LDS	No	STRAUSS DR	NO	AINSLIE	4.07		1350
S-MH20006048	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	2.48		600
S-MH20006054	LDS	LDS	No	STRAUSS DR	NO	AINSLIE	4.77		1350
S-MH70009656	LDS	LDS	Yes	STRAUSS DR	NO	AINSLIE	4.25		375
S-MH20005287	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	2.60		600
S-MH20005865	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	2.86		750
S-MH20005913	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	2.83		450
S-MH20005914	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	2.49		450
S-MH20005925	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	2.07		600
S-MH20005982	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	3.12		600
S-MH20005986	LDS	LDS	Yes	THOMPSON DR	NO	AINSLIE	2.41		600
S-MH20005987	LDS	LDS	No	THOMPSON DR	NO	AINSLIE	4.65		1200
S-MH20005995	LDS	LDS	No	THOMPSON DR	NO	AINSLIE	3.96		1050
S-MH20005307	LDS	LDS	Yes	WALLASEY ST	NO	AINSLIE	2.56		300
S-MH20005323	LDS	LDS	No	WALLASEY ST	NO	AINSLIE	5.64		1350
S-MH20005890	LDS	LDS	Yes	WALLASEY ST	NO	AINSLIE	2.56		450
S-MH20005946	LDS	LDS	No	WALLASEY ST	NO	AINSLIE	4.87		1350
S-MH20005947	LDS	LDS	No	WALLASEY ST	NO	AINSLIE	5.18		1350
S-MH20005715	LDS	LDS	Yes	WHYTEWOLD RD	NO	AINSLIE	4.35		750
S-MH20005746	LDS	LDS	Yes	WHYTEWOLD RD	NO	AINSLIE	2.86		450
S-MH20006325	LDS	LDS	Yes	WIHURI RD	NO	AINSLIE	4.15		450
S-MH70053447	LDS	LDS	Yes	WIHURI RD	NO	AINSLIE	4.10		450
S-MH70053448	LDS	LDS	Yes	WIHURI RD	NO	AINSLIE	4.36		450
S-MH70053449	LDS	LDS	Yes	WIHURI RD	NO	AINSLIE	3.19		450
S-MH70053450	LDS	LDS	Yes	WIHURI RD	NO	AINSLIE	3.36		450
S-MH20004644	LDS	LDS	Yes	WINDHAM RD	NO	AINSLIE	3.79		375
S-MH20005189	LDS	LDS	Yes	WINDHAM RD	NO	AINSLIE	3.02		300
S-MH20005197	LDS	LDS	Yes	WINDHAM RD	NO	AINSLIE	3.02		375
S-MH20005247	LDS	LDS	Yes	WOODBIDGE RD	NO	AINSLIE	2.54		750
S-MH40009952	REINSPECTION	CS	No	19 Watt St Private Property-1st MH E of Watt St	YES	ROLAND	8.14		2060 x 1625
S-MH50002198	REINSPECTION	CS	No	ACHIBALD ST (CL)-3RD MH N OF KAVANAGH ST	YES	MISSION	6.08		1200 x 800
S-MH50002104	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	3.09		300
S-MH50002109	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	3.90		300
S-MH50002154	REINSPECTION	CS	Yes	ARCHIBALD ST	YES	MISSION	4.59		750
S-MH50002167	REINSPECTION	CS	Yes	ARCHIBALD ST	YES	MISSION	4.10		375
S-MH50002188	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION SEPARATE	3.66		300
S-MH50006619	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION SEPARATE	3.38		300
S-MH50008108	REINSPECTION	CS	Yes	ARCHIBALD ST	YES	MISSION	4.68		300
S-MH50008157	REINSPECTION	CS	Yes	ARCHIBALD ST	YES	MISSION	4.08		375
S-MH50008192	REINSPECTION	CS	Yes	ARCHIBALD ST	YES	MISSION	3.50		300
S-MH50012144	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	2.67		350
S-MH50012145	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	4.66		300
S-MH50012146	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	4.31		300
S-MH50012147	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	4.12		300

S-MH50012148	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	4.10		300
S-MH50012149	REINSPECTION	WWS	Yes	ARCHIBALD ST	YES	MISSION	3.36		375
S-MH50012150	REINSPECTION	WWS	No	ARCHIBALD ST	YES	MISSION	4.69		450
S-MH50012151	REINSPECTION	WWS	No	ARCHIBALD ST	YES	MISSION	5.35		600
S-MH70058456	REINSPECTION	WWS	No	ARCHIBALD ST	YES	MISSION	4.25		600
S-MH50007528	REINSPECTION	CS	Yes	ARCHIBALD ST CL-3RD MH S ELIZABETH ST	YES	MISSION	3.05		450
S-MH50002196	REINSPECTION	CS	No	ARCHIBALD ST (CL)-1ST MH N OF KAVANAGH ST	YES	MISSION	5.49		1200 x 800
S-MH50002197	REINSPECTION	CS	No	ARCHIBALD ST (CL)-2ND MH N OF KAVANAGH ST	YES	MISSION	5.75		1200 x 800
S-MH50002137	REINSPECTION	CS	No	ARCHIBALD ST (CL)-MH AT DOUCET ST	YES	MISSION	5.20		1200 x 800
S-MH50002199	REINSPECTION	CS	No	ARCHIBALD ST (W BV)-4TH MH N OF KAVANAGH ST	YES	MISSION	6.42		1200 x 800
S-MH50006633	REINSPECTION	CS	Yes	ARCHIBALD ST CL-@ CUSSON ST CL	YES	MISSION SEPARATE	4.64		600
S-MH50006620	REINSPECTION	CS	No	ARCHIBALD ST CL-@ DENISET ST CL	YES	MISSION SEPARATE	4.92		900
S-MH50008678	REINSPECTION	CS	Yes	ARCHIBALD ST CL-@ ELIZABETH ST CL	NO	MISSION	3.42		450
S-MH50002111	REINSPECTION	CS	No	ARCHIBALD ST CL-@ GIROUX ST CL	YES	MISSION	5.02		1200 x 800
S-MH50006655	REINSPECTION	CS	Yes	ARCHIBALD ST CL-@ MAGINOT CL	NO	MISSION	3.46		450
S-MH50002183	REINSPECTION	CS	No	ARCHIBALD ST CL-@ ST CATHERINE ST CL	NO	MISSION	5.05		900
S-MH50002189	REINSPECTION	CS	No	ARCHIBALD ST CL-@ TREMBLAY ST CL	YES	MISSION SEPARATE	4.77		900
S-MH50008679	REINSPECTION	CS	Yes	ARCHIBALD ST CL-1ST MH N ELIZABETH ST CL	YES	MISSION	3.63		450
S-MH50006656	REINSPECTION	CS	Yes	ARCHIBALD ST CL-1ST MH N MAGINOT ST	YES	MISSION	4.03		450
S-MH50010905	REINSPECTION	CS	No	ARCHIBALD ST CL-1ST MH N MISSION ST	YES	MISSION	7.80		2950 x 1950
S-MH50008629	REINSPECTION	CS	Yes	ARCHIBALD ST CL-1ST MH N OF MESSIER ST	YES	MISSION	5.95		450
S-MH50006665	REINSPECTION	CS	No	ARCHIBALD ST CL-1ST MH S DENISET ST	YES	MISSION SEPARATE	4.78		900
S-MH70006532	REINSPECTION	CS	Yes	ARCHIBALD ST CL-1ST MH S ELIZABETH ST	YES	MISSION	3.11		450
S-MH50008680	REINSPECTION	CS	Yes	ARCHIBALD ST CL-2ND MH N ELIZABETH ST CL	YES	MISSION	3.67		450
S-MH50008628	REINSPECTION	CS	Yes	ARCHIBALD ST CL-2ND MH N OF MESSIER ST	YES	MISSION	5.47		450
S-MH50007529	REINSPECTION	CS	Yes	ARCHIBALD ST CL-2ND MH S ELIZABETH ST	YES	MISSION	3.48		450
S-MH50006657	REINSPECTION	CS	Yes	ARCHIBALD ST CL-2ND MH S GUILBAULT ST	YES	MISSION	4.03		600
S-MH50007527	REINSPECTION	CS	Yes	ARCHIBALD ST CL-3RD MH S ELIZABETH RD	YES	MISSION	3.10		450
S-MH70022170	REINSPECTION	CS	No	ARCHIBALD ST CL-MH @ MARION ST S CL	YES	MISSION	5.21		900
S-MH50007230	REINSPECTION	CS	No	ARCHIBALD ST E BV-MH AT MESSIER ST	NO	MISSION	6.31		1350 x 900
S-MH40009951	REINSPECTION	CS	No	ARCHIBALD ST E CL-2ND MH N MISSION ST	YES	ROLAND	4.70		2060 x 1625
S-MH70019255	REINSPECTION	CS	Yes	ARCHIBALD ST W CL-1ST MH S GUILBAULT ST	NO	MISSION	4.05		600
S-MH50007526	REINSPECTION	CS	Yes	ARCHIBALD ST W CL-5TH MH S ELIZABETH ST	YES	MISSION	2.96		450
S-MH70019275	REINSPECTION	CS	Yes	ARCHIBALD ST W OF CL-@ CUSSON ST CL	YES	MISSION SEPARATE	4.52		600
S-MH70019261	REINSPECTION	CS	Yes	ARCHIBALD ST W OF CL-@ GAREAU ST CL	NO	MISSION	4.36		600
S-MH70007357	REINSPECTION	CS	No	ARCHIBALD ST WPL-2ND MH W LIFT STATION	YES	MISSION	7.20	WEIR	2950 x 1950
S-MH50010906	REINSPECTION	CS	No	ARCHIBALD ST WPL-3RD MH W LIFT STATION	YES	MISSION	8.18		2950 x 1950
S-MH50008194	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-1ST MH N OF PLINQUET ST	YES	MISSION	4.27		375
S-MH70046295	REINSPECTION	CS	No	ARCHIBALD ST(CL)-1ST MH S OF DOUCET ST	NO	MISSION	5.43		1200 x 800
S-MH50008627	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-1ST MH S OF PLINQUET ST	YES	MISSION	5.05		450
S-MH50008195	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-1ST MH S OF TISSET ST	YES	MISSION	4.33		375
S-MH50002117	REINSPECTION	CS	No	ARCHIBALD ST(CL)-MH@CHERRIER ST(CL)	NO	MISSION	5.00		1200 x 800
S-MH50008099	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-MH@DUMOULIN ST(CL)	NO	MISSION	5.00		450
S-MH70027266	REINSPECTION	CS	No	ARCHIBALD ST(CL)-MH@KAVINAGH ST(CL)	YES	MISSION	5.40		1200 x 800
S-MH50008081	REINSPECTION	CS	No	ARCHIBALD ST(CL)-MH@MISSION ST(CL)	YES	MISSION	7.57		2925 x 1950
S-MH50002172	REINSPECTION	CS	No	ARCHIBALD ST(CL)-MH@PROSPER ST(CL)	NO	MISSION	5.10		900
S-MH50008101	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-MH@PROVENCHER BV(CL)	YES	MISSION	4.86		450
S-MH50008163	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-MH@TISSET ST(CL)	YES	MISSION	4.58		375
S-MH50008158	REINSPECTION	CS	Yes	ARCHIBALD ST(CL)-MH@TISSET ST(N PL)	NO	MISSION	4.63		375
S-MH50007228	REINSPECTION	CS	No	ARCHIBALD ST(E PL)-2ND MH S OF MESSIER ST	YES	MISSION	7.02		1200 x 800
S-MH70019254	REINSPECTION	CS	Yes	ARCHIBALD ST(W OF CL)-MH@GUILBAULT ST(CL)	NO	MISSION	4.16		600
S-MH50008080	REINSPECTION	CS	Yes	ARCHIBALD ST(W OF CL)-MH@MISSION ST(CL)	NO	MISSION	5.85		375
S-MH50002184	REINSPECTION	CS	No	ARCHIBALD ST-1ST MH N OF ST CATHERINE ST	NO	MISSION	5.20		900
S-MH50007229	REINSPECTION	CS	No	ARCHIBALD ST-1ST MH S OF MESSIER ST (E OF PL)	NO	MISSION	6.70		1200 x 800
S-MH70017397	REINSPECTION	CS	No	ARCHIBALD ST-1ST MH S.OF MARION ST.	YES	MISSION	5.50		900
S-MH50008193	REINSPECTION	CS	Yes	ARCHIBALD ST-MH AT PLINGUET ST	NO	MISSION	4.10		375
S-MH20003522	REINSPECTION	CS	Yes	ARMOUR CR-1ST MH S OF ARMOUR CR(N LEG)	NO	WOODHAVEN	3.36		600
S-MH20003510	REINSPECTION	CS	Yes	ARMOUR CR-2ND MH S OF ARMOUR CR(N LEG)	NO	WOODHAVEN	3.71		600
S-MH20003442	REINSPECTION	CS	Yes	ARMOUR CR-ARMOUR CR(S LEG 1ST MH W HARRIS BLVD)	NO	WOODHAVEN	3.87		600
S-MH20003560	REINSPECTION	CS	Yes	ARMOUR CR-MH @ ARMOUR CR(N LEG)	NO	WOODHAVEN	3.36		375
S-MH20004623	REINSPECTION	CS	Yes	ASHCROFT PT-1ST MH E OF GLENDALE BLVD	NO	WOODHAVEN	3.52		375
S-MH20004624	REINSPECTION	CS	Yes	ASHCROFT PT-2ND MH E OF GLENDALE AVE	NO	WOODHAVEN	3.86		375

S-MH20004631	REINSPECTION	CS	Yes	ASHCROFT PT-3RD MH E OF GLENDALE BLVD	NO	WOODHAVEN	3.20		300
S-MH20002590	REINSPECTION	CS	Yes	ASSINBOINE AVE-MH @ HARRIS BLVD	NO	WOODHAVEN	4.30		750
S-MH20004615	REINSPECTION	CS	Yes	ASSINIBOINE AV	NO	WOODHAVEN	3.20		375
S-MH70007232	REINSPECTION	CS	No	ASSINIBOINE AVE (S OF PL)-MH AT WOODHAVEN BLVD (CL)	NO	WOODHAVEN	6.42		1200 x 900
S-MH20004611	REINSPECTION	CS	No	ASSINIBOINE AVE-1ST MH W OF WOODHAVEN BLVD	NO	WOODHAVEN	6.68		1200
S-MH20004622	REINSPECTION	CS	Yes	ASSINIBOINE AVE-MH @ GLENDALE BLVD	NO	WOODHAVEN	2.81		600
S-MH20002605	REINSPECTION	CS	No	ASSINIBOINE AVE-MH @ SUNNYSIDE BLVD	NO	WOODHAVEN	6.70		1200 x 800
S-MH20004610	REINSPECTION	CS	No	ASSINIBOINE AVE-MH @ WOODHAVEN BLVD(CL)	NO	WOODHAVEN	6.77		1200 x 900
S-MH50002589	REINSPECTION	CS	No	AULNEAU ST-1ST MH N OF DOLLARD BV	NO	DESPINS	5.06		1350 x 900
S-MH50002590	REINSPECTION	CS	No	AULNEAU ST-2ND MH N OF DOLLARD BV	NO	DESPINS	4.75		1350 x 900
S-MH50002623	REINSPECTION	CS	No	AULNEAU ST-MH @ DESPINS ST(N PL)	NO	DESPINS	2.69		1150 x 750
S-MH50002591	REINSPECTION	CS	No	AULNEAU ST-MH @ DESPINS ST(S PL)	NO	DESPINS	5.17		1350 x 900
S-MH50002588	REINSPECTION	CS	No	AULNEAU ST-MH @ DOLLARD BV(N PL)	NO	DESPINS	4.97		1350 x 900
S-MH50002621	REINSPECTION	CS	No	AULNEAU ST-MH @ HAMEL AVE	NO	DESPINS	3.73		1150 x 750
S-MH50012050	REINSPECTION	CS	Yes	BAUDEAU PL .(E.LEG)-MH AT BAUDEAU PL.(N.LEG)	NO	MISSION	3.02		300
S-MH50005329	REINSPECTION	CS	Yes	BAUDEAU PL..(E.LEG)-MH AT BAUDEAU PL.(S.LEG)	NO	MISSION	3.19		300
S-MH40009685	REINSPECTION	CS	Yes	BEACH AV	NO	ROLAND	3.95		300
S-MH40009869	REINSPECTION	CS	Yes	BEACH AV.-1ST MH W.OF KEENLEYSIDE ST.	NO	ROLAND	3.25		375
S-MH40009868	REINSPECTION	CS	Yes	BEACH AV.-2ND MH W.OF KEENLEYSIDE ST.	NO	ROLAND	3.81		300
S-MH40009870	REINSPECTION	CS	Yes	BEACH AV-1ST MH E OF KENT RD WLEG	NO	ROLAND	4.09		375
S-MH40009817	REINSPECTION	CS	Yes	BEACH AV-1ST MH E OF WAGNER ST	NO	ROLAND	3.46		375
S-MH40009822	REINSPECTION	CS	Yes	BEACH AV-1ST MH W OF KENT RD	NO	ROLAND	2.72		300
S-MH40009470	REINSPECTION	CS	Yes	BEACH AV-1ST MH W OF STAPLETON	NO	ROLAND	3.05		300
S-MH40009375	REINSPECTION	CS	Yes	BEACH AV-2ND MH W OF STAPLETON	NO	ROLAND	3.25		300
S-MH40009690	REINSPECTION	CS	Yes	BEACH AVE-1ST MH E OF FOSTER ST	NO	ROLAND	2.89		300
S-MH40009351	REINSPECTION	CS	Yes	BEACH AVE-1ST MH E OF KEENLEYSIDE ST	NO	ROLAND	4.60		450
S-MH40009686	REINSPECTION	CS	Yes	BEACH AVE-1ST MH W OF CAMERON ST	NO	ROLAND	3.82		300
S-MH70003999	REINSPECTION	CS	Yes	BEACH AVE-1ST MH W OF KENT (BLVD)	NO	ROLAND	2.89		300
S-MH40009374	REINSPECTION	CS	Yes	BEACH AVE-2ND MH E OF KEENLEYSIDE ST	NO	ROLAND	3.80		375
S-MH70004000	REINSPECTION	CS	Yes	BEACH AVE-2ND MH W OF KENT ST	NO	ROLAND	3.22		300
S-MH40009902	REINSPECTION	CS	Yes	BEACH AVE-3RD MH W OF KENT ST	NO	ROLAND	2.93		300
S-MH70001763	REINSPECTION	CS	Yes	BEACH AVE-MH AT CAMERON ST (CL)	NO	ROLAND	4.57		375
S-MH40009689	REINSPECTION	CS	Yes	BEACH AVE-MH AT FOSTER ST	NO	ROLAND	2.88		300
S-MH40009550	REINSPECTION	CS	Yes	BEACH AV-MH @ CLYDE RD	NO	ROLAND	4.63		600
S-MH40009867	REINSPECTION	CS	Yes	BEACH AV-MH @ KEENLYSIDE ST	NO	ROLAND	5.45		450
S-MH40009507	REINSPECTION	CS	Yes	BEACH AV-MH @ KENT RD ELEG	NO	ROLAND	4.33		750
S-MH40009488	REINSPECTION	CS	No	BEACH AV-MH @ STAPLETON	NO	ROLAND	5.24		900
S-MH70001762	REINSPECTION	CS	Yes	BEACH AV-MH @ WAGNER ST	NO	ROLAND	4.37		375
S-MH40009725	REINSPECTION	CS	Yes	BEACH AV-MH @ WAGNER ST W OF CL	NO	ROLAND	4.72		300
S-MH40010039	REINSPECTION	CS	Yes	BERLIN ST	NO	ROLAND	3.67		300
S-MH40010084	REINSPECTION	CS	Yes	BERLIN ST-1ST MH S OF HERBERT AV	NO	ROLAND	3.16		300
S-MH50005320	REINSPECTION	CS	Yes	BERNIER BAY S (N SIDE)-1ST MH E OF SPEERS RD	NO	MISSION	2.66		450
S-MH50005319	REINSPECTION	CS	Yes	BERNIER BAY S (N SIDE)-2ND MH E OF SPEERS RD	NO	MISSION	2.49		300
S-MH50005315	REINSPECTION	CS	Yes	BERNIER BAY S (N SIDE)-3RD MH E OF SPEERS RD	NO	MISSION	2.33		300
S-MH50005326	REINSPECTION	CS	No	BERNIER BAY S (S SIDE)-1ST MH E OF SPEERS RD	NO	MISSION	2.96		900
S-MH50005316	REINSPECTION	CS	No	BERNIER BAY S (S SIDE)-2ND MH E OF SPEERS RD	NO	MISSION	3.15		900
S-MH70025546	REINSPECTION	WWS	Yes	BERTRAND ST	NO	MARION	4.75		300
S-MH70025731	REINSPECTION	WWS	Yes	BERTRAND ST	NO	MARION	6.19		300
S-MH50002301	REINSPECTION	CS	No	BERTRAND ST(CL)-1ST MH W OF YOUVILLE ST	YES	DESPINS	6.29		900
S-MH50002430	REINSPECTION	CS	No	BERTRAND ST(CL)-MH @ DE LA MORENIE ST(W PL)	NO	DESPINS	5.24		1200 x 900
S-MH50007249	REINSPECTION	CS	No	BERTRAND ST(CL)-MH @ ST JEAN BAPTISTE ST(E PL)	NO	DESPINS	3.63		1350 x 900
S-MH50002300	REINSPECTION	CS	No	BERTRAND ST(CL)-MH @ YOUVILLE ST (W PL)	NO	DESPINS	5.21		900
S-MH70016374	REINSPECTION	CS	No	BERTRAND ST(N OF CL)-MH @ DE LA MORENIE ST(E PL)	NO	DESPINS	4.79		1050
S-MH50002281	REINSPECTION	CS	No	BERTRAND ST(W OF CL)-MH @ DES MEURONS ST	NO	DESPINS	6.56		1050
S-MH50002302	REINSPECTION	CS	Yes	BERTRAND ST-MH AT YOUVILLE ST.	NO	DESPINS	3.95		200
S-MH70078921	REINSPECTION	WWS	Yes	BICKERTON ST	NO	MISSION	3.83		250
S-MH70078922	REINSPECTION	WWS	Yes	BICKERTON ST	NO	MISSION	4.83		250
S-MH50010954	REINSPECTION	CS	Yes	BLAIR ST	NO	MISSION	2.85		375
S-MH50008655	REINSPECTION	CS	Yes	BOURGEAULT ST	NO	DESPINS	2.69		375
S-MH50010939	REINSPECTION	CS	Yes	BRUSSELS ST	NO	MISSION	2.73		375
S-MH40009967	REINSPECTION	CS	No	BUSSINESS E ARCHIBALD ST-4TH H S ELMWOOD RD	YES	ROLAND	8.12		2060 x 1625
S-MH50002314	REINSPECTION	CS	Yes	CABANA PL	NO	DESPINS	2.67		300

S-MH50002315	REINSPECTION	CS	Yes	CABANA PL	NO	DESPINS	2.71		300
S-MH70071455	REINSPECTION	CS	Yes	CAMERON ST(CL)-1ST MH N OF HERBERT AVE	NO	ROLAND	2.20		300
S-MH50004638	REINSPECTION	WWS	Yes	CAROLY BY N PL-1ST MH E OF ORMISTON RD	NO	MISSION	2.72		250
S-MH40006492	REINSPECTION	CS	Yes	CASTLE AV-1ST MH E OF GATEWAY RD	NO	ROLAND	4.29		300
S-MH40010139	REINSPECTION	CS	Yes	CASTLE AV-1ST MH W OF GREY	NO	ROLAND	5.25		375
S-MH40010138	REINSPECTION	CS	Yes	CASTLE AV-2ND MH W OF GREY	NO	ROLAND	4.86		300
S-MH40010140	REINSPECTION	CS	No	CASTLE AV-MH @ GREY ST NW OF CL	NO	ROLAND	5.75		1175 x 925
S-MH40009808	REINSPECTION	CS	Yes	CHALMERS AV E	NO	ROLAND	2.98		300
S-MH70031852	REINSPECTION	CS	Yes	CHALMERS AV E S OF CL-2ND MH W OF KENT RD WLEG	NO	ROLAND	4.09		300
S-MH40009891	REINSPECTION	CS	Yes	CHALMERS AV E S OF CL-3RD MH W OF KENT RD WLEG	NO	ROLAND	3.25		300
S-MH40009740	REINSPECTION	CS	Yes	CHALMERS AV E-1ST MH W OF MOLSON ST	NO	ROLAND	3.50		450
S-MH40009741	REINSPECTION	CS	Yes	CHALMERS AV E-2ND MH W OF MOLSON ST	NO	ROLAND	3.80		450
S-MH40009809	REINSPECTION	CS	Yes	CHALMERS AV E-3RD MH W.OF KENT RD.	NO	ROLAND	3.00		300
S-MH40006928	REINSPECTION	CS	Yes	CHALMERS AV E-MH AT CHALMERS AV E (W LEG)	NO	ROLAND	4.29		450
S-MH40009821	REINSPECTION	CS	Yes	CHALMERS AV E-MH AT MOLSON ST	NO	ROLAND	3.29		375
S-MH40007580	REINSPECTION	CS	Yes	CHALMERS AV-1ST MH E OF GATEWAY RD	NO	ROLAND	3.55		300
S-MH40007553	REINSPECTION	CS	Yes	CHALMERS AV-1ST MH W OF GREY ST	NO	ROLAND	4.32		375
S-MH40007545	REINSPECTION	CS	Yes	CHALMERS AV-3RD MH E. OF GATEWAY AV	NO	ROLAND	3.96		375
S-MH40007521	REINSPECTION	CS	Yes	CHALMERS AV-MH AT GATEWAY RD (E PL)	NO	ROLAND	3.03		300
S-MH50002112	REINSPECTION	CS	Yes	CERRIER ST	NO	MISSION	1.92		300
S-MH50002115	REINSPECTION	CS	Yes	CERRIER ST	NO	MISSION	3.35		300
S-MH50002116	REINSPECTION	CS	Yes	CERRIER ST	NO	MISSION	3.43		300
S-MH70058215	REINSPECTION	CS	Yes	CHESTER ST	NO	ROLAND	4.25		300
S-MH70032032	REINSPECTION	CS	Yes	CHESTER ST (E OF CL)-1ST MH N OF THOMAS AV	NO	ROLAND	6.26		450
S-MH70032033	REINSPECTION	CS	Yes	CHESTER ST (E OF CL)-MH @ THOMAS AV	NO	ROLAND	4.86		450
S-MH40009712	REINSPECTION	CS	Yes	CHESTER ST.-1ST MH S.OF TALBOT AV.	NO	ROLAND	2.86		300
S-MH40009711	REINSPECTION	CS	Yes	CHESTER ST.-MH AT HERBERT AV.	NO	ROLAND	4.10		300
S-MH40009654	REINSPECTION	CS	No	CHESTER ST-1ST MH N OF THOMAS AV	NO	ROLAND	7.01		1500
S-MH40009537	REINSPECTION	CS	Yes	CLYDE RD-1ST MH E OF CLYDE RD (W LEG)	NO	ROLAND	3.12		300
S-MH40009551	REINSPECTION	CS	Yes	CLYDE RD-1ST MH N OF BEACH RD	NO	ROLAND	3.73		450
S-MH40009608	REINSPECTION	CS	Yes	CLYDE RD-1ST MH W OF PANET RD	NO	ROLAND	3.32		375
S-MH40009538	REINSPECTION	CS	Yes	CLYDE RD-2ND MH E OF CLYDE RD (W LEG)	NO	ROLAND	3.25		300
S-MH40009586	REINSPECTION	CS	Yes	CLYDE RD-2ND MH N OF BEACH AVE	NO	ROLAND	3.64		450
S-MH40009585	REINSPECTION	CS	Yes	CLYDE RD-2ND MH W OF PANET RD	NO	ROLAND	3.50		450
S-MH40009539	REINSPECTION	CS	Yes	CLYDE RD-3RD MH E OF CLYDE RD (W LEG)	NO	ROLAND	3.31		300
S-MH40009540	REINSPECTION	CS	Yes	CLYDE RD-4TH MH E OF CLYDE RD(W LEG)	NO	ROLAND	3.29		300
S-MH40009536	REINSPECTION	CS	Yes	CLYDE RD-5TH MH E OF CLYDE RD (W LEG)	NO	ROLAND	3.47		300
S-MH40009553	REINSPECTION	CS	Yes	CLYDE RD-MH AT PANET RD	NO	ROLAND	3.17		300
S-MH40010014	REINSPECTION	CS	No	COLE AV	NO	ROLAND	6.83		1500
S-MH40009988	REINSPECTION	CS	No	COLE AV CL-1ST MH W GREY ST	NO	ROLAND	7.82		1500
S-MH40010013	REINSPECTION	CS	No	COLE AV CL-MH @ GREY ST CL	NO	ROLAND	7.08		1500
S-MH40009986	REINSPECTION	CS	No	COLE AV N CL-2ND MH W GREY ST	NO	ROLAND	7.63		1500
S-MH2210015	REINSPECTION	CS	No	COLE AV N CL-3RD MH W GRET ST	NO	ROLAND	7.70		1500
S-MH40009974	REINSPECTION	CS	No	COSMO PL	NO	ROLAND	6.23		1275 x 850
S-MH40009975	REINSPECTION	CS	No	COSMO PL	NO	ROLAND	5.84		1200
S-MH40009976	REINSPECTION	CS	Yes	COSMO PL	NO	ROLAND	5.86		450
S-MH40009984	REINSPECTION	CS	No	COSMO PL	NO	ROLAND	6.55		1275 x 850
S-MH40009985	REINSPECTION	CS	Yes	COSMO PL	NO	ROLAND	4.74		375
S-MH70075842	REINSPECTION	CS	Yes	COSMO PL	NO	ROLAND	3.55		300
S-MH70075843	REINSPECTION	CS	Yes	COSMO PL	NO	ROLAND	4.35		450
S-MH50006634	REINSPECTION	WWS	Yes	COTE ST	NO	MISSION SEPARATE	2.25		300
S-MH50006635	REINSPECTION	WWS	Yes	COTE ST	NO	MISSION SEPARATE	2.59		300
S-MH50006636	REINSPECTION	WWS	Yes	COTE ST	NO	MISSION SEPARATE	2.96		300
S-MH70019274	REINSPECTION	CS	Yes	COTE ST.-MH AT ARCHIBALD ST.	NO	MISSION SEPARATE	4.60		600
S-MH40009471	REINSPECTION	CS	Yes	CULVER ST-1ST MH N OF MANHATTAN AV	NO	ROLAND	3.48		500
S-MH50006630	REINSPECTION	WWS	Yes	CUSSON ST	NO	MISSION SEPARATE	2.85		300
S-MH50006631	REINSPECTION	WWS	Yes	CUSSON ST	NO	MISSION SEPARATE	3.59		300
S-MH50006632	REINSPECTION	WWS	Yes	CUSSON ST	NO	MISSION SEPARATE	3.47		300
S-MH70000633	REINSPECTION	CS	No	DAWSON RD CL-2ND MH N BELLEGHEM AV	NO	MISSION	7.26		2750 x 1825
S-MH50010656	REINSPECTION	CS	No	DAWSON RD CL-2ND MH N PANET RD	NO	MISSION	6.44		2200 x 1500
S-MH50010817	REINSPECTION	CS	No	DAWSON RD CL-2ND MH S MESSIER ST	NO	MISSION	7.40		2700 x 1800
S-MH70003140	REINSPECTION	CS	No	DAWSON RD CL-3RD MH S MESSIER ST	NO	MISSION	7.20		2700 x 1800

S-MH50010815	REINSPECTION	CS	No	DAWSON RD CL-5TH MH S MESSIER ST	NO	MISSION	6.96		2750 x 1825
S-MH70000634	REINSPECTION	CS	No	DAWSON RD CL-6TH MH S MESSIER ST	NO	MISSION	7.00		2750 x 1825
S-MH50010814	REINSPECTION	CS	No	DAWSON RD CL-7TH MH S MESSIER ST	NO	MISSION	7.03		2750 x 1825
S-MH50010813	REINSPECTION	CS	No	DAWSON RD CL-8TH MH S MESSIER ST	NO	MISSION	7.32		2750 x 1825
S-MH50008475	REINSPECTION	CS	No	DAWSON RD N	NO	MISSION	5.20		900
S-MH50014684	REINSPECTION	CS	Yes	DAWSON RD N	NO	MISSION	3.60		600
S-MH70007199	REINSPECTION	WWS	Yes	DAWSON RD N	NO	MISSION	2.73		200
S-MH70007200	REINSPECTION	WWS	Yes	DAWSON RD N	NO	MISSION	5.72		200
S-MH50010812	REINSPECTION	CS	No	DAWSON RD N-1ST MH NW BELLEGHEM AV	NO	MISSION	7.13		2750 x 1825
S-MH50008513	REINSPECTION	CS	No	DAWSON RD N-MH AT LACOMBE ST	NO	MISSION	9.42		2700 x 1800
S-MH50010811	REINSPECTION	CS	No	DAWSON RD N-MH AT VAN BELLEGHEM AV	NO	MISSION	7.90		2750 x 1825
S-MH50008515	REINSPECTION	CS	No	DAWSON RD ROW-1ST MH S PROVENCHER BV	NO	MISSION	8.96		2700 x 1800
S-MH50008514	REINSPECTION	CS	No	DAWSON RD ROW-2ND MH S PROVENCHER BV	NO	MISSION	9.21		2700 x 1800
S-MH50008489	REINSPECTION	CS	No	DAWSON RD(CL)-1ST MH N OF MESSIER	NO	MISSION	7.77		2700 x 2025
S-MH50010655	REINSPECTION	CS	No	DAWSON RD(CL)-1ST MH S OF MARION ST	NO	MISSION	7.10		2025 x 1350
S-MH50008492	REINSPECTION	CS	No	DAWSON RD(CL)-1ST MH S OF PLINQUET ST	NO	MISSION	7.80		2700 x 1800
S-MH70003136	REINSPECTION	CS	No	DAWSON RD(CL)-2ND MH N OF MESSIER	NO	MISSION	8.32		2700 x 2025
S-MH70003132	REINSPECTION	CS	No	DAWSON RD(CL)-2ND MH S OF PLINQUET ST	NO	MISSION	7.95		2700 x 1800
S-MH50008487	REINSPECTION	CS	No	DAWSON RD(CL)-3RD MH N OF MESSIER	NO	MISSION	7.62		2700 x 1800
S-MH50008491	REINSPECTION	CS	No	DAWSON RD(CL)-3RD MH S OF PLINQUET ST	NO	MISSION	8.04		2700 x 1800
S-MH70072635	REINSPECTION	CS	No	DAWSON RD(CL)-4TH MH S OF PLINQUET ST	NO	MISSION	7.64		2700 x 1800
S-MH70016282	REINSPECTION	CS	No	DAWSON RD(CL)-MH@PANET RD(N PL)	NO	MISSION	7.05		2250 x 1500
S-MH50008206	REINSPECTION	CS	No	DAWSON RD(CL)-MH@PLINQUET ST(S PL)	NO	MISSION	7.75		2700 x 1800
S-MH50008549	REINSPECTION	CS	No	DAWSON RD(W PL)-1ST MH S OF MISSION ST	NO	MISSION	8.10		2700 x 1800
S-MH50008516	REINSPECTION	CS	No	DAWSON RD(W PL)-MH@MISSION ST(N OF CL)	NO	MISSION	8.95		2925 x 1950
S-MH50005988	REINSPECTION	CS	No	DAWSON RD.-2ND MH N.OF SPEERS RD.	NO	MISSION	6.88		2025 x 1350
S-MH70006485	REINSPECTION	CS	No	DAWSON RD-1ST MH N OF PLINQUET	NO	MISSION	8.13		2700 x 1800
S-MH50008486	REINSPECTION	CS	No	DAWSON RD-1ST MH S OF MESSIER	NO	MISSION	8.08		2700 x 2025
S-MH50008207	REINSPECTION	CS	No	DAWSON RD-2ND MH N PLINQUET ST	NO	MISSION	8.48		2700 x 1800
S-MH50010808	REINSPECTION	CS	No	DAWSON RD-2ND MH N.OF PANET RD.	NO	MISSION	6.66		2200 x 1500
S-MH50005987	REINSPECTION	CS	No	DAWSON RD-2ND MH N.OF SPEERS RD.	NO	MISSION	6.65		2025 x 1350
S-MH50010809	REINSPECTION	CS	No	DAWSON RD-3RD MH N. OF PANET ST	NO	MISSION	6.74		2275 x 1525
S-MH50005989	REINSPECTION	CS	No	DAWSON RD-3RD MH N.OF SPEERS RD.	NO	MISSION	6.70		2025 x 1350
S-MH50010654	REINSPECTION	CS	No	DAWSON RD-4TH MH N. OF SPEERS RD	NO	MISSION	6.95		2025 x 1350
S-MH50005986	REINSPECTION	CS	No	DAWSON RD-6TH MH S MARION ST	NO	MISSION	6.84		2025 x 1350
S-MH50010810	REINSPECTION	CS	No	DAWSON RD-MH AT DUGALD RD	NO	MISSION	7.12		2750 x 1825
S-MH70022279	REINSPECTION	CS	No	DAWSON RD-S CORNER OF MESSIER ST	NO	MISSION	7.50		1200
S-MH50008507	REINSPECTION	CS	No	DAWSON ST WPL-MH @ PROVENCHER BV CL	NO	MISSION	8.52		2700 x 1800
S-MH70001526	REINSPECTION	CS	Yes	DE LA MORENIE ST(W OF CL)-2ND MH S OF DE LA CATHEDRALE AVE	NO	DESPINS	5.24	DROP	750
S-MH70000839	REINSPECTION	CS	Yes	DE LA MORENIE ST(W OF CL)-MH @ HAMEL AVE	NO	DESPINS	5.09	DROP	750
S-MH50002394	REINSPECTION	CS	No	DE LA MORENIE ST-1ST MH N. OF BERTRAND ST	NO	DESPINS	5.58		1150 x 750
S-MH50002310	REINSPECTION	CS	No	DE LA MORENIE ST-1ST MH N. OF YELLE ST	NO	DESPINS	5.63		1150 x 750
S-MH70000838	REINSPECTION	CS	Yes	DE LA MORENIE ST-1ST MH S OF DE LA CATHEDRALE AVE	NO	DESPINS	5.09		750
S-MH70027286	REINSPECTION	CS	No	DE LA MORENIE ST-1ST MH S. OF HAMEL AV	NO	DESPINS	5.65		1150 x 750
S-MH50002392	REINSPECTION	CS	No	DE LA MORENIE ST-1ST MH S. OF YELLE ST	NO	DESPINS	5.76		1150 x 750
S-MH50002309	REINSPECTION	CS	No	DE LA MORENIE ST-2ND MH S. OF HAMEL AV	NO	DESPINS	5.17		1150 x 750
S-MH50002393	REINSPECTION	CS	No	DE LA MORENIE ST-2ND MH S.OF YELLE ST.	NO	DESPINS	5.49		1150 x 750
S-MH50002429	REINSPECTION	CS	No	DE LA MORENIE ST-MH AT BERTRAND ST	NO	DESPINS	5.33		1200 x 900
S-MH50002306	REINSPECTION	CS	No	DE LA MORENIE ST-MH AT YELLE ST	NO	DESPINS	5.81		1150 x 750
S-MH50008853	REINSPECTION	CS	Yes	DEBOURMONT AV-1ST MH S DUGAS ST	NO	MISSION	1.40		300
S-MH50006006	REINSPECTION	CS	Yes	DEBOURMONT AV-1ST MH S OF DUGAS ST	NO	MISSION	2.71		375
S-MH50004677	REINSPECTION	CS	Yes	DEBOURMONT AV-MH AT DUGAS ST	NO	MISSION	2.47		300
S-MH50006615	REINSPECTION	WWS	Yes	DENISET ST	NO	MISSION SEPARATE	2.91		300
S-MH50006616	REINSPECTION	WWS	Yes	DENISET ST	NO	MISSION SEPARATE	2.68		300
S-MH50006618	REINSPECTION	WWS	Yes	DENISET ST	NO	MISSION SEPARATE	3.55		300
S-MH50008674	REINSPECTION	WWS	Yes	DENISET ST	NO	MISSION SEPARATE	1.96		300
S-MH50002282	REINSPECTION	CS	Yes	DES MEURONS ST	YES	MARION	4.06		375
S-MH50002311	REINSPECTION	CS	Yes	DES MEURONS ST	YES	DESPINS	4.30		600
S-MH50002316	REINSPECTION	CS	Yes	DES MEURONS ST	YES	DESPINS	2.59		300
S-MH50002317	REINSPECTION	CS	Yes	DES MEURONS ST	YES	DESPINS	3.59		375
S-MH70005685	REINSPECTION	WWS	Yes	DES MEURONS ST	YES	DESPINS	3.14		300
S-MH70017594	REINSPECTION	CS	Yes	DES MEURONS ST	YES	DESPINS	3.54		375

S-MH50008923	REINSPECTION	CS	Yes	DES MEURONS ST (CL)-MH AT RUE DESAUTELS (S OF CL)	NO	DESPINS	2.91		300
S-MH50002329	REINSPECTION	CS	Yes	DES MEURONS ST(CL)-1ST MH S OF HAMEL AVE	NO	DESPINS	3.50		375
S-MH50002299	REINSPECTION	CS	Yes	DES MEURONS ST(CL)-1ST MH S OF YELLE ST	YES	DESPINS	4.41		375
S-MH70005686	REINSPECTION	CS	Yes	DES MEURONS ST-1ST MH S OF CABANA PL(N LEG)	YES	DESPINS	3.85		375
S-MH50002280	REINSPECTION	CS	Yes	DES MEURONS ST-2ND MH N. OF GOULET ST	YES	MARION	6.20		375
S-MH50002297	REINSPECTION	CS	Yes	DES MEURONS ST-MH @ GABOURY PL(S LEG)	NO	DESPINS	3.79		375
S-MH50002298	REINSPECTION	CS	Yes	DES MEURONS ST-MH @ YELLE ST	YES	DESPINS	4.01		375
S-MH50008656	REINSPECTION	CS	Yes	DES MEURONS ST-MH AT DESCHAMBAULT ST	NO	DESPINS	4.03		375
S-MH50008654	REINSPECTION	CS	Yes	DESCHAMBAULT ST	NO	DESPINS	2.92		300
S-MH50008938	REINSPECTION	CS	Yes	DESCHAMBAULT ST	NO	DESPINS	2.48		450
S-MH70018094	REINSPECTION	WWS	Yes	DESCHAMBAULT ST	NO	DESPINS	2.19		250
S-MH70010291	REINSPECTION	CS	No	DESPINS ST-1ST MH W OF TACHE AVE	NO	DESPINS	9.80	WEIR	1350
S-MH50002580	REINSPECTION	CS	No	DESPINS ST-MH @ JEANNE DARC ST	NO	DESPINS	5.21		1200
S-MH50002579	REINSPECTION	CS	No	DESPINS ST-MH @ LOUIS RIEL ST	NO	DESPINS	5.19		1200
S-MH50002634	REINSPECTION	CS	No	DESPINS ST-MH @ TACHE AVE(E PL)	YES	DESPINS	7.28		1200
S-MH50002635	REINSPECTION	CS	No	DESPINS ST-MH @ TACHE AVE(W OF CL)	YES	DESPINS	7.51		1200
S-MH50002633	REINSPECTION	CS	No	DESPINS ST-MH @ VALADE ST	NO	DESPINS	5.06		1200
S-MH50002578	REINSPECTION	CS	No	DESPINS ST-MH@ AULNEAU ST	NO	DESPINS	5.13		1200
S-MH70025728	REINSPECTION	WWS	Yes	DOLLARD BV	NO	DESPINS	4.29		300
S-MH70025730	REINSPECTION	WWS	Yes	DOLLARD BV	NO	DESPINS	6.24		300
S-MH70025826	REINSPECTION	WWS	Yes	DOLLARD BV	NO	DESPINS	3.55		250
S-MH70025847	REINSPECTION	WWS	Yes	DOLLARD BV	NO	DESPINS	2.74		250
S-MH70063035	REINSPECTION	CS	Yes	DOLLARD BV	NO	DESPINS	4.61		300
S-MH50002586	REINSPECTION	CS	No	DOLLARD BV-MH @ AULNEAU ST (E PL)	NO	DESPINS	4.96		1350 x 900
S-MH50002587	REINSPECTION	CS	Yes	DOLLARD BV-MH @ AULNEAU ST (W OF CL)	NO	DESPINS	3.51		600
S-MH50002585	REINSPECTION	CS	Yes	DOLLARD BV-MH @ KENNY ST	NO	DESPINS	4.52		750
S-MH50002628	REINSPECTION	CS	Yes	DOLLARD BV-MH @ VALADE ST(E PL)	NO	DESPINS	4.41		750
S-MH50002388	REINSPECTION	CS	No	DOLLARD BV-MH AT ST JEAN BAPTISTE ST	NO	DESPINS	5.67		1350 x 900
S-MH50002629	REINSPECTION	CS	No	DOLLARD BV-MH@ VALADE ST(CL)	NO	DESPINS	4.94		900
S-MH50002134	REINSPECTION	CS	Yes	DOUCET ST	NO	MISSION	3.25		300
S-MH50002135	REINSPECTION	CS	Yes	DOUCET ST	NO	MISSION	3.44		300
S-MH70015574	REINSPECTION	CS	Yes	DOUCET ST	NO	MISSION	3.75		300
S-MH50002102	REINSPECTION	WWS	Yes	DUFRESNE AV	NO	MISSION	2.65		300
S-MH50002107	REINSPECTION	WWS	Yes	DUFRESNE AV	NO	MISSION	3.63		300
S-MH50002108	REINSPECTION	WWS	Yes	DUFRESNE AV	NO	MISSION	3.90		300
S-MH50002113	REINSPECTION	CS	Yes	DUFRESNE AV	NO	MISSION	2.69		300
S-MH50002114	REINSPECTION	CS	Yes	DUFRESNE AV	NO	MISSION	3.29		300
S-MH50002133	REINSPECTION	CS	Yes	DUFRESNE AV	NO	MISSION	3.04		300
S-MH50002150	REINSPECTION	CS	Yes	DUFRESNE AV	NO	MISSION	3.47		375
S-MH50002151	REINSPECTION	CS	Yes	DUFRESNE AV	NO	MISSION	4.05		600
S-MH50010851	REINSPECTION	CS	No	DUGALD RD	YES	MISSION	5.76		1250
S-MH50010921	REINSPECTION	CS	Yes	DUGALD RD	YES	MISSION	4.37		750
S-MH50010922	REINSPECTION	CS	Yes	DUGALD RD	YES	MISSION	4.46		750
S-MH50010923	REINSPECTION	CS	Yes	DUGALD RD	YES	MISSION	4.29		750
S-MH50010947	REINSPECTION	CS	No	DUGALD RD	YES	MISSION	5.99		1200
S-MH50011364	REINSPECTION	WWS	Yes	DUGALD RD	YES	MISSION	3.63		300
S-MH50011365	REINSPECTION	WWS	No	DUGALD RD	YES	MISSION	5.39		1350
S-MH50011366	REINSPECTION	WWS	No	DUGALD RD	YES	MISSION	5.48		1350
S-MH50011369	REINSPECTION	CS	Yes	DUGALD RD	YES	MISSION	3.61		600
S-MH70036164	REINSPECTION	WWS	Yes	DUGALD RD	YES	MISSION	3.60		250
S-MH70074501	REINSPECTION	WWS	Yes	DUGALD RD	YES	MISSION	4.25		200
S-MH70074502	REINSPECTION	WWS	Yes	DUGALD RD	YES	MISSION	2.98		200
S-MH70074901	REINSPECTION	WWS	Yes	DUGALD RD	YES	MISSION	3.22		200
S-MH50010843	REINSPECTION	CS	No	DUGALD RD S CL-1ST MH E PANET RD	NO	MISSION	6.45		1200
S-MH50010845	REINSPECTION	CS	No	DUGALD RD S CL-1ST MH W PANET RD	NO	MISSION	6.00		1200
S-MH50010837	REINSPECTION	CS	No	DUGALD RD S CL-2ND MH E DAWSON RD	NO	MISSION	6.30		1350
S-MH50010842	REINSPECTION	CS	No	DUGALD RD S CL-2ND MH E PANET RD	NO	MISSION	6.90		1200
S-MH50010846	REINSPECTION	CS	No	DUGALD RD S CL-2ND MH W PANET RD	NO	MISSION	6.45		1220
S-MH50010847	REINSPECTION	CS	No	DUGALD RD S CL-3RD MH W PANET RD	NO	MISSION	6.40		1200
S-MH50010844	REINSPECTION	CS	No	DUGALD RD S CL-MH @ PANET RD W CL	NO	MISSION	5.97		1200
S-MH50010838	REINSPECTION	CS	No	DUGALD RD-1ST MH E. OF DAWSON RD	NO	MISSION	6.34		1350
S-MH70016314	REINSPECTION	CS	Yes	DUGAS & BLEAU-2ND MH E OF HARPER AV	NO	MISSION	3.57		600

S-MH50004676	REINSPECTION	CS	Yes	DUGAS ST CL-MH AT HARPER AV CL	NO	MISSION	3.14		450
S-MH50004674	REINSPECTION	CS	Yes	DUGAS ST-1ST MH E OF BLEAU ST	NO	MISSION	3.92		600
S-MH50004678	REINSPECTION	CS	Yes	DUGAS ST-1ST MH E OF DEBOURMONT AV	NO	MISSION	2.62		375
S-MH50004683	REINSPECTION	CS	Yes	DUGAS ST-1ST MH E OF HARPER AV	NO	MISSION	3.70		600
S-MH50004673	REINSPECTION	CS	Yes	DUGAS ST-MH AT BLEAU AV	NO	MISSION	3.67		600
S-MH50004669	REINSPECTION	CS	Yes	DUGAS ST-MH AT SPEERS RD (SW OF CL)	NO	MISSION	4.65		600
S-MH50008098	REINSPECTION	WWS	Yes	DUMOULIN ST	NO	MISSION	4.11		300
S-MH50008096	REINSPECTION	WWS	Yes	DUMOULIN ST-MH AT NADEAU ST	NO	MISSION	3.31		300
S-MH50010282	REINSPECTION	CS	Yes	DUPUY AV	NO	MISSION	4.39		675
S-MH50010284	REINSPECTION	CS	No	DUPUY AV	NO	MISSION	4.80		900
S-MH40010035	REINSPECTION	CS	No	EASEMENT N OF NAIRN AV-1ST MH E ELMWOOD RD	NO	ROLAND	7.77		2060 x 1625
S-MH40009981	REINSPECTION	CS	No	EASEMENT S NAIRN AV-1ST MH E COLE AV	NO	ROLAND	7.90		1525
S-MH40009964	REINSPECTION	CS	No	EASEMENT S NAIRN AV-2ND MH S ELMWOOD RD	YES	ROLAND	7.92		2060 x 1625
S-MH40009963	REINSPECTION	CS	No	EASEMENT S NAIRN AV-3RD MH S ELMWOOD RD	YES	ROLAND	8.04		2060 x 1625
S-MH40009960	REINSPECTION	CS	No	EASEMENT ZS ELMWOOD RD-1ST MH N NAIRN AV4	YES	ROLAND	10.00		2060 x 1625
S-MH40009980	REINSPECTION	CS	Yes	EATON ST	NO	ROLAND	3.13		300
S-MH40010036	REINSPECTION	CS	Yes	EATON ST	NO	ROLAND	3.12		300
S-MH40010079	REINSPECTION	CS	Yes	EATON ST-MH AT 1ST LN N OF HERBERT AV	NO	ROLAND	5.23		300
S-MH50004642	REINSPECTION	CS	Yes	ELIZABETH RD-1ST MH E OF HARPER AV	NO	MISSION	3.43		450
S-MH50004661	REINSPECTION	CS	Yes	ELIZABETH RD-1ST MH W. OF SPEERS RD	NO	MISSION	4.39		600
S-MH50004640	REINSPECTION	CS	Yes	ELIZABETH RD-MH AT BLEAU AV	NO	MISSION	3.86		600
S-MH50004653	REINSPECTION	CS	Yes	ELIZABETH RD-MH AT DEBOURMONT AV	NO	MISSION	2.44		300
S-MH50004641	REINSPECTION	CS	Yes	ELIZABETH RD-MH AT HARPER AV	NO	MISSION	3.22		450
S-MH40009961	REINSPECTION	CS	Yes	ELMWOOD RD	NO	ROLAND	8.62		300
S-MH70001534	REINSPECTION	CS	Yes	ELMWOOD RD	NO	ROLAND	2.45		300
S-MH50002208	REINSPECTION	CS	Yes	EUGENIE ST	NO	DESPINS	2.85		300
S-MH50002180	REINSPECTION	WWS	Yes	EVANS ST	NO	MISSION SEPARATE	3.21		300
S-MH50002186	REINSPECTION	WWS	Yes	EVANS ST	NO	MISSION SEPARATE	3.25		300
S-MH50006617	REINSPECTION	WWS	Yes	EVANS ST	NO	MISSION SEPARATE	3.27		300
S-MH70016915	REINSPECTION	CS	Yes	EVANS ST	NO	MISSION	3.65		250
S-MH70017114	REINSPECTION	CS	Yes	EVANS ST	NO	MISSION	3.76		450
S-MH40009797	REINSPECTION	CS	Yes	FIGARO-1ST MH S OF TALBOT AV	NO	ROLAND	4.47		300
S-MH40009641	REINSPECTION	CS	No	FOSTER ST	NO	ROLAND	7.52		1500
S-MH40010017	REINSPECTION	CS	Yes	FOSTER ST	NO	ROLAND	3.60		375
S-MH40010022	REINSPECTION	CS	No	FOSTER ST	NO	ROLAND	7.15		1500
S-MH70031958	REINSPECTION	CS	Yes	FOSTER ST	NO	ROLAND	5.16		450
S-MH40009680	REINSPECTION	CS	No	FOSTER ST (CL)-MH @ TALBOT AV(CL)	NO	ROLAND	6.56		1550 x 1200
S-MH70032053	REINSPECTION	CS	Yes	FOSTER ST(E PL)-MH 2 TALBOT AV(S PL)	NO	ROLAND	5.45		375
S-MH50010086	REINSPECTION	CS	Yes	FOURNIER ST	NO	MISSION	3.22		525
S-MH50010848	REINSPECTION	CS	No	FOURNIER ST	NO	MISSION	4.08		900
S-MH50010849	REINSPECTION	CS	No	FOURNIER ST	NO	MISSION	4.48		1250
S-MH50010976	REINSPECTION	CS	No	FOURNIER ST	NO	MISSION	4.97		900
S-MH50010985	REINSPECTION	CS	Yes	FOURNIER ST	NO	MISSION	4.09		600
S-MH70002250	REINSPECTION	WWS	Yes	FOURNIER ST	NO	MISSION	4.74		250
S-MH70061126	REINSPECTION	CS	Yes	FOURNIER ST	NO	MISSION	5.52		750
S-MH50006638	REINSPECTION	CS	Yes	GAREAU ST	NO	MISSION	2.76		300
S-MH50006639	REINSPECTION	CS	Yes	GAREAU ST	NO	MISSION	3.49		300
S-MH50006640	REINSPECTION	CS	Yes	GAREAU ST	NO	MISSION	3.41		300
S-MH50008675	REINSPECTION	CS	Yes	GAREAU ST	NO	MISSION	3.11		300
S-MH70019298	REINSPECTION	CS	Yes	GAREAU ST	NO	MISSION	3.56		300
S-MH70019299	REINSPECTION	CS	Yes	GAREAU ST	NO	MISSION	3.53		300
S-MH40007527	REINSPECTION	CS	Yes	GATEWAY RD W OF CL-MH @ UNION AV E	NO	ROLAND	1.96		300
S-MH40007534	REINSPECTION	CS	Yes	GATEWAY RD-1ST MH N. OF WINDSOR AV	YES	ROLAND	2.96		300
S-MH70047597	REINSPECTION	CS	No	GATEWAY RD-1ST MH S HERBERT AV	YES	ROLAND	4.25		2060 x 1625
S-MH40007498	REINSPECTION	CS	Yes	GATEWAY RD-1ST MH S OF CASTLE AV	YES	ROLAND	2.86		300
S-MH40007533	REINSPECTION	CS	Yes	GATEWAY RD-1ST MH S OF JOHNSON AV E	YES	ROLAND	2.38		300
S-MH40007526	REINSPECTION	CS	Yes	GATEWAY RD-MH @ CHALMERS AV E	YES	ROLAND	2.96		300
S-MH40007535	REINSPECTION	CS	Yes	GATEWAY RD-MH @ WINDSOR AV	YES	ROLAND	3.42		300
S-MH40007484	REINSPECTION	CS	Yes	GATEWAY RD-MH AT CASTLE AV	YES	ROLAND	3.81		300
S-MH40007638	REINSPECTION	CS	Yes	GATEWAY RD-MH AT HARBISON AV	NO	ROLAND	2.59		300
S-MH40007539	REINSPECTION	CS	Yes	GATEWAY RD-MH AT JOHNSON AV E	YES	ROLAND	3.37		300
S-MH40007617	REINSPECTION	CS	Yes	GATEWAY RD-MH AT MARTIN AV E	NO	ROLAND	3.32		300

S-MH40010112	REINSPECTION	CS	Yes	GATEWAY RD-MH AT RIVERTON AV	NO	ROLAND	3.23		300
S-MH40010105	REINSPECTION	CS	No	GATEWAY RD-MH AT TALBOT AV	YES	ROLAND	6.97		2060 x 1625
S-MH70010916	REINSPECTION	WWS	Yes	GEORGES FOREST PL	NO	DESPINS	3.88		250
S-MH70016281	REINSPECTION	CS	Yes	GIRARD ST	NO	MISSION	4.25		300
S-IO00021615	REINSPECTION	WWS	Yes	GIROUX ST	NO	MISSION	4.39		300
S-MH50002106	REINSPECTION	WWS	Yes	GIROUX ST	NO	MISSION	1.85		300
S-MH70016854	REINSPECTION	WWS	Yes	GIROUX ST	NO	MISSION	3.35		300
S-MH20004618	REINSPECTION	CS	Yes	GLENDALE BLVD-1ST MH S OF WOODALE DR	NO	WOODHAVEN	5.06		375
S-MH20004619	REINSPECTION	CS	Yes	GLENDALE BLVD-2ND MH S OF WOODALE DR	NO	WOODHAVEN	6.34		375
S-MH70016256	REINSPECTION	CS	Yes	GLENDALE BV	NO	WOODHAVEN	4.67		375
S-MH70029006	REINSPECTION	CS	Yes	GOULET PL	NO	MARION	6.96		450
S-MH50002259	REINSPECTION	CS	Yes	GOULET ST	NO	DESPINS	2.42		300
S-MH50002260	REINSPECTION	CS	Yes	GOULET ST	NO	DESPINS	3.18		300
S-MH50002261	REINSPECTION	CS	Yes	GOULET ST	NO	DESPINS	3.58		300
S-MH50002268	REINSPECTION	CS	Yes	GOULET ST	NO	DESPINS	3.06		375
S-MH50002269	REINSPECTION	CS	Yes	GOULET ST	NO	DESPINS	2.91		375
S-MH40010006	REINSPECTION	CS	Yes	GREY ST	NO	ROLAND	5.99		450
S-MH70001842	REINSPECTION	CS	No	GREY ST	NO	ROLAND	6.23		1275 x 850
S-MH70032075	REINSPECTION	CS	Yes	GREY ST	NO	ROLAND	4.93		375
S-MH70032076	REINSPECTION	CS	Yes	GREY ST	NO	ROLAND	4.13		375
S-MH40006873	REINSPECTION	CS	No	GREY ST-1ST MH @ CHALMERS AV	NO	ROLAND	5.17		900
S-MH40007511	REINSPECTION	CS	No	GREY ST-1ST MH @ JOHNSON AV E	NO	ROLAND	4.96		900
S-MH40006906	REINSPECTION	CS	No	GREY ST-1ST MH @ MARTIN AV E	NO	ROLAND	4.49		900
S-MH40007508	REINSPECTION	CS	No	GREY ST-1ST MH @ SANDHURST AV	NO	ROLAND	5.33		900
S-MH40006877	REINSPECTION	CS	No	GREY ST-1ST MH @ UNION AV E	NO	ROLAND	5.05		900
S-MH40006493	REINSPECTION	CS	No	GREY ST-1ST MH @ WINDSOR AV	NO	ROLAND	5.46		1050
S-MH40006907	REINSPECTION	CS	No	GREY ST-1ST MH N OF MARTIN AV E	NO	ROLAND	4.81		900
S-MH40007512	REINSPECTION	CS	No	GREY ST-2ND MH S OF CHALMERS AV	NO	ROLAND	5.14		900
S-MH40010137	REINSPECTION	CS	No	GREY ST-2ND MH S OF WINDSOR AV	NO	ROLAND	5.82		1050
S-MH40010136	REINSPECTION	CS	No	GREY ST-MH @ CASTLE AV E LEG	NO	ROLAND	5.93		1050
S-MH40010117	REINSPECTION	CS	No	GREY ST-MH @ RIVERTON AV	NO	ROLAND	5.90		1175 x 925
S-MH40010089	REINSPECTION	CS	No	GREY ST-MH @ TALBOT AV SW OF CL	NO	ROLAND	6.48		1875 x 1450
S-MH40006908	REINSPECTION	CS	No	GREY ST-MH AT HARBISON AV E	NO	ROLAND	4.67		900
S-MH40010073	REINSPECTION	CS	Yes	GREY ST-MH AT TALBOT AV (S PL)	NO	ROLAND	6.86		750
S-MH50006646	REINSPECTION	WWS	Yes	GUILBAULT ST	NO	MISSION	2.83		300
S-MH50006647	REINSPECTION	WWS	Yes	GUILBAULT ST	NO	MISSION	3.24		300
S-MH50006650	REINSPECTION	CS	Yes	GUILBAULT ST	NO	MISSION	2.07		300
S-MH70017116	REINSPECTION	CS	Yes	GUILBAULT ST	NO	MISSION	1.37		300
S-MH70057989	REINSPECTION	WWS	Yes	GUILBAULT ST	NO	MISSION	3.90		300
S-MH50002312	REINSPECTION	CS	Yes	HAMEL AVE-1ST MH E. OF ST JEAN BAPTISTE ST	NO	DESPINS	3.37		300
S-MH50002307	REINSPECTION	CS	No	HAMEL AVE-HAMEL AVE AND DE LA MORENIE ST	NO	DESPINS	5.20		1150 x 750
S-MH50002545	REINSPECTION	CS	No	HAMEL AVE-MH AT RITCHOT ST	NO	DESPINS	4.39		1150 x 750
S-MH40006973	REINSPECTION	CS	Yes	HARBISON AV E-1ST MH E OF GREY ST	NO	ROLAND	4.37		600
S-MH40006984	REINSPECTION	CS	Yes	HARBISON AV E-1ST MH E OF LONDON ST	NO	ROLAND	3.04		375
S-MH40007631	REINSPECTION	CS	Yes	HARBISON AV E-1ST MH E. OF GATEWAY RD	NO	ROLAND	2.74		300
S-MH40006866	REINSPECTION	CS	Yes	HARBISON AV E-1ST MH W OF GREY ST	NO	ROLAND	4.02		375
S-MH40006992	REINSPECTION	CS	Yes	HARBISON AV E-1ST MH W OF LONDON ST	NO	ROLAND	3.93		600
S-MH40007620	REINSPECTION	CS	Yes	HARBISON AV E-2ND MH W OF GREY ST	NO	ROLAND	3.63		300
S-MH40006964	REINSPECTION	CS	Yes	HARBISON AV E-2ND MH W OF LONDON ST	NO	ROLAND	3.96		600
S-MH40006987	REINSPECTION	CS	Yes	HARBISON AV E-MH AT LONDON ST	NO	ROLAND	3.65		450
S-MH40006950	REINSPECTION	CS	Yes	HARBISON AV E-MH AT MOLSON ST	NO	ROLAND	2.27		300
S-MH20003422	REINSPECTION	CS	Yes	HARRIS BLVD-1ST MH S OF ARMOUR CR(S LEG)	NO	WOODHAVEN	3.62		600
S-MH20003365	REINSPECTION	CS	Yes	HARRIS BLVD-1ST MH S OF EMO AVE	NO	WOODHAVEN	3.39		600
S-MH20003507	REINSPECTION	CS	Yes	HARRIS BLVD-2ND MH S OF ARMOUR CR	NO	WOODHAVEN	3.71		450
S-MH20002596	REINSPECTION	CS	Yes	HARRIS BLVD-2ND MH S OF EMO AVE	NO	WOODHAVEN	3.68		600
S-MH20002597	REINSPECTION	CS	Yes	HARRIS BLVD-3RD MH S OF EMO AVE	NO	WOODHAVEN	3.74		750
S-MH20003443	REINSPECTION	CS	Yes	HARRIS BLVD-MH @ S LEG ARMOUR CR	NO	WOODHAVEN	3.88		600
S-MH20003521	REINSPECTION	CS	Yes	HARRIS BV.-1ST MH S.OF ARMOUR CR.(N.LEG)	NO	WOODHAVEN	3.61		450
S-MH20003551	REINSPECTION	CS	Yes	HARRIS BV.-MH AT ARMOUR CR.(N.LEG)	NO	WOODHAVEN	2.21		450
S-MH40009667	REINSPECTION	CS	Yes	HERBERT AV	NO	ROLAND	3.89		375
S-MH40010009	REINSPECTION	CS	Yes	HERBERT AV	NO	ROLAND	6.99		750
S-MH70032052	REINSPECTION	CS	Yes	HERBERT AV	NO	ROLAND	4.41		375

S-MH40009798	REINSPECTION	CS	Yes	HERBERT AV-1ST MH E OF CHESTER ST	NO	ROLAND	3.88		300
S-MH40010047	REINSPECTION	CS	Yes	HERBERT AV-1ST MH E OF EATON ST	NO	ROLAND	4.12		300
S-MH40009859	REINSPECTION	CS	Yes	HERBERT AV-1ST MH E OF KENT RD	NO	ROLAND	4.17		375
S-MH40010033	REINSPECTION	CS	Yes	HERBERT AV-1ST MH W OF GREY ST	NO	ROLAND	3.65		300
S-MH40010032	REINSPECTION	CS	Yes	HERBERT AV-2ND MH E OF EATON ST	NO	ROLAND	3.75		300
S-MH40009677	REINSPECTION	CS	Yes	HERBERT AV-2ND MH E OF FOSTER ST	NO	ROLAND	3.09		300
S-MH40009705	REINSPECTION	CS	Yes	HERBERT AV-3RD MH E OF FOSTER ST	NO	ROLAND	2.79		300
S-MH40010082	REINSPECTION	CS	Yes	HERBERT AV-MH AT BERLIN ST	NO	ROLAND	4.91		375
S-MH40010085	REINSPECTION	CS	Yes	HERBERT AV-MH AT E PL RAILWAY R.O.W.	NO	ROLAND	5.86		450
S-MH40010046	REINSPECTION	CS	Yes	HERBERT AV-MH AT EATON ST	NO	ROLAND	4.59		375
S-MH40010034	REINSPECTION	CS	Yes	HERBERT AV-MH AT GREY ST (W PL)	NO	ROLAND	3.55		300
S-MH40009845	REINSPECTION	CS	Yes	HERBERT AV-MH AT HERBERT AV(E LEG)	NO	ROLAND	3.54		300
S-MH50010684	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	2.65		300
S-MH50010685	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	2.50		600
S-MH50010941	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	2.78		450
S-MH50010946	REINSPECTION	CS	No	HOLDEN AV	NO	MISSION	6.29		1200
S-MH50010949	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	3.21		300
S-MH50010950	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	2.93		600
S-MH50010951	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	3.33		750
S-MH50010953	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	3.38		375
S-MH50010955	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	3.36		450
S-MH50010971	REINSPECTION	CS	Yes	HOLDEN AV	NO	MISSION	2.13		375
S-MH50002209	REINSPECTION	CS	Yes	HORACE ST	NO	DESPINS	3.30		600
S-MH50002220	REINSPECTION	CS	Yes	HORACE ST	NO	DESPINS	2.65		300
S-MH50002222	REINSPECTION	CS	Yes	HORACE ST	NO	DESPINS	2.77		250
S-MH50002584	REINSPECTION	CS	Yes	JEAN DARC ST-1ST MH N. OF DOLLARD BV	NO	DESPINS	4.33		450
S-MH50002583	REINSPECTION	CS	Yes	JEAN DARC ST-MH AT DOLLARD BV	NO	DESPINS	5.05		750
S-MH70063036	REINSPECTION	CS	Yes	JEANNE DARC ST	NO	DESPINS	4.04		300
S-MH40007542	REINSPECTION	CS	Yes	JOHNSON AV(CL)-1ST MH E OF GATEWAY RD	NO	ROLAND	3.83		300
S-MH40007510	REINSPECTION	CS	Yes	JOHNSON AV(CL)-1ST MH W OF GREY ST	NO	ROLAND	4.52		375
S-MH40007550	REINSPECTION	CS	Yes	JOHNSON AV(CL)-2ND MH E OF GATEWAY RD	NO	ROLAND	4.28		375
S-MH50002101	REINSPECTION	WWS	Yes	KAVANAGH ST	NO	MISSION	2.14		300
S-MH50002103	REINSPECTION	WWS	Yes	KAVANAGH ST	NO	MISSION	2.66		300
S-MH40009788	REINSPECTION	CS	Yes	KEENLEYSIDE AV-1ST MH N OF NAIRN AV	NO	ROLAND	2.85		300
S-MH40009884	REINSPECTION	CS	Yes	KEENLEYSIDE ST-1ST MH N OF TALBOT AV	NO	ROLAND	5.38		450
S-MH40009765	REINSPECTION	CS	No	KEENLEYSIDE ST-1ST MH N OF THOMAS AV	NO	ROLAND	6.30		1500
S-MH40009924	REINSPECTION	CS	Yes	KEENLEYSIDE ST-1ST MH S OF KENT RD	NO	ROLAND	3.90		375
S-MH40009461	REINSPECTION	CS	Yes	KENT RD N LEG-MH @ CULVER ST	NO	ROLAND	3.04		450
S-MH40009478	REINSPECTION	CS	Yes	KENT RD NLEG-MH @ STAPLETON ST	NO	ROLAND	3.04		300
S-MH40009533	REINSPECTION	CS	Yes	KENT RD. (N. LEG)-1ST MH E.OF STAPLETON ST.	NO	ROLAND	3.19		375
S-MH40009506	REINSPECTION	CS	Yes	KENT RD-1ST MH N OF BEACH AVE	NO	ROLAND	3.70		375
S-MH40009916	REINSPECTION	CS	Yes	KENT RD-1ST MH N OF CHALMERS AV E	NO	ROLAND	4.36		450
S-MH40009910	REINSPECTION	CS	Yes	KENT RD-1ST MH W OF KEENLEYSIDE ST	NO	ROLAND	3.53		450
S-MH40009532	REINSPECTION	CS	Yes	KENT RD-2ND MH N OF BEACH AVE	NO	ROLAND	3.20		375
S-MH40009823	REINSPECTION	CS	Yes	KENT RD-2ND MH N OF TALBOT AV	NO	ROLAND	5.29		750
S-MH40009909	REINSPECTION	CS	Yes	KENT RD-2ND MH W OF KEENLEYSIDE ST	NO	ROLAND	3.60		450
S-MH40009908	REINSPECTION	CS	Yes	KENT RD-3RD MH W OF KEENLEYSIDE ST	NO	ROLAND	3.79		450
S-MH40009919	REINSPECTION	CS	Yes	KENT RD-MH AT CHALMERS AV E	NO	ROLAND	5.35		600
S-MH40009827	REINSPECTION	CS	Yes	KENT RD-MH AT HERBERT AV	NO	ROLAND	5.42		750
S-MH40009343	REINSPECTION	CS	Yes	KENT RD-MH AT KEENLEYSIDE ST	NO	ROLAND	2.98		300
S-MH40009922	REINSPECTION	CS	Yes	KENT RD-MH AT MANHATTAN AV	NO	ROLAND	5.41		750
S-MH70001864	REINSPECTION	CS	Yes	KENT RD-MH AT MCCALMAN AV	NO	ROLAND	5.52		750
S-MH40009363	REINSPECTION	CS	Yes	KENT RD-MH AT MILFORD ST	NO	ROLAND	2.96		450
S-MH70001863	REINSPECTION	CS	Yes	KENT RD-MH AT NAIRN AV (N PL)	NO	ROLAND	3.85		450
S-MH40009830	REINSPECTION	CS	No	KENT RD-MH AT TALBOT AV	NO	ROLAND	6.22		1325
S-MH40009751	REINSPECTION	CS	No	KENT ST-1ST MH N OF THOMAS AV	NO	ROLAND	7.35		1500
S-MH50008077	REINSPECTION	WWS	Yes	LA FLECHE ST	NO	MISSION	3.54		250
S-MH50008082	REINSPECTION	WWS	Yes	LA FLECHE ST	NO	MISSION	4.02		300
S-MH50008097	REINSPECTION	WWS	Yes	LA FLECHE ST	NO	MISSION	3.57		300
S-MH50008107	REINSPECTION	CS	Yes	LA FLECHE ST	NO	MISSION	4.14		300
S-MH50008176	REINSPECTION	CS	Yes	LA FLECHE ST	NO	MISSION	3.21		300
S-MH70068677	REINSPECTION	WWS	Yes	LA FLECHE ST	NO	MISSION	3.80		300

S-MH50008078	REINSPECTION	WWS	Yes	LA VERENDRYE ST	NO	MISSION	3.47		300
S-MH50008079	REINSPECTION	WWS	Yes	LA VERENDRYE ST	NO	MISSION	4.42		300
S-MH50008084	REINSPECTION	CS	Yes	LA VERENDRYE ST	NO	MISSION	Unknown		600
S-MH50010705	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	3.97		600
S-MH50010706	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	4.05		750
S-MH50010707	REINSPECTION	CS	No	LAGIMODIERE BV	YES	MISSION	4.12		900
S-MH50010945	REINSPECTION	CS	No	LAGIMODIERE BV	YES	MISSION	6.31		1200
S-MH50010972	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	2.51		375
S-MH50010975	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	3.72		600
S-MH50011367	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	3.25		300
S-MH50011368	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	3.58		600
S-MH50012053	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	4.77		600
S-MH50014672	REINSPECTION	WWS	Yes	LAGIMODIERE BV	YES	MISSION	4.25		300
S-MH50014675	REINSPECTION	WWS	Yes	LAGIMODIERE BV	YES	MISSION	1.26		200
S-MH50014676	REINSPECTION	WWS	Yes	LAGIMODIERE BV	YES	MISSION	3.26		300
S-MH50014677	REINSPECTION	WWS	Yes	LAGIMODIERE BV	YES	MISSION	3.25		300
S-MH50014678	REINSPECTION	WWS	Yes	LAGIMODIERE BV	YES	MISSION	1.23		150
S-MH70008777	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	2.71		300
S-MH70008778	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	3.70		375
S-MH70008779	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	1.80		250
S-MH70008780	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	1.62		300
S-MH70008794	REINSPECTION	CS	Yes	LAGIMODIERE BV	YES	MISSION	4.75		750
S-MH50002560	REINSPECTION	CS	Yes	LANE E.OF RITCHOT ST.-1ST MH N.OF HAMEL AV.	NO	DESPINS	3.30		300
S-MH50002559	REINSPECTION	CS	Yes	LANE E.OF RITCHOT ST.-2ND MH N.OF HAMEL AV.	NO	DESPINS	1.61		300
S-MH50002568	REINSPECTION	CS	Yes	LANGEVIIN ST-1ST MH N.OF DOLLARD BV	NO	DESPINS	2.70		450
S-MH50002567	REINSPECTION	CS	Yes	LANGEVIIN ST-2ND MH N. OF DOLLARD BV	NO	DESPINS	3.50		300
S-MH50002564	REINSPECTION	CS	No	LANGEVIIN ST-MH AT DOLLARD BV	NO	DESPINS	4.36		1350 x 900
S-MH70025846	REINSPECTION	WWS	Yes	LANGEVIN ST	NO	DESPINS	4.79		250
S-MH70009379	REINSPECTION	CS	Yes	LANGEVIN ST-1ST MH S OF HAMEL AVE	NO	DESPINS	4.14		300
S-MH70009380	REINSPECTION	CS	Yes	LANGEVIN ST-2ND MH S OF HAMEL AVE	NO	DESPINS	3.74		300
S-MH50002566	REINSPECTION	CS	Yes	LANGEVIN ST-3RD MH S OF HAMEL AVE	NO	DESPINS	4.09		250
S-MH50008512	REINSPECTION	CS	No	LAURIER ST	NO	MISSION	8.31		2700 x 1800
S-MH50002582	REINSPECTION	CS	Yes	LOUIS RIEL ST.-1ST MH N.OF DOLLARD ST.	NO	DESPINS	3.00		300
S-MH50002581	REINSPECTION	CS	Yes	LOUIS RIEL ST-MH AT DOLLARD BV	NO	DESPINS	4.63		300
S-MH50006001	REINSPECTION	CS	Yes	MAGINOT ST-1ST MH E OF DOWSE ST	NO	MISSION	2.87		750
S-MH50006004	REINSPECTION	CS	No	MAGINOT ST-1ST MH W OF SPEERS RD	NO	MISSION	3.70		1050
S-MH50006002	REINSPECTION	CS	No	MAGINOT ST-2ND MH E OF DOWSE ST	NO	MISSION	3.15		900
S-MH50006003	REINSPECTION	CS	No	MAGINOT ST-2ND MH W OF SPEERS RD	NO	MISSION	3.53		1050
S-MH50006000	REINSPECTION	CS	Yes	MAGINOT ST-MH AT DOWSE ST	NO	MISSION	2.59		600
S-MH50006005	REINSPECTION	CS	Yes	MAGNIOT ST N OF CL-MH AT DEBOURMONT AV	NO	MISSION	2.79		600
S-MH40009832	REINSPECTION	CS	Yes	MAGNOLIA ST-1ST MH S OF TALBOT AV	NO	ROLAND	3.19		300
S-MH40009679	REINSPECTION	CS	Yes	MANHATTAN AV.-1ST MH W.OF MOLSON ST.	NO	ROLAND	3.04		300
S-MH40009728	REINSPECTION	CS	Yes	MANHATTAN AV.-MH AT MOLSON ST.	NO	ROLAND	2.96		300
S-MH40009801	REINSPECTION	CS	Yes	MANHATTAN AV-1ST MH E OF WAGNER ST	NO	ROLAND	3.17		300
S-MH40009898	REINSPECTION	CS	Yes	MANHATTAN AV-1ST MH W OF KENT ST	NO	ROLAND	4.12		375
S-MH70017034	REINSPECTION	CS	Yes	MANHATTAN AV-1ST MH W OF WAGNER ST	NO	ROLAND	3.00		300
S-MH40009813	REINSPECTION	CS	Yes	MANHATTAN AV-2ND MH E OF WAGNER ST	NO	ROLAND	2.87		300
S-MH40009899	REINSPECTION	CS	Yes	MANHATTAN AV-2ND MH W OF KENT ST	NO	ROLAND	3.65		375
S-MH40009469	REINSPECTION	CS	Yes	MANHATTAN AVE-MH AT CULVER ST	NO	ROLAND	4.05		300
S-MH40009678	REINSPECTION	CS	Yes	MANHATTAN AV-MH AT FOSTER ST	NO	ROLAND	3.71		300
S-MH40009905	REINSPECTION	CS	Yes	MANHATTAN AV-MH AT KEENLEYSIDE ST	NO	ROLAND	4.14		375
S-MH40009486	REINSPECTION	CS	Yes	MANHATTAN AV-MH AT MANHATTAN AV (E LEG)	NO	ROLAND	4.32		600
S-MH40009371	REINSPECTION	CS	Yes	MANHATTAN AV-MH AT MILFORD ST	NO	ROLAND	3.66		375
S-MH40009722	REINSPECTION	CS	Yes	MANHATTAN AV-MH AT WAGNER ST	NO	ROLAND	3.75		375
S-MH50002149	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	2.88		250
S-MH50002152	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.31		600
S-MH50002153	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.47		600
S-MH50002240	REINSPECTION	CS	Yes	MARION ST	YES	DESPINS	3.52		450
S-MH50002243	REINSPECTION	CS	Yes	MARION ST	YES	MARION	4.56		600
S-MH50010283	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.49		600
S-MH50010285	REINSPECTION	CS	No	MARION ST	YES	MISSION	5.34		1350 x 900
S-MH50010286	REINSPECTION	CS	No	MARION ST	YES	MISSION	4.85		900

S-MH50010287	REINSPECTION	CS	No	MARION ST	YES	MISSION	4.91		1350 x 900
S-MH50010299	REINSPECTION	CS	No	MARION ST	YES	MISSION	6.18		1375
S-MH50010300	REINSPECTION	CS	No	MARION ST	YES	MISSION	6.14		1350 x 900
S-MH50010302	REINSPECTION	CS	No	MARION ST	YES	MISSION	5.35		1350 x 900
S-MH50010303	REINSPECTION	CS	No	MARION ST	YES	MISSION	5.29		1350 x 900
S-MH50010708	REINSPECTION	CS	No	MARION ST	YES	MISSION	4.31		900
S-MH50010712	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	2.96		300
S-MH70008261	REINSPECTION	CS	No	MARION ST	YES	MISSION	4.62		900
S-MH70008262	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.68		600
S-MH70008263	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.44		600
S-MH70008264	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.38		600
S-MH70017395	REINSPECTION	CS	Yes	MARION ST	YES	MISSION	4.42		600
S-MH50010683	REINSPECTION	CS	No	MARION ST(CL)-1ST MH E OF DAWSON RD	YES	MISSION	5.26		1050
S-MH50010710	REINSPECTION	CS	No	MARION ST(CL)-1ST MH E OF HOLDEN ST	YES	MISSION	4.47		1050
S-MH50010680	REINSPECTION	CS	No	MARION ST(CL)-1ST MH E OF TUREENE ST	NO	MISSION	5.88		1050
S-MH50010682	REINSPECTION	CS	No	MARION ST(CL)-2ND MH E OF DAWSON RD	YES	MISSION	5.18		1050
S-MH50010657	REINSPECTION	CS	No	MARION ST(CL)-MH@DAWSON RD(CL)	YES	MISSION	6.78		2250 x 1500
S-MH50010679	REINSPECTION	CS	No	MARION ST(CL)-MH@HOLDEN ST(CL)	YES	MISSION	4.74		1050
S-MH50010709	REINSPECTION	CS	No	MARION ST(CL)-MH@LAGIMODIER BV(W OF CL)	YES	MISSION	4.98		1050
S-MH50010681	REINSPECTION	CS	No	MARION ST(CL)-MH@TURENNE ST(CL)	YES	MISSION	4.96		1050
S-MH70022395	REINSPECTION	CS	No	MARION ST(N OF CL)-MH@ARCHIBALD ST(CL)	YES	MISSION	5.28		1200 x 800
S-MH70046276	REINSPECTION	CS	No	MARION ST(N OF CL)-MH@ARCHIBALD ST(W OF CL)	YES	MISSION	5.15		1050
S-MH70031952	REINSPECTION	CS	Yes	MARTIN AV E	NO	ROLAND	4.38		450
S-MH40007582	REINSPECTION	CS	Yes	MARTIN AV E-1ST MH E OF GATEWAY RD	NO	ROLAND	3.54		300
S-MH40006865	REINSPECTION	CS	Yes	MARTIN AV E-1ST MH W OF GREY ST	NO	ROLAND	4.26		375
S-MH40006969	REINSPECTION	CS	Yes	MARTIN AV E-1ST MH W OF LONDON ST	NO	ROLAND	3.73		450
S-MH40006951	REINSPECTION	CS	Yes	MARTIN AV E-1ST MH W OF MOLSON ST	NO	ROLAND	2.91		375
S-MH40006954	REINSPECTION	CS	Yes	MARTIN AV E-1ST MH W OF MOLSON ST	NO	ROLAND	2.97		375
S-MH40007583	REINSPECTION	CS	Yes	MARTIN AV E-2ND MH W OF GREY ST	NO	ROLAND	3.98		375
S-MH40006970	REINSPECTION	CS	Yes	MARTIN AV E-2ND MH W OF LONDON ST	NO	ROLAND	4.13		450
S-MH40006932	REINSPECTION	CS	Yes	MARTIN AV E-MH @ LONDON ST	NO	ROLAND	3.50		375
S-MH40009903	REINSPECTION	CS	Yes	MARTIN AV E-MH AT MOLSON ST	YES	ROLAND	2.33		300
S-MH40010020	REINSPECTION	CS	Yes	MCCALMAN AV	NO	ROLAND	5.58		450
S-MH70040121	REINSPECTION	CS	Yes	MCCALMAN AV	NO	ROLAND	4.16		300
S-MH40009378	REINSPECTION	CS	Yes	MCCALMAN AV (E LEG)-1ST MH S OF MCCALMAN AV	NO	ROLAND	2.92		375
S-MH40009377	REINSPECTION	CS	Yes	MCCALMAN AV (E LEG)-MH AT MCCALMAN AV (S LEG)	NO	ROLAND	3.15		375
S-MH40009789	REINSPECTION	CS	Yes	MCCALMAN AV (S LEG)-MH AT MCCALMAN AV (W LEG)	NO	ROLAND	3.49		375
S-MH70040122	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-1ST MH E. OF CHESTER ST	NO	ROLAND	4.46		300
S-MH40009354	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-1ST MH E.OF KEENLEYSIDE ST.	NO	ROLAND	3.75		450
S-MH40009502	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-1ST MH W. OF MCCALMAN AV (E. LEG)	NO	ROLAND	3.57		375
S-MH40009856	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-1ST MH W.OF KEENLEYSIDE ST.	NO	ROLAND	3.95		300
S-MH40009855	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-2ND MH W.OF KEENLEYSIDE ST.	NO	ROLAND	3.76		300
S-MH40009850	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-MH AT KEENLEYSIDE ST.	NO	ROLAND	4.40		450
S-MH40009497	REINSPECTION	CS	Yes	MCCALMAN AV (S. LEG)-MH AT MCCALMAN AV (E. LEG)	NO	ROLAND	2.95		300
S-MH40009860	REINSPECTION	CS	Yes	MCCALMAN AV-1ST MH E OF KENT ST	NO	ROLAND	4.47		450
S-MH40009446	REINSPECTION	CS	Yes	MCCALMAN AV-1ST MH E OF STAPLETON ST	NO	ROLAND	3.70		450
S-MH40009697	REINSPECTION	CS	Yes	MCCALMAN AV-1ST MH W OF CHESTER ST	NO	ROLAND	5.35		375
S-MH40009838	REINSPECTION	CS	Yes	McCalman Av-1st MH W of Kent St	NO	ROLAND	2.89		250
S-MH40009379	REINSPECTION	CS	Yes	MCCALMAN AV-1ST MH W OF STAPLETON ST	NO	ROLAND	2.82		300
S-MH40009700	REINSPECTION	CS	Yes	MCCALMAN AV-2ND MH E OF CHESTER ST TO 1ST MH E OF CHESTER ST	NO	ROLAND	4.78		300
S-MH40009802	REINSPECTION	CS	Yes	MCCALMAN AV-2ND MH E OF CHESTER ST TO 1ST MH E OF CHESTER ST	NO	ROLAND	3.41		300
S-MH40009853	REINSPECTION	CS	Yes	MCCALMAN AV-2ND MH E OF KENT ST	NO	ROLAND	4.23		450
S-MH40009854	REINSPECTION	CS	Yes	MCCALMAN AV-3RD MH E OF KENT ST	NO	ROLAND	3.81		375
S-MH40009803	REINSPECTION	CS	Yes	McCalman Av-3rd MH W of Kent St	NO	ROLAND	4.27		300
S-MH40009710	REINSPECTION	CS	Yes	McCalman Av-MH at Chester St	NO	ROLAND	5.06		375
O-IO00011591	REINSPECTION	CS	Yes	MCTAVISH ST	NO	MISSION	4.25	SEWER INLET STRUCTURE	300
S-MH50008210	REINSPECTION	CS	Yes	MCTAVISH ST	NO	MISSION	1.94		300
S-MH50008493	REINSPECTION	CS	No	MESSIER ST N CL-2ND MH E ARCHIBALD ST	NO	MISSION	7.43		1575 x 1050
S-MH50008494	REINSPECTION	CS	No	MESSIER ST(CL)-3RD MH E OF ARCHIBALD ST	NO	MISSION	7.06		1350 x 900
S-MH70022277	REINSPECTION	CS	No	MESSIER ST(CL)-4TH MH E OF ARCHIBALD ST	NO	MISSION	7.25		1200
S-MH70022278	REINSPECTION	CS	No	MESSIER ST(S OF CL)-1ST MH W OF DAWSON RD	NO	MISSION	7.32		1200
S-MH70046139	REINSPECTION	CS	No	MESSIER ST-1ST MH E. OF ARCHIBALD ST	NO	MISSION	7.00		1350 x 900

S-MH40009364	REINSPECTION	CS	Yes	MILFORD ST-1ST MH S OF KENT ST	NO	ROLAND	3.12		375
S-MH50012000	REINSPECTION	CS	Yes	MISSION ST	NO	MISSION	4.45		300
S-MH50010030	REINSPECTION	CS	No	MISSION ST (N OF CL)-3RD MH W OF PANET RD	NO	MISSION	5.29		900
S-MH50009433	REINSPECTION	CS	No	MISSION ST CL-1ST MH E BEAULIEU ST	NO	MISSION	6.97		1050
S-MH50008556	REINSPECTION	CS	No	MISSION ST CL-1ST MH E PROVENCHER BV	NO	MISSION	8.38		1500
S-MH50008553	REINSPECTION	CS	No	MISSION ST CL-1ST MH W BEAULIEU ST	NO	MISSION	7.72		1500
S-MH50008557	REINSPECTION	CS	No	MISSION ST CL-1ST MH W PROVENCHER BV	NO	MISSION	8.35		1500
S-MH50008555	REINSPECTION	CS	No	MISSION ST CL-2ND MH E PROVENCHER BV	NO	MISSION	7.87		1500
S-MH50008554	REINSPECTION	CS	No	MISSION ST CL-2ND MH W BEAULIEU ST	NO	MISSION	7.91		1500
S-MH50008593	REINSPECTION	CS	No	MISSION ST CL-MH @ BEAULIEU ST EPL	NO	MISSION	7.90		1500
S-MH50008522	REINSPECTION	CS	No	MISSION ST(CL)-1ST MH E OF ARCHIBALD ST	NO	MISSION	8.00		2925 x 1950
S-MH50008517	REINSPECTION	CS	No	MISSION ST(CL)-1ST MH W OF DAWSON RD	NO	MISSION	8.80		2925 x 1950
S-MH50008559	REINSPECTION	CS	No	MISSION ST(CL)-2ND MH E OF DAWSON RD	NO	MISSION	8.80		1500
S-MH50008518	REINSPECTION	CS	No	MISSION ST(CL)-2ND MH W OF DAWSON RD	NO	MISSION	8.60		2925 x 1950
S-MH50008558	REINSPECTION	CS	No	MISSION ST(CL)-2ND MH W OF GREY ST	NO	MISSION	8.57		1500
S-MH50008519	REINSPECTION	CS	No	MISSION ST(CL)-3RD MH W OF DAWSON RD	NO	MISSION	8.38		2925 x 1950
S-MH50010029	REINSPECTION	CS	No	MISSION ST(M OF CL)-2ND MH W OF PANET RD	NO	MISSION	5.01		900
S-MH50010028	REINSPECTION	CS	No	MISSION ST(N OF CL)-1ST MH W OF PANET RD	NO	MISSION	4.89		900
S-MH50010031	REINSPECTION	CS	No	MISSION ST(N OF CL)-1ST MH W OF PARIS ST	NO	MISSION	5.30		900
S-MH50009435	REINSPECTION	CS	No	MISSION ST(N OF CL)-1ST MH W OF PLINGUET ST	NO	MISSION	6.35		1050
S-MH50010032	REINSPECTION	CS	No	MISSION ST(N OF CL)-2ND MH W OF PARIS ST	NO	MISSION	6.45		1050
S-MH50009434	REINSPECTION	CS	No	MISSION ST(N OF CL)-2ND MH W OF PLINGUET ST	NO	MISSION	6.67		1050
S-MH50010033	REINSPECTION	CS	No	MISSION ST(N OF CL)-3RD MH W OF PARIS ST	NO	MISSION	5.47		1050
S-MH50010034	REINSPECTION	CS	No	MISSION ST(N OF CL)-4TH MH W OF PARIS ST	NO	MISSION	5.61		1050
S-MH50009437	REINSPECTION	CS	No	MISSION ST(N OF CL)-5TH MH W OF PARIS ST	NO	MISSION	5.91		1050
S-MH50009436	REINSPECTION	CS	No	MISSION ST(N OF CL)-MH@PLINGUET ST	NO	MISSION	6.08		1050
S-MH50011985	REINSPECTION	WWS	Yes	MISSION ST(N PL)-MH@PANET RD(W PL)	NO	MISSION	5.27		300
S-MH50008560	REINSPECTION	CS	No	MISSION ST-1ST MH E OF DAWSON RD N	NO	MISSION	8.37		1500
S-MH50008520	REINSPECTION	CS	No	MISSION ST-1ST MH E OF TRACKS	NO	MISSION	8.84		2925 x 1950
S-MH50008521	REINSPECTION	CS	No	MISSION ST-1ST MH W OF TRACKS	NO	MISSION	8.84		2925 x 1950
S-MH50008095	REINSPECTION	WWS	Yes	NADEAU ST	NO	MISSION	1.72		300
S-MH50008156	REINSPECTION	CS	Yes	NADEAU ST	NO	MISSION	2.08		250
S-MH40009973	REINSPECTION	CS	No	NAIRN AV	YES	ROLAND	7.83		1275 x 850
S-MH40009983	REINSPECTION	CS	No	NAIRN AV	YES	ROLAND	5.80		1275 x 850
S-MH40010012	REINSPECTION	CS	No	NAIRN AV	YES	ROLAND	6.16		1275 x 850
S-MH70001839	REINSPECTION	CS	No	NAIRN AV	YES	ROLAND	5.95		1050
S-MH70001840	REINSPECTION	CS	No	NAIRN AV	YES	ROLAND	6.41		1050
S-MH70001841	REINSPECTION	CS	No	NAIRN AV	YES	ROLAND	6.34		1050
S-MH70040119	REINSPECTION	CS	Yes	NAIRN AV	YES	ROLAND	2.87		300
S-MH70040120	REINSPECTION	CS	Yes	NAIRN AV	YES	ROLAND	3.40		300
S-MH70001829	REINSPECTION	CS	No	NAIRN AV-1ST MH E OF KEENLYSIDE ST	NO	ROLAND	5.85		1050
S-MH70001832	REINSPECTION	CS	No	NAIRN AV-1ST MH E OF KENT ST	NO	ROLAND	5.10		1050
S-MH70001837	REINSPECTION	CS	No	NAIRN AV-1ST MH W OF CHESTER ST	YES	ROLAND	5.97		1050
S-MH70001830	REINSPECTION	CS	No	NAIRN AV-1ST MH W OF KEENLYSIDE ST	YES	ROLAND	5.43		1050
S-MH70001834	REINSPECTION	CS	No	NAIRN AV-1ST MH W OF KENT ST	YES	ROLAND	5.94		1050
S-MH70001827	REINSPECTION	CS	No	NAIRN AV-1ST MH W OF STAPLETON	YES	ROLAND	5.13		1050
S-MH70001838	REINSPECTION	CS	No	NAIRN AV-2ND MH W OF CHESTER ST	YES	ROLAND	5.85		1050
S-MH70001831	REINSPECTION	CS	No	NAIRN AV-2ND MH W OF KEENLYSIDE ST	YES	ROLAND	5.55		1050
S-MH70001835	REINSPECTION	CS	No	NAIRN AV-2ND MH W OF KENT ST	YES	ROLAND	6.15		1050
S-MH70001825	REINSPECTION	CS	No	NAIRN AV-2ND MH W OF PANET	YES	ROLAND	5.37		1050
S-MH70001828	REINSPECTION	CS	No	NAIRN AV-2ND MH W OF STAPLETON ST	YES	ROLAND	5.80		1050
S-MH70001836	REINSPECTION	CS	No	NAIRN AV-3RD MH W OF KENT ST	NO	ROLAND	6.25		1050
S-MH70001826	REINSPECTION	CS	No	NAIRN AV-3RD MH W OF PANET	NO	ROLAND	5.74		1050
S-MH70001833	REINSPECTION	CS	No	NAIRN AV-MH @ KENT ST	NO	ROLAND	5.55		1050
S-MH50002163	REINSPECTION	CS	Yes	NICOLAS AV	NO	MISSION	3.09		250
S-MH50002164	REINSPECTION	CS	Yes	NICOLAS AV	NO	MISSION	3.29		250
S-MH50002165	REINSPECTION	CS	Yes	NICOLAS AV	NO	MISSION	3.36		250
S-MH50002166	REINSPECTION	CS	Yes	NICOLAS AV	NO	MISSION	3.43		375
S-MH70029007	REINSPECTION	CS	Yes	NORWOOD BRIDGE	NO	MARION	4.96		450
S-MH70029008	REINSPECTION	CS	Yes	NORWOOD BRIDGE	NO	MARION	4.88		450
S-MH50008083	REINSPECTION	WWS	No	NOTRE DAME ST	NO	MISSION	4.47		450
S-MH70068675	REINSPECTION	CS	Yes	NOTRE DAME ST	NO	MISSION	2.80		300

S-MH70068676	REINSPECTION	CS	Yes	NOTRE DAME ST	NO	MISSION	3.14		300
S-MH20003436	REINSPECTION	CS	Yes	OAKDEAN BLVD-1ST MH N OF EMO AVE	NO	WOODHAVEN	3.83		450
S-MH20003520	REINSPECTION	CS	Yes	OAKDEAN BLVD-1ST MH S OF OAKDEAN CR (N LEG)	NO	WOODHAVEN	3.72		300
S-MH20003506	REINSPECTION	CS	Yes	OAKDEAN BLVD-2ND MH S OF OAKDEAN CR(N LEG)	NO	WOODHAVEN	4.02		300
S-MH70008663	REINSPECTION	CS	Yes	OAKDEAN BV	NO	WOODHAVEN	3.49		300
S-MH20002588	REINSPECTION	CS	No	OAKDEAN BV.-MH AT ASSINIBOINE AV.	NO	WOODHAVEN	6.04		1200 x 1140
S-MH20003519	REINSPECTION	CS	Yes	OAKDEAN BV-1ST MH S OF PORTAGE AVE	NO	WOODHAVEN	2.13		250
S-MH20003364	REINSPECTION	CS	Yes	OAKDEAN BV-1ST MH S. OF EMO AV	NO	WOODHAVEN	3.11		600
S-MH20002601	REINSPECTION	CS	Yes	OAKDEAN BV-2ND MH S.OF EMO AV.	NO	WOODHAVEN	5.29		675
S-MH20002595	REINSPECTION	CS	Yes	OAKDEAN BV-3RD MH S.OF EMO AV.	NO	WOODHAVEN	5.76		675
S-MH20003354	REINSPECTION	CS	Yes	OAKDEAN BV-MH AT EMO AV	NO	WOODHAVEN	4.75		600
S-MH20003458	REINSPECTION	WWS	Yes	OAKDEAN CR(W LEG)-MH AT OAKDEAN CR S LEG (CORNER OF S & E LEG)	NO	WOODHAVEN	2.41		200
S-MH20003530	REINSPECTION	WWS	Yes	OAKDEAN CR.(N.LEG)-1ST MH E. OF OAKDEAN BV	NO	WOODHAVEN	3.56		200
S-MH20003518	REINSPECTION	WWS	Yes	OAKDEAN CR.(N.LEG)-MH AT OAKDEAN CR.(E.LEG)	NO	WOODHAVEN	3.12		200
S-MH50004639	REINSPECTION	WWS	Yes	ORMISTON RD-MH AT ELIZABETH RD S PF CL	NO	MISSION	3.29		250
S-MH50004636	REINSPECTION	WWS	Yes	ORMISTON RD N PL-1ST MH W OF CAROLYN BY	NO	MISSION	2.45		250
S-MH50004637	REINSPECTION	WWS	Yes	ORMISTON RD W PL-MH AT CAROLYN BY N PL	NO	MISSION	2.45		250
S-MH50004635	REINSPECTION	WWS	Yes	ORMISTON RD WPL-1ST MH N HOWDEN RD	NO	MISSION	3.81		250
S-MH50010298	REINSPECTION	CS	No	PANET RD	NO	MISSION	5.77		1375
S-MH50010850	REINSPECTION	CS	No	PANET RD	NO	MISSION	5.79		1250
S-MH50010918	REINSPECTION	CS	Yes	PANET RD	NO	MISSION	3.56		600
S-MH50010919	REINSPECTION	CS	Yes	PANET RD	NO	MISSION	4.01		750
S-MH50010920	REINSPECTION	CS	Yes	PANET RD	NO	MISSION	4.24		750
S-MH70002253	REINSPECTION	WWS	Yes	PANET RD	NO	MISSION	1.99		150
S-MH40009561	REINSPECTION	CS	Yes	PANET RD (W PL)-1ST MH N OF TALBOT AV	NO	ROLAND	3.67		400
S-MH40009498	REINSPECTION	CS	Yes	PANET RD (W PL)-1ST MH S OF TALBOT AV	NO	ROLAND	3.21		300
S-MH40009560	REINSPECTION	CS	Yes	PANET RD (W PL)-2ND MH N OF TALBOT AV	NO	ROLAND	3.43		375
S-MH40009427	REINSPECTION	CS	Yes	PANET RD (W PL)-2ND MH S OF TALBOT AV	NO	ROLAND	2.93		300
S-MH50010049	REINSPECTION	CS	Yes	PANET RD(E PL)-2ND MH N OF WARMAN RD	NO	MISSION	3.85		300
S-MH50011980	REINSPECTION	CS	Yes	PANET RD(E PL)-MH@MISSIONS ST(S PL)	NO	MISSION	4.64		300
S-MH50010047	REINSPECTION	WWS	Yes	PANET RD(E PL)-MH@WARMAN DR(N PL)	NO	MISSION	4.35		300
S-MH50010048	REINSPECTION	WWS	Yes	PANET RD9E PL)-1ST MH N OF WARMAN RD	NO	MISSION	4.48		300
S-MH40009494	REINSPECTION	CS	Yes	PANET ST (CL)-MH AT TALBOT AV (CL)	NO	ROLAND	4.18		450
S-MH50007103	REINSPECTION	CS	Yes	PATH N.OF MARION ST.-1ST MH E.OF MARION ST.	NO	MARION	6.80		450
S-MH50008472	REINSPECTION	CS	Yes	PLINGUET ST	NO	MISSION	3.92		750
S-MH50008473	REINSPECTION	CS	No	PLINGUET ST	NO	MISSION	5.01		900
S-MH50008474	REINSPECTION	CS	No	PLINGUET ST	NO	MISSION	4.74		900
S-MH50010872	REINSPECTION	CS	Yes	PLINGUET ST	NO	MISSION	3.42		750
S-MH50012021	REINSPECTION	CS	Yes	PLINGUET ST	NO	MISSION	2.24		450
S-MH50012022	REINSPECTION	CS	Yes	PLINGUET ST	NO	MISSION	3.03		600
S-MH70016814	REINSPECTION	CS	Yes	PLINGUET ST	NO	MISSION	2.98		300
S-MH50008208	REINSPECTION	CS	Yes	PLINQUET ST CL-1ST MH E ARCHIBALD ST	NO	MISSION	3.53		375
S-MH50008209	REINSPECTION	CS	Yes	PLINQUET ST(CL)-MH@LAURIER ST(CL)	NO	MISSION	3.15		375
S-MH50004654	REINSPECTION	CS	Yes	POLSONBY(WLEGOF1STBYWOFAIRLIES-1ST MH N OF POLSON AV	NO	MISSION	3.17		375
S-MH50002168	REINSPECTION	CS	Yes	PROSPER ST	NO	MISSION	3.02		250
S-MH70016894	REINSPECTION	CS	Yes	PROSPER ST	NO	MISSION	2.90		250
S-MH70016914	REINSPECTION	CS	Yes	PROSPER ST	NO	MISSION	4.58		250
S-MH70016934	REINSPECTION	CS	Yes	PROSPER ST	NO	MISSION	5.07		300
S-MH70017214	REINSPECTION	CS	Yes	PROSPER ST	NO	MISSION	5.18		300
S-MH50008510	REINSPECTION	CS	Yes	PROVENCHER BV	NO	MISSION	3.36		300
S-MH50008511	REINSPECTION	CS	Yes	PROVENCHER BV	NO	MISSION	3.15		300
S-MH70017580	REINSPECTION	CS	Yes	PROVENCHER BV	NO	MISSION	3.60		300
S-MH70015934	REINSPECTION	CS	No	REGENT AV (CL)-MH AT PANET RD (CL)	YES	ROLAND	5.35		1050
S-MH70001824	REINSPECTION	CS	No	REGENT AV (N OF CL)-1ST MH W OF PANET RD	YES	ROLAND	5.24		1050
S-MH70025729	REINSPECTION	WWS	Yes	RITCHOT ST	NO	DESPINS	3.01		300
S-MH70025827	REINSPECTION	WWS	Yes	RITCHOT ST	NO	DESPINS	5.62		250
S-MH50002562	REINSPECTION	CS	Yes	RITCHOT ST.-3RD MH N.OF DOLLARD BV.	NO	DESPINS	3.48		450
S-MH50002561	REINSPECTION	CS	Yes	RITCHOT ST-2ND MH N. OF DOLLARD BV	NO	DESPINS	5.33		300
S-MH50002389	REINSPECTION	CS	No	RITCHOT ST-MH AT DOLLARD BV	NO	DESPINS	4.77		1350 x 900
S-MH40010098	REINSPECTION	CS	Yes	RIVERTON AV-1ST MH E OF GATEWAY RD	NO	ROLAND	2.47		300
S-MH40010116	REINSPECTION	CS	Yes	RIVERTON AV-1ST MH W OF GREY ST	NO	ROLAND	4.45		300
S-MH40010096	REINSPECTION	CS	Yes	RIVERTON AV-2ND MH E OF GATEWAY RD	NO	ROLAND	3.22		300

S-MH40010097	REINSPECTION	CS	Yes	RIVERTON AV-3RD MH E. OF GATEWAY RD	NO	ROLAND	3.69		300
S-MH40009742	REINSPECTION	CS	No	ROW (BETWEEN THOMAS AND NAIRN)-1ST MH W OF KEENLEYSIDE ST	NO	ROLAND	7.12		1500
S-MH50007097	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-1ST MH S.OF TACHE AV.	NO	MARION	6.96		450
S-MH50007098	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-2D MH S OF TACHE AVE	NO	MARION	6.46		450
S-MH70008900	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-3RD MH S OF TACHE AVE	NO	MARION	6.39		450
S-MH70008902	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-4TH MH S OF TACHE AVE	NO	MARION	6.89		450
S-MH70008903	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-5TH MH S OF TACHE AVE	NO	MARION	7.24		450
S-MH70016394	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-8TH MH S OF TACHE AVE	NO	MARION	5.09		450
S-MH70016395	REINSPECTION	CS	Yes	ROW ALONG RED RIVER-9TH MH S OF TACHE AVE	NO	MARION	4.79		450
S-MH40009764	REINSPECTION	CS	No	ROW N OF THOMAS AV-1ST MH W OF STAPLETON ST	NO	ROLAND	6.64		1500
S-MH40009750	REINSPECTION	CS	No	ROW S OF NAIRN-1ST MH W OF KENT ST	NO	ROLAND	7.50		1500
S-MH40009653	REINSPECTION	CS	No	ROW S OF NAIRN-2ND MH W OF KENT ST	NO	ROLAND	7.31		1500
S-MH50002656	REINSPECTION	CS	No	ROW(S OF DESPINS ST)-1ST MH W OF 3RD MH N OF DOLLARD BV	NO	DESPINS	5.64		900
S-MH50008657	REINSPECTION	CS	Yes	RUE BOURGEAULT (CL)-1ST MH S OF RUE DESAUTELS	NO	DESPINS	2.69		300
S-MH50008651	REINSPECTION	CS	Yes	RUE BOURGEAULT (CL)-MH AT AT RUE DESAUTELS (CL0	NO	DESPINS	2.38		300
S-MH50008928	REINSPECTION	CS	Yes	RUE DE LA CATHEDRALE (N OF CL)-MH AT RUE DE LA MORENIE	NO	DESPINS	4.55		750
S-MH70000837	REINSPECTION	CS	Yes	RUE DE LA MORNIE (W OF CL)-1ST MH S OF RUE DE LA CATHEDRALE	NO	DESPINS	4.94		750
S-MH50002548	REINSPECTION	CS	No	RUE LANGEVIN (CL)-MH AT HAMEL AV (CL)	NO	DESPINS	4.45		1150 x 750
S-MH50002546	REINSPECTION	CS	Yes	RUE RICHOT (CL)-MH AT HAMEL AV (N PL)	NO	DESPINS	1.82		300
S-MH50002313	REINSPECTION	CS	No	RUE ST JEAN BAPTISTE (CL)-MH AT HAMEL AV (CL)	NO	DESPINS	4.24		1150 x 750
S-MH40006861	REINSPECTION	CS	Yes	SANDHURST AV-1ST MH E OF GREY ST	NO	ROLAND	2.97		300
S-MH50010211	REINSPECTION	WWS	Yes	SOFTLEY RD	NO	MISSION	2.23		300
S-MH50010212	REINSPECTION	WWS	Yes	SOFTLEY RD	NO	MISSION	2.01		300
S-MH50010213	REINSPECTION	WWS	Yes	SOFTLEY RD	NO	MISSION	1.28		300
S-MH50011362	REINSPECTION	WWS	Yes	SOFTLEY RD	NO	MISSION	2.55		300
S-MH50011363	REINSPECTION	WWS	Yes	SOFTLEY RD	NO	MISSION	2.82		300
S-MH50005976	REINSPECTION	CS	No	SPEERS RD	NO	MISSION	5.58		2025 x 1350
S-MH50005977	REINSPECTION	CS	No	SPEERS RD	NO	MISSION	5.77		2025 x 1350
S-MH50005980	REINSPECTION	CS	No	SPEERS RD	NO	MISSION	6.20		2025 x 1350
S-MH50005327	REINSPECTION	WWS	Yes	SPEERS RD CL-MH AT BERNIER BY S LEG S PL	NO	MISSION	2.46		400
S-MH50005985	REINSPECTION	CS	No	SPEERS RD(CL)-7TH MH S OF MARION ST	NO	MISSION	6.63		2025 x 1350
S-MH50005982	REINSPECTION	CS	No	SPEERS RD(CL)-8TH MH S OF MARION ST	NO	MISSION	6.51		2025 x 1350
S-MH50005981	REINSPECTION	CS	No	SPEERS RD(CL)-9TH MH S OF MARION ST	NO	MISSION	6.50		2025 x 1350
S-MH50005966	REINSPECTION	CS	No	SPEERS RD-1ST MH N. OF DUGAS ST	NO	MISSION	5.63		2025 x 1350
S-MH70016315	REINSPECTION	CS	No	SPEERS RD-1ST MH N.OF ELIZABETH RD.	NO	MISSION	5.96		1500
S-MH50005321	REINSPECTION	CS	Yes	SPEERS RD-1ST MH S OF BERNIER BAY S	NO	MISSION	1.81		300
S-MH50005330	REINSPECTION	CS	No	SPEERS RD-MH AT BAUDOUX PL	NO	MISSION	4.33		1500
S-MH50005318	REINSPECTION	CS	No	SPEERS RD-MH AT BERNIER BY (N.LEG)	NO	MISSION	4.05		1500
S-MH50005317	REINSPECTION	CS	No	SPEERS RD-MH AT BERNIER ST S LEG CL	NO	MISSION	3.96		1500
S-MH50004670	REINSPECTION	CS	No	SPEERS RD-MH AT DUGAS ST	NO	MISSION	5.93		2025 x 1350
S-MH50004662	REINSPECTION	CS	No	SPEERS RD-MH AT ELIZABETH RD.	NO	MISSION	4.82		1500
S-MH50005975	REINSPECTION	CS	No	SPEERS RD-MH AT MAGINOT ST	NO	MISSION	6.26		2025 x 1350
S-MH50002179	REINSPECTION	WWS	Yes	ST CATHERINE ST	NO	MISSION SEPARATE	3.93		300
S-MH50002181	REINSPECTION	WWS	Yes	ST CATHERINE ST	NO	MISSION SEPARATE	3.25		300
S-MH50002182	REINSPECTION	WWS	Yes	ST CATHERINE ST	NO	MISSION SEPARATE	3.51		300
S-MH50002386	REINSPECTION	CS	No	ST JEAN BAPTISTE ST-1ST MH N.OF BERTRAND ST	NO	DESPINS	3.43		1350 x 900
S-MH50002339	REINSPECTION	CS	Yes	ST JEAN BAPTISTE ST-2ND MH N OF YELLE AVE	NO	DESPINS	3.86		450
S-MH50002387	REINSPECTION	CS	Yes	ST JEAN BAPTISTE ST-2ND MH N. OF BERTRAND ST	NO	DESPINS	5.60		300
S-MH50002337	REINSPECTION	CS	Yes	ST JEAN BAPTISTE ST-MH AT YELLE ST.	NO	DESPINS	3.12		300
S-MH50002338	REINSPECTION	CS	Yes	ST JEAN BAPTISTE-1ST MH N. OF YELLE ST	NO	DESPINS	3.56		450
S-MH40009444	REINSPECTION	CS	No	STAPLETON AV-1ST MH S OF BEACH AV	NO	ROLAND	4.92		900
S-MH40009450	REINSPECTION	CS	No	STAPLETON AV-MH AT MCCALMAN AV (W PL)	NO	ROLAND	5.72		900
S-MH40009334	REINSPECTION	CS	Yes	STAPLETON ST	NO	ROLAND	5.28		525
S-MH40009400	REINSPECTION	CS	Yes	STAPLETON ST	NO	ROLAND	5.56		525
S-MH40009333	REINSPECTION	CS	No	STAPLETON ST (W PL)-1ST MH S OF NAIRN ST	NO	ROLAND	6.69		1500
S-MH40009451	REINSPECTION	CS	Yes	STAPLETON ST-1ST MH N OF NAIRN AV	NO	ROLAND	2.94	WEIR	300
S-MH40009336	REINSPECTION	CS	Yes	STAPLETON ST-1ST MH N OF THOMAS AV	NO	ROLAND	5.82		300
S-MH40009452	REINSPECTION	CS	No	STAPLETON ST-1ST MH S OF MCCALMAN AV (W PL)	NO	ROLAND	6.20		900
S-MH40009394	REINSPECTION	CS	No	STAPLETON ST-1ST MH S OF NAIRN AV	NO	ROLAND	6.24		900
S-MH40009401	REINSPECTION	CS	Yes	STAPLETON ST-MH 50 M E OF 1ST MH N OF THOMAS AV (E PL)	NO	ROLAND	4.17		525
S-MH40009449	REINSPECTION	CS	Yes	STAPLETON ST-MH AT MCCALMAN AV	NO	ROLAND	5.35		300
S-MH40009395	REINSPECTION	CS	No	STAPLETON ST-MH AT NAIRN AV	YES	ROLAND	6.02		900

S-MH40009445	REINSPECTION	CS	Yes	STAPLETON ST-MH AT TALBOT (W PL)	NO	ROLAND	4.89		750
S-MH40009441	REINSPECTION	CS	Yes	STAPLETON ST-MH AT TALBOT AV	NO	ROLAND	4.97		300
S-MH20003357	REINSPECTION	CS	Yes	SUNNYSIDE BLVD-1ST MH S OF EMO AVE	NO	WOODHAVEN	2.53		300
S-MH20002612	REINSPECTION	CS	Yes	SUNNYSIDE BLVD-2ND MH S OF EMO AVE	NO	WOODHAVEN	4.57		375
S-MH20002609	REINSPECTION	CS	Yes	SUNNYSIDE BLVD-3RD MH S OF EMO AVE	NO	WOODHAVEN	5.18		375
S-MH20003356	REINSPECTION	CS	Yes	SUNNYSIDE BLVD-MH @ EMO AVE	NO	WOODHAVEN	3.11		300
S-MH70001486	REINSPECTION	CS	Yes	TACHE AV	YES	MARION	5.18		300
S-MH70001488	REINSPECTION	CS	Yes	TACHE AV	YES	MARION	4.25		200
S-MH70006397	REINSPECTION	CS	No	TACHE AV	YES	DESPINS	6.77	WEIR	1350
S-MH70008899	REINSPECTION	CS	Yes	TACHE AV	YES	MARION	4.25		300
S-MH70036021	REINSPECTION	CS	Yes	TACHE AV	YES	DESPINS	4.88		250
S-MH70036022	REINSPECTION	CS	Yes	TACHE AV	YES	DESPINS	4.86		250
S-MH70036023	REINSPECTION	CS	Yes	TACHE AV	YES	DESPINS	6.07		250
S-MH70006400	REINSPECTION	CS	Yes	TACHE AVE (W.OF CL)-1ST MH S.OF DESPINS ST	YES	MARION	5.63		450
S-MH50002652	REINSPECTION	CS	Yes	TACHE AVE(E OF CL)-MH @ DOLLARD BV	NO	DESPINS	5.31		600
S-MH50002655	REINSPECTION	CS	Yes	TACHE AVE(E.OF CL)-1ST MH S.OF DESPINS ST	YES	DESPINS	6.50		600
S-MH50002653	REINSPECTION	CS	Yes	TACHE AVE-1ST MH N OF DOLLARD BV	YES	DESPINS	4.68		600
S-MH50002945	REINSPECTION	CS	Yes	TACHE AVE-1ST MH N OF GOULET ST	YES	DESPINS	4.76		300
S-MH70016214	REINSPECTION	CS	Yes	TACHE AVE-1ST MH N OF MARION ST	YES	DESPINS	4.25		300
S-MH50002661	REINSPECTION	CS	Yes	TACHE AVE-2ND MH N OF GOULET ST	YES	DESPINS	4.17		375
S-MH50002654	REINSPECTION	CS	Yes	TACHE AVE-2ND MH S.OF DESPINS ST	YES	DESPINS	5.53		600
S-MH50002651	REINSPECTION	CS	Yes	TACHE AVE-MH @ DOLLARD BV	NO	DESPINS	3.94		450
S-MH50002750	REINSPECTION	CS	Yes	TACHE AVE-MH @ GOULET ST	YES	DESPINS	6.25		300
S-MH50002662	REINSPECTION	CS	Yes	TACHE AVE-MH @ RINELLA PL(CL)	NO	DESPINS	3.85		450
S-MH70009341	REINSPECTION	CS	Yes	TACHE AVE-MH @ RINELLA PL(S OF CL)	NO	DESPINS	3.91		375
S-MH40010054	REINSPECTION	CS	No	TALBOT AV(CL)-1ST MH W OF FOSTER ST	NO	ROLAND	7.44		1550 x 1200
S-MH40010088	REINSPECTION	CS	No	TALBOT AV-1ST MH E OF GREY ST	NO	ROLAND	6.18		1875 x 1450
S-MH40009512	REINSPECTION	CS	Yes	TALBOT AV-1ST MH E OF STAPLETON ST	NO	ROLAND	4.85		600
S-MH40009515	REINSPECTION	CS	Yes	TALBOT AV-1ST MH W OF CLYDE RD	NO	ROLAND	4.76		600
S-MH40009681	REINSPECTION	CS	No	TALBOT AV-1ST MH W OF FOSTER ST	NO	ROLAND	6.52		1550 x 1200
S-MH40009383	REINSPECTION	CS	No	TALBOT AV-2ND MH E OF KEELEYSIDE ST	NO	ROLAND	5.28		900
S-MH40010104	REINSPECTION	CS	No	TALBOT AV-2ND MH W OF GREY ST	NO	ROLAND	6.44		1875 x 1450
S-MH40009730	REINSPECTION	CS	No	TALBOT AV-4TH MH W OF GREY ST	NO	ROLAND	6.14		1550 x 1200
S-MH40009545	REINSPECTION	CS	Yes	TALBOT AV-AT CLYDE RD (CL)	NO	ROLAND	4.83		450
S-MH40009493	REINSPECTION	CS	Yes	TALBOT AVE (CL)-1ST MH W OF PANET RD	YES	ROLAND	4.68		450
S-MH40009878	REINSPECTION	CS	No	TALBOT AV-IST MH E OF KENT RD	NO	ROLAND	5.49		900
S-MH40009547	REINSPECTION	CS	Yes	TALBOT AV-IST MH W OF PANET RD	NO	ROLAND	4.42		450
S-MH40009729	REINSPECTION	CS	No	TALBOT AV-MH @ CAMERON ST E OF CL	NO	ROLAND	6.47		1325 x 1025
S-MH40009713	REINSPECTION	CS	No	TALBOT AV-MH @ CHESTER ST	NO	ROLAND	6.54		1325
S-MH40009544	REINSPECTION	CS	Yes	TALBOT AV-MH @ CLYDE RD W OF CL	NO	ROLAND	4.80		450
S-MH40009796	REINSPECTION	CS	No	TALBOT AV-MH @ FIGARO ST	NO	ROLAND	6.17		1325 x 1025
S-MH40009881	REINSPECTION	CS	No	TALBOT AV-MH @ KEENLEYSIDE ST	NO	ROLAND	5.60		900
S-MH40009831	REINSPECTION	CS	No	TALBOT AV-MH @ MAGNOLIA ST	NO	ROLAND	5.80		1325 x 1025
S-MH40009546	REINSPECTION	CS	Yes	TALBOT AV-MH AT MCCALMAN AV	NO	ROLAND	4.72		450
S-MH50010952	REINSPECTION	CS	Yes	THEO NUYTTEN ST	NO	MISSION	3.30		375
S-MH70066075	REINSPECTION	CS	Yes	THOMAS AV	NO	ROLAND	4.25		250
S-MH40009651	REINSPECTION	CS	Yes	THOMAS AV-1ST MH E OF CHESTER ST	NO	ROLAND	3.89		300
S-MH40009768	REINSPECTION	CS	Yes	THOMAS AV-1ST MH E OF KEENLEYSIDE ST	NO	ROLAND	2.86		300
S-MH40009766	REINSPECTION	CS	Yes	THOMAS AV-1ST MH W OF KEENLEYSIDE ST	NO	ROLAND	3.07		300
S-MH40009753	REINSPECTION	CS	Yes	THOMAS AV-1ST MH W OF KENT ST	NO	ROLAND	3.26		300
S-MH40009331	REINSPECTION	CS	Yes	THOMAS AV-1ST MH W OF STAPLETON ST	NO	ROLAND	3.38		300
S-MH40009652	REINSPECTION	CS	Yes	THOMAS AV-2ND MH E OF CHESTER ST	NO	ROLAND	3.79		300
S-MH40009743	REINSPECTION	CS	Yes	THOMAS AV-2ND MH W OF KEENLEYSIDE ST	NO	ROLAND	3.00		300
S-MH40009754	REINSPECTION	CS	Yes	THOMAS AV-2ND MH W OF KENT ST	NO	ROLAND	3.93		300
S-MH40009332	REINSPECTION	CS	Yes	THOMAS AV-2ND MH W OF STAPLETON ST	NO	ROLAND	3.76		300
S-MH40009752	REINSPECTION	CS	Yes	THOMAS AV-3RD MH W OF KEENLEYSIDE ST	NO	ROLAND	3.13		300
S-MH40009776	REINSPECTION	CS	Yes	THOMAS AV-3RD MH W OF STAPLETON ST	NO	ROLAND	3.56		300
S-MH40009775	REINSPECTION	CS	Yes	THOMAS AV-4TH MH W OF STAPLETON ST	NO	ROLAND	2.80		300
S-MH40009767	REINSPECTION	CS	Yes	THOMAS AV-MH AT KEENLEYSIDE ST	NO	ROLAND	2.76		300
S-MH40009335	REINSPECTION	CS	Yes	THOMAS AV-MH AT STAPLETON ST	NO	ROLAND	4.53		300
S-MH50002657	REINSPECTION	CS	Yes	THOMAS BERRY ST-MH @ TACHE AVE(E OF CL)	YES	MARION	3.58		250
S-MH50008155	REINSPECTION	CS	Yes	TISSOT ST	NO	MISSION	1.51		250

S-MH50008175	REINSPECTION	CS	Yes	TISSOT ST	NO	MISSION	2.91		300
S-MH50008183	REINSPECTION	CS	Yes	TISSOT ST	NO	MISSION	3.77		375
S-MH50002185	REINSPECTION	WWS	Yes	TREMBLAY ST	NO	MISSION SEPARATE	2.84		300
S-MH50002187	REINSPECTION	WWS	Yes	TREMBLAY ST	NO	MISSION SEPARATE	3.58		300
S-MH50010916	REINSPECTION	CS	Yes	TURENNE ST	NO	MISSION	2.92		450
S-MH50010917	REINSPECTION	CS	Yes	TURENNE ST	NO	MISSION	2.98		450
S-MH50010836	REINSPECTION	CS	No	TURENNE ST-MH AT DUGALD RD (CL)	YES	MISSION	5.95		1350
S-MH40009994	REINSPECTION	CS	Yes	TYNE AV	NO	ROLAND	4.32		375
S-MH40006920	REINSPECTION	CS	Yes	UNION AV E	NO	ROLAND	4.46		450
S-MH40007544	REINSPECTION	CS	Yes	UNION AV E-1ST MH E OF GATEWAY RD	NO	ROLAND	2.95		300
S-MH40006918	REINSPECTION	CS	Yes	UNION AV E-1ST MH E OF GREY ST	NO	ROLAND	4.69		450
S-MH40009819	REINSPECTION	CS	Yes	UNION AV E-1ST MH E OF LONDON ST	NO	ROLAND	3.04		375
S-MH40007587	REINSPECTION	CS	Yes	UNION AV E-1ST MH W OF GREY ST	NO	ROLAND	4.44		375
S-MH40006925	REINSPECTION	CS	Yes	UNION AV E-1ST MH W OF LONDON ST	NO	ROLAND	3.92		450
S-MH40007562	REINSPECTION	CS	Yes	UNION AV E-2ND MH E OF GATEWAY RD	NO	ROLAND	4.00		300
S-MH40007579	REINSPECTION	CS	Yes	UNION AV E-2ND MH E OF GATEWAY RD	NO	ROLAND	3.73		300
S-MH40006919	REINSPECTION	CS	Yes	UNION AV E-MH AT CHALMERS AV E (W LEG)	NO	ROLAND	4.53		450
S-MH40006935	REINSPECTION	CS	Yes	UNION AV E-MH AT LONDON ST	NO	ROLAND	3.73		375
S-MH40009820	REINSPECTION	CS	Yes	UNION AV E-MH AT MOLSON ST	NO	ROLAND	2.99		300
S-MH50010816	REINSPECTION	CS	No	Unknown	NO	MISSION	Unknown		2700 x 1800
S-MH70078858	REINSPECTION	CS	Yes	Unknown	NO	MISSION	Unknown		375
S-MH50002630	REINSPECTION	CS	No	VALADE ST-1ST MH N OF DOLLARD BV	NO	DESPINS	4.91		900
S-MH50002631	REINSPECTION	CS	No	VALADE ST-2ND MH N OF DOLLARD BV	NO	DESPINS	4.61		900
S-MH50002632	REINSPECTION	CS	No	VALADE ST-3RD MH N OF DOLLARD BV	NO	DESPINS	4.59		900
S-MH50010044	REINSPECTION	WWS	Yes	WARMAN RD	NO	MISSION	2.15		300
S-MH50010051	REINSPECTION	WWS	Yes	WARMAN RD	NO	MISSION	2.45		300
S-MH50010210	REINSPECTION	WWS	Yes	WARMAN RD	NO	MISSION	1.96		300
S-MH50010052	REINSPECTION	WWS	Yes	WARMAN RD (N PL)-MH@FOURNIER ST(CL)	NO	MISSION	2.68		300
S-MH50010053	REINSPECTION	WWS	Yes	WARMAN RD(N PL)-1ST MH W OF FOURNIER ST	NO	MISSION	3.20		300
S-MH50010054	REINSPECTION	WWS	Yes	WARMAN RD(N PL)-2ND MH W OF FOURNIER ST	NO	MISSION	3.35		300
S-MH50010046	REINSPECTION	WWS	Yes	WARMAN RD(N PL)-2ND MH W OF FOURNIER ST	NO	MISSION	3.58		300
S-MH40007537	REINSPECTION	CS	Yes	WINDSOR AV	NO	ROLAND	4.25		300
S-MH40007538	REINSPECTION	CS	Yes	WINDSOR AV-1ST MH E OF GATEWAY RD	NO	ROLAND	2.57		300
S-MH40007507	REINSPECTION	CS	Yes	WINDSOR AV-1ST MH W. OF GREY ST	NO	ROLAND	4.78		375
S-MH40007513	REINSPECTION	CS	Yes	WINDSOR AV-2ND MH E OF GATEWAY RD	NO	ROLAND	3.66		300
S-MH40007514	REINSPECTION	CS	Yes	WINDSOR AV-3RD MH E OF GATEWAY RD	NO	ROLAND	4.23		300
S-MH20004602	REINSPECTION	CS	Yes	WOODHAVEN BV-1ST MH S. OF WOODDALE DR	NO	WOODHAVEN	5.84		450
S-MH20005137	REINSPECTION	CS	Yes	WOODHAVEN BV-MH AT EMO AV	NO	WOODHAVEN	3.34		375
S-MH20004612	REINSPECTION	CS	Yes	WOODHAVEN BV-MH AT WOODDALE DR	NO	WOODHAVEN	3.96		450
S-MH20005136	REINSPECTION	WWS	Yes	WOODHAVEN CR.-1ST MH E. OF WOODHAVEN BV.	NO	WOODHAVEN	2.85		250
S-MH20005132	REINSPECTION	CS	Yes	WOODHAVEN CR-1ST S.OF WOODHAVEN DR.	NO	WOODHAVEN	3.68		300
S-MH20005138	REINSPECTION	CS	Yes	WOODHAVEN CR-MH AT EMO AV	NO	WOODHAVEN	4.50		375
S-MH20005134	REINSPECTION	CS	Yes	WOODHAVEN CR-MH AT WOODHAVEN DR.	NO	WOODHAVEN	2.11		300
S-MH20005135	REINSPECTION	CS	Yes	WOODHAVEN CR-MH AT WOODHAVEN DR.	NO	WOODHAVEN	2.62		300
S-MH20003279	REINSPECTION	CS	Yes	WOODHAVEN DR.-1ST MH W. OF WOODHAVEN CR.	NO	WOODHAVEN	3.55		300
S-MH50002219	REINSPECTION	CS	Yes	YOUVILLE ST	NO	DESPINS	4.30		600
S-MH50002221	REINSPECTION	CS	Yes	YOUVILLE ST	NO	DESPINS	3.02		300
S-MH50002241	REINSPECTION	CS	Yes	YOUVILLE ST	NO	DESPINS	4.32		450
S-MH50002242	REINSPECTION	CS	Yes	YOUVILLE ST	NO	DESPINS	4.48		750
S-MH50002244	REINSPECTION	CS	Yes	YOUVILLE ST	NO	DESPINS	4.18		600
S-MH50002266	REINSPECTION	CS	No	YOUVILLE ST	NO	DESPINS	4.66		900
S-MH50002270	REINSPECTION	CS	No	YOUVILLE ST	NO	DESPINS	4.94		900
S-MH70005684	REINSPECTION	WWS	Yes	YOUVILLE ST	NO	DESPINS	2.84		300
S-MH70006911	REINSPECTION	WWS	Yes	YOUVILLE ST	NO	DESPINS	3.86		250
S-MH70006912	REINSPECTION	WWS	Yes	YOUVILLE ST	NO	DESPINS	4.36		250
S-MH70010914	REINSPECTION	WWS	Yes	YOUVILLE ST	NO	DESPINS	3.96		250
S-MH50002271	REINSPECTION	CS	No	YOUVILLE ST(W OF CL)-1ST MH N OF GOULET ST	NO	DESPINS	5.06		900
S-MH50002272	REINSPECTION	CS	No	YOUVILLE ST(W OF CL)-MH @ BERTRAND ST(S PL)	NO	DESPINS	5.07		900
S-MH70006906	REINSPECTION	CS	No	YOUVILLE ST-1ST MH N. OF BERTRAND ST	NO	DESPINS	4.84		850 x 525
S-MH70006905	REINSPECTION	CS	Yes	YOUVILLE ST-2ND MH N. OF BERTRAND ST	NO	DESPINS	4.83		300
S-MH50002303	REINSPECTION	CS	Yes	YOUVILLE ST-3RD MH N OF BERTRAND ST	NO	DESPINS	4.46		300
S-MH20011444	SRS	SRS	Yes	ALEXANDER AV (CL)-1ST MH E OF KEEWATIN ST	NO	AUBREY	2.93		450

S-MH20011357	SRS	SRS	No	ALEXANDER AV (CL)-MH AT WORTH ST (W OF CL)	NO	AUBREY	5.31		1350
S-MH20011443	SRS	SRS	Yes	ALEXANDER AV (N OF CL)-1ST MH E OF KEEATIN AV	YES	CLIFTON	3.39		450
S-MH20008738	SRS	SRS	Yes	ARMOURY AV (N PL)-MH AT DOWNING ST	NO	AUBREY	4.22		450
S-MH20008425	SRS	SRS	Yes	ASHBURN ST (W OF CL)-1ST MH N OF ELLICE	NO	CLIFTON	4.20		375
S-MH20008404	SRS	SRS	Yes	ASHBURN ST (W OF CL)-1ST MH S OF ELLICE AV	YES	CLIFTON	3.75		375
S-MH20009906	SRS	SRS	Yes	ASHBURN ST (W OF CL)-1ST MH S OF WOLEVE AV	NO	CLIFTON	4.46		375
S-MH20009911	SRS	SRS	Yes	ASHBURN ST (W OF CL)-2ND MH S OF WOLEVER AV	NO	CLIFTON	3.61		375
S-MH20008395	SRS	SRS	Yes	ASHBURN ST (W OF CL)-MH AT ELLICE AV	NO	CLIFTON	6.17		600
S-MH20009905	SRS	SRS	Yes	ASHBURN ST (W OF CL)-MH AT WOLEVER AV	NO	CLIFTON	5.38		600
S-MH20008426	SRS	SRS	Yes	ASHBURN ST.-1ST MH N. OF ELLICE AVE.	NO	CLIFTON	3.16		375
S-MH20009892	SRS	SRS	Yes	ASHBURN ST.-MH @ RIDDLE	NO	CLIFTON	5.43		450
S-MH20009903	SRS	SRS	Yes	ASHBURN ST-1ST MH N OF WOLEVER	NO	CLIFTON	5.86		300
S-MH20008401	SRS	SRS	Yes	ASHBURN ST-2ND MH S OF ELLICE	NO	CLIFTON	3.13		375
S-MH20009910	SRS	SRS	Yes	ASHBURN ST-3RD MH N OF RIDDLE AV	NO	CLIFTON	3.28		375
S-MH20011777	SRS	SRS	Yes	BANNATYNE AV W (CL)-1ST MH W OF WESTON ST	NO	CLIFTON	4.58		300
S-MH20011776	SRS	SRS	No	BANNATYNE AV W (N OF CL)-1ST MH W OF WESTON ST	NO	CLIFTON	6.24		1500
S-MH20010789	SRS	SRS	Yes	BANNATYNE AVE.-MH @ NOTRE DAME AVE E. CL	NO	CLIFTON	2.49		450
S-MH20010795	SRS	SRS	Yes	BANNATYNE AVE.-MH @ NOTRE DAME AVE. E.CL	NO	CLIFTON	2.80		450
S-MH70005332	SRS	SRS	Yes	BASSWOOD PL (W OF CL)-MH AT WOLSELEY AV (N PL)	NO	CLIFTON	3.08		300
S-MH20011018	SRS	SRS	Yes	BLAKE ST (E OF CL)-MH AT IRYSH AV (CL)	NO	AUBREY	4.40		600
S-MH20011026	SRS	SRS	Yes	BURY ST (CL)-1ST MH S OF IRYSH ST	NO	AUBREY	3.04		450
S-MH20011035	SRS	SRS	Yes	BURY ST (W PL)-1ST MH S OF IRYSH AV	NO	AUBREY	3.24		450
S-MH20011028	SRS	SRS	Yes	BURY ST (W PL)-MH AT CATHARINE AN (SPL)	NO	AUBREY	4.11		600
S-MH50006398	SRS	SRS	Yes	CARRIERE AV (N PL)-MH AT DES MEURONS ST (W OF CL)	YES	METCALFE	6.65		600
S-MH20011019	SRS	SRS	Yes	CATHERINE AV (CL)-MH AT BLAKE ST (CL)	NO	AUBREY	4.28		450
S-MH20011017	SRS	SRS	Yes	CATHERINE AV (CL)-MH AT BLAKE ST (E OF CL)	NO	AUBREY	4.44		750
S-MH20011029	SRS	SRS	Yes	CATHERINE AV (CL)-MH AT BURY ST (W PL)	NO	AUBREY	2.06		300
S-MH20010798	SRS	SRS	Yes	CECIL ST (W OF CL)-1ST MH S OF BANNATYNE AV W	NO	CLIFTON	5.12		600
S-MH20010799	SRS	SRS	Yes	CECIL ST (W OF CL)-MH AT BANNATYNE AV W	NO	CLIFTON	4.12		600
S-MH20010745	SRS	SRS	Yes	CECIL ST (W OF CL)-MH AT MCDERMOT AV W	YES	CLIFTON	5.85		750
S-MH20010796	SRS	SRS	Yes	CECIL ST-MH @ BANNATYNE AVE W. E OF CL	NO	CLIFTON	4.14		450
S-MH20009370	SRS	SRS	No	CLIFTON ST N-2ND MH N OF RICHARD AV	NO	CLIFTON	6.27		1200
S-MH70009364	SRS	SRS	Yes	DES MEURONS ST	YES	METCALFE	6.18		600
S-MH70009369	SRS	SRS	Yes	DES MEURONS ST	YES	METCALFE	6.56		600
S-MH70009370	SRS	SRS	Yes	DES MEURONS ST	YES	METCALFE	6.73		600
S-MH70009372	SRS	SRS	Yes	DES MEURONS ST	YES	MARION	4.39		450
S-MH70009374	SRS	SRS	Yes	DES MEURONS ST	YES	MARION	4.60		375
S-MH50006397	SRS	SRS	Yes	DES MEURONS ST (CL)-MH AT CATON ST	YES	METCALFE	6.60		300
S-MH50006393	SRS	SRS	Yes	DES MEURONS ST (CL)-MH AT NIVERVILLE AV (CL)	YES	METCALFE	5.79		300
S-MH50006395	SRS	SRS	Yes	DES MEURONS ST (CL)-MH AT ST LUC ST (CL)	YES	METCALFE	6.10		300
S-MH50006392	SRS	SRS	Yes	DES MEURONS ST (CL)-MH AT YARDLEY ST (CL)	YES	METCALFE	5.31		300
S-MH70009320	SRS	SRS	Yes	DESPINS ST	NO	DESPINS	4.43		300
S-MH20009309	SRS	SRS	Yes	DOMINION AVE-N PL YARWOOD ST	NO	AUBREY	5.39		450
S-MH20010257	SRS	SRS	Yes	DOMINION ST	NO	AUBREY	6.66		600
S-MH20009319	SRS	SRS	Yes	DOMINION ST (CL)-1ST MH S OF YARWOOD AV	NO	AUBREY	2.65	WEIR	250
S-MH20008866	SRS	SRS	Yes	DOMINION ST (CL)-3RD MH N OF SARGENT AV	NO	AUBREY	3.55	WEIR	350
S-MH20009989	SRS	SRS	Yes	DOMINION ST (CL)-MH AT WESTMINSTER (S OF CL)	NO	AUBREY	3.96	WEIR	375
S-MH20009310	SRS	SRS	Yes	DOMINION ST (CL)-MH AT YARWOOD AV (N PL)	NO	AUBREY	2.75	WEIR	250
S-MH20010552	SRS	SRS	Yes	DOMINION ST (CL)-1ST MH N OF WOLSELEY AV	NO	AUBREY	3.17	WEIR	300
S-MH20008729	SRS	SRS	No	DOMINION ST (W PL)-1ST MH S OF ARMOURY AV	NO	AUBREY	8.67		1245
S-MH20008824	SRS	SRS	No	DOMINION ST (W PL)-1ST MH S OF ELLICE AV	NO	AUBREY	7.96		1245
S-MH20008817	SRS	SRS	Yes	DOMINION ST (W PL)-1ST MH S OF SARGENT PARK PL	NO	AUBREY	4.19		350
S-MH20009173	SRS	SRS	Yes	DOMINION ST (W PL)-1ST MH S OF WELLINGTON AV	YES	AUBREY	5.93		450
S-MH20008813	SRS	SRS	No	DOMINION ST (W PL)-2ND MH S OF ELLICE AV	NO	AUBREY	8.16		1245
S-MH20008814	SRS	SRS	No	DOMINION ST (W PL)-MH AT ARMOURY AV	NO	AUBREY	8.33		1245
S-MH20008823	SRS	SRS	No	DOMINION ST (W PL)-MH AT ELLICE AV (S OF CL)	YES	AUBREY	7.04	WEIR	1245
S-MH20008815	SRS	SRS	Yes	DOMINION ST (W PL)-MH AT SARGENT PARK PL (SPL)	NO	AUBREY	4.82		450
S-MH20008819	SRS	SRS	Yes	DOMINION ST-1ST MH N.OF SARGENT AV.	NO	AUBREY	2.24	WEIR	250
S-MH20008838	SRS	SRS	Yes	DOMINION ST-MH @ SARGENT AV (S PL)	YES	AUBREY	1.70	WEIR	250
S-MH20008739	SRS	SRS	Yes	DOWNING ST	NO	AUBREY	3.74		450
S-MH70008009	SRS	SRS	Yes	DOWNING ST (CL)-1ST MH N OF ARMOURY AV	NO	AUBREY	3.50	WEIR	375
S-MH20009407	SRS	SRS	Yes	DOWNING ST (CL)-3RD MH N OF YARWOOD AV	NO	AUBREY	3.51	WEIR	350

S-MH20009359	SRS	SRS	Yes	DOWNING ST (W OF CL)-1ST MH N OF YARWOOD AV	NO	AUBREY	4.40		400
S-MH20009406	SRS	SRS	Yes	DOWNING ST (W OF CL)-2ND MH N OF YARWOOD AV	NO	AUBREY	3.98		400
S-MH20009315	SRS	SRS	Yes	DOWNING ST (W OF CL)-MH AT YARWOOD AV	NO	AUBREY	4.93		400
S-MH20008798	SRS	SRS	Yes	DOWNING ST CL-MH @ SARGANT PARK CL	NO	AUBREY	3.43	WEIR	350
S-MH20011177	SRS	SRS	Yes	ELGIN AV W (CL)-1ST MH E OF KEEWATIN AV	NO	CLIFTON	2.73		300
S-MH20011183	SRS	SRS	Yes	ELGIN AV W (S. OF CL)-1ST MH E OF KEEWATIN AV	NO	CLIFTON	3.54		300
S-MH20010887	SRS	SRS	Yes	ELGIN AV W-MH AT WORTH ST	NO	CLIFTON	3.51		450
S-MH20011816	SRS	SRS	Yes	ELGIN AVE-MH @ JORDAN ST. (WPL)	NO	CLIFTON	2.44		300
S-MH20008666	SRS	SRS	No	ELLICE AV (N PL)-1ST MH E OF ERIN ST	NO	CLIFTON	6.23		1200
S-MH20008484	SRS	SRS	Yes	ELLICE AV (N PL)-1ST MH W OF TELFER ST N	NO	CLIFTON	4.48		300
S-MH20008485	SRS	SRS	Yes	ELLICE AV (N PL)-MH AT SPRUCE ST (WPL)	NO	CLIFTON	4.91		450
S-MH20009030	SRS	SRS	Yes	ELLICE AV (N PL)-MH AT STRATHCONA ST	NO	CLIFTON	7.77	DROP	600
S-MH20009037	SRS	SRS	No	ELLICE AV (N PL)-MH AT STRATHCONA ST (E OF CL)	NO	CLIFTON	9.23		2700
S-MH20008408	SRS	SRS	Yes	ELLICE AV-1ST MH E OF STRATHCONA ST	YES	CLIFTON	2.96		300
S-MH20008675	SRS	SRS	Yes	ELLICE AVE-MH @ WALL ST	YES	CLIFTON	3.56	WEIR	300
S-MH20008488	SRS	SRS	Yes	ELLICE AV-MH AT SPRUCE ST	YES	CLIFTON	3.75		450
S-MH20008468	SRS	SRS	Yes	ERIN AV(CL)-1ST MH S OF ELLICE AV	NO	CLIFTON	4.20		300
S-MH20009295	SRS	SRS	Yes	ERIN AV(CL)-3RD MH S OF WELLINGTON AV	NO	CLIFTON	2.73		450
S-MH20008612	SRS	SRS	Yes	ERIN AV(CL)-7TH MH S OF WELLINGTON AV	NO	CLIFTON	3.54		300
S-MH20009395	SRS	SRS	No	ERIN AV(W OF CL)-2ND MH N OF RICHARD AV	NO	CLIFTON	4.32		1200
S-MH20009296	SRS	SRS	Yes	ERIN AV(W OF CL)-4TH MH S OF WELLINGTON AV	NO	CLIFTON	2.96		450
S-MH20008611	SRS	SRS	Yes	ERIN ST (W OF CL)-1ST MH N OF SARGENT AV	NO	CLIFTON	3.52		300
S-MH20010284	SRS	SRS	Yes	ERIN ST (W OF CL)-1ST MH N OF WOLEVER AV	NO	CLIFTON	4.28		525
S-MH20008471	SRS	SRS	Yes	ERIN ST (W OF CL)-1ST MH S OF ELLICE AV	YES	CLIFTON	5.60		750
S-MH20009287	SRS	SRS	Yes	ERIN ST (W OF CL)-1ST MH S OF RICHARD AV	NO	CLIFTON	3.64		600
S-MH20010285	SRS	SRS	Yes	ERIN ST (W OF CL)-1ST MH S OF ST MATTHEWS AV	NO	CLIFTON	3.55		300
S-MH20008610	SRS	SRS	Yes	ERIN ST (W OF CL)-2ND MH N OF SARGENT	NO	CLIFTON	3.50		300
S-MH20008458	SRS	SRS	Yes	ERIN ST (W OF CL)-2ND MH S OF ELLICE	NO	CLIFTON	4.50		450
S-MH20009358	SRS	SRS	Yes	ERIN ST (W OF CL)-MH AT RICHARD AV (SLEG)	NO	CLIFTON	4.95		750
S-MH20008556	SRS	SRS	Yes	ERIN ST (W PL)-1ST MH N OF ELLICE AV	NO	CLIFTON	4.82		600
S-MH20008600	SRS	SRS	Yes	ERIN ST (W PL)-1ST MH S OF SARGENT AV	YES	CLIFTON	5.67		400
S-MH20008597	SRS	SRS	Yes	ERIN ST (W PL)-2ND MH N OF ELLICE AV	NO	CLIFTON	4.02		450
S-MH20008565	SRS	SRS	No	ERIN ST (W PL)-MH AT ELLICE AV	NO	CLIFTON	6.87		1200
S-MH20008601	SRS	SRS	No	ERIN ST (W PL)-MH AT SARGENT AV	NO	CLIFTON	6.59		1200
S-MH20009425	SRS	SRS	No	ERIN ST (WPL)-1ST MH S OF NOTRE DAME AV	NO	CLIFTON	5.68		1200
S-MH20008459	SRS	SRS	Yes	ERIN ST.-2ND MH S. OF ELLICE AVE.	NO	CLIFTON	4.46		450
S-MH20008594	SRS	SRS	Yes	ERIN ST.-3RD MH N. OF ELLICE AVE.	NO	CLIFTON	3.44		400
S-MH20008609	SRS	SRS	Yes	ERIN ST.-4TH MH S. OF WELLINGTON AVE.	NO	CLIFTON	3.30		300
S-MH20008599	SRS	SRS	Yes	ERIN ST.-5TH MH N. OF ELLICE AVE.	NO	CLIFTON	4.71		400
S-MH20008562	SRS	SRS	Yes	ERIN ST.-MH @ ELLICE AVE.	YES	CLIFTON	5.16	WEIR	400
S-MH20008598	SRS	SRS	Yes	ERIN ST.-MH @ SARGENT AVE.	YES	CLIFTON	5.43	WEIR	450
S-MH20008358	SRS	SRS	No	ERIN ST.-MH @ ST MATTHEWS N PL	NO	CLIFTON	5.65		900
S-MH20010277	SRS	SRS	Yes	ERIN ST-2ND MH S OF ST MATTHEWS	NO	CLIFTON	3.98		300
S-MH20009396	SRS	SRS	No	ERIN ST-3RD MH S OF NOTRE DAME AV	NO	CLIFTON	4.16		1200
S-MH20011605	SRS	SRS	Yes	FLINT ST-MH @ BANNATYNE	NO	CLIFTON	2.82		375
S-MH20011600	SRS	SRS	No	FLINT ST-MH AT BANNATYNE AV W (E OF CL)	NO	CLIFTON	6.67		2250
S-MH20011699	SRS	SRS	No	FLINT ST-MH AT WILLIAM AV W SPL	NO	CLIFTON	6.06		1800
S-MH20011540	SRS	SRS	Yes	FLINT ST-MH AT WINNIPEG AV W (CL)	NO	CLIFTON	3.58		350
S-MH20011539	SRS	SRS	Yes	FLINT ST-MH AT WINNIPEG AV W (E OF CL)	NO	CLIFTON	6.86		375
S-MH20011475	SRS	SRS	Yes	GALLAGHER AVE.-MH @ KEEWATIN ST.	YES	CLIFTON	3.20		600
S-MH20010992	SRS	SRS	Yes	GALLAGHER ST (CL)-4TH MH E OF BLAKE ST	NO	AUBREY	3.94		450
S-MH20010929	SRS	SRS	Yes	GALLAGHER ST (CL)-MH AT BLAKE ST (E OF CL)	NO	AUBREY	4.71		750
S-MH20009993	SRS	SRS	Yes	GARFIELD ST (E OF CL)-MH AT WESTMINSTER AV (S OF CL)	NO	AUBREY	4.89	WEIR	525
S-MH20008873	SRS	SRS	Yes	GARFIELD ST (W OF CL)-MH AT SARGENT AV (NPL)	NO	AUBREY	3.78		450
S-MH20009256	SRS	SRS	Yes	GARFIELD ST N (CL)-1ST MH N OF WELLINGTON AV	NO	AUBREY	3.01	WEIR	250
S-MH20009299	SRS	SRS	Yes	GARFIELD ST N (CL)-MH AT YARWOOD AV (W LEG N OF CL)	NO	AUBREY	4.06	WEIR	375
S-MH20009301	SRS	SRS	Yes	GARFIELFD ST N (W OF CL)-MH AT YARWOOD AV (N LEG)	NO	AUBREY	6.17		500
S-MH20009300	SRS	SRS	Yes	GARFIELFD ST N (W OF CL)-MH AT YARWOOD AV (S LEG)	NO	AUBREY	6.29		500
S-MH20010237	SRS	SRS	Yes	GOULDING ST (CL)-1ST MH S OF WOLEVER AV	NO	CLIFTON	5.20	WEIR	300
S-MH20008713	SRS	SRS	Yes	GOULDING ST (W PL)-1ST MH N OF ELLICE AV	NO	CLIFTON	3.19		450
S-MH20008714	SRS	SRS	Yes	GOULDING ST (W PL)-MH AT ELLICE AV (NPL)	YES	AUBREY	3.81		500
S-MH20008710	SRS	SRS	Yes	GOULDING ST-1ST MH N OF ELLICE	NO	CLIFTON	2.58		300

S-MH20008707	SRS	SRS	Yes	GOULDING ST-2ND MH N. OF ELLICE AVE.	NO	CLIFTON	2.81		450
S-MH20008701	SRS	SRS	Yes	GOULDING ST-MH AT ELLICE AV	YES	CLIFTON	4.78		300
S-MH70007909	SRS	SRS	Yes	GREENWOOD PL (CL)-6TH MH S OF PORTAGE AV	NO	AUBREY	3.45	WEIR	375
S-MH20015891	SRS	SRS	Yes	GRUNDY AV (N OF CL)-MH AT INGERSOLL ST	NO	AUBREY	5.55		350
S-MH20015463	SRS	SRS	Yes	INGERSOLL ST (CL)-4TH MH N OF ST MATTHEWS AV	NO	AUBREY	2.73	WEIR	375
S-MH20015473	SRS	SRS	Yes	INGERSOLL ST (CL)-4TH MH S OF WELLINGTON AV	NO	AUBREY	5.23	WEIR	375
S-MH20015892	SRS	SRS	Yes	INGERSOLL ST (CL)-MH AT GRUNDY AV (N OF CL)	NO	AUBREY	4.90		350
S-MH20015474	SRS	SRS	Yes	INGERSOLL ST (W OF CL)-1ST MH N OF SARGENT AV	NO	AUBREY	5.54		450
S-MH20015464	SRS	SRS	Yes	INGERSOLL ST (W OF CL)-1ST MH S OF ELLICE	NO	AUBREY	4.02		450
S-MH20015465	SRS	SRS	Yes	INGERSOLL ST (W OF CL)-2ND MH S OF ELLICS AV	NO	AUBREY	3.49		450
S-MH20015468	SRS	SRS	Yes	INGERSOLL ST (W OF CL)-MH AT ELLICE AV (SPL)	NO	AUBREY	4.52		450
S-MH20011826	SRS	SRS	Yes	JORDAN ST-MH AT ELGIN AV W	NO	CLIFTON	5.28		300
S-MH20011468	SRS	SRS	Yes	KEEWATIN ST (E OF CL)-1ST MH N OF GALLAGHER AV W	NO	CLIFTON	1.36		375
S-MH20011476	SRS	SRS	Yes	KEEWATIN ST-1ST MH S OF GALLAGHER AV W	YES	CLIFTON	3.88		600
S-MH20011401	SRS	SRS	No	KEEWATIN ST-MH AT ALEXANDER AV	NO	CLIFTON	4.48		900
S-MH20011176	SRS	SRS	No	KEEWATIN ST-MH AT ELGIN AV W (SPL)	NO	CLIFTON	5.93		1050
S-MH20011392	SRS	SRS	No	KEEWATIN ST-MH AT PACIFIC AV W	NO	CLIFTON	4.93		900
S-MH20011223	SRS	SRS	No	KEEWATIN ST-MH AT ROSS AV W (SPL)	NO	CLIFTON	5.71		1050
S-MH20011343	SRS	SRS	No	KEEWATIN ST-MH AT ROY AV	NO	CLIFTON	4.55		900
S-MH20010827	SRS	SRS	No	KEEWATIN ST-MH AT WILLIAM AV W	YES	CLIFTON	5.79		1050
S-MH20011642	SRS	SRS	Yes	LANGFORD ST-MH AT ELGIN AV W (CL)	NO	CLIFTON	3.70		600
S-MH20011643	SRS	SRS	Yes	LANGFORD ST-MH AT ELGIN AV W (N OF CL)	NO	CLIFTON	3.57		600
S-MH20011624	SRS	SRS	No	LANGFORD ST-MH AT ROSS AV W (CL)	NO	CLIFTON	5.72		1800
S-MH20011704	SRS	SRS	Yes	LINCOLN AV-1ST MH E OF FLINT ST	NO	CLIFTON	3.24		300
S-MH20011635	SRS	SRS	Yes	LINCOLN AV-1ST MH W OF FLINT ST	NO	CLIFTON	2.75		300
S-MH20011507	SRS	SRS	Yes	LOCK ST (CL)-3RD MH N OF LOGAN AV	NO	AUBREY	2.96		450
S-MH20011440	SRS	SRS	Yes	LOCK ST (E. PL)-1ST MH N OF LOGAN AV	NO	AUBREY	4.17		600
S-MH20011462	SRS	SRS	Yes	LOCK ST (E. PL)-2ND MH N OF LOGAN AV	NO	AUBREY	3.43		600
S-MH20011461	SRS	SRS	Yes	LOCK ST (E. PL)-3RD MH N OF LOGAN AV	NO	AUBREY	3.30		450
S-MH20011445	SRS	SRS	Yes	LOGAN AV (CL)-1ST MH E OF KEEWATIN ST	YES	AUBREY	3.51		450
S-MH20010921	SRS	SRS	Yes	LOGAN AV (CL)-MH AT BLAKE ST (E OF CL)	NO	AUBREY	4.72		750
S-MH20011413	SRS	SRS	No	LOGAN AV (N OF CL)-1ST MH E OF LOCK ST	YES	AUBREY	5.09		1350
S-MH20011389	SRS	SRS	No	LOGAN AV (N OF CL)-MH AT KEEWATIN ST	YES	CLIFTON	4.35		900
S-MH20011412	SRS	SRS	Yes	LOGAN AV (N OF CL)-MH AT LOCK ST (EPL)	YES	AUBREY	4.56		600
S-MH70008349	SRS	SRS	Yes	LOGAN AV (N OF CL)-MH AT MILTON ST (W OF CL)	YES	AUBREY	4.61		400
S-MH20010964	SRS	SRS	No	LOGAN AV (N OF CL)-MH AT QUELCH ST (W OF CL)	NO	CLIFTON	5.44		1350
S-MH70009319	SRS	SRS	Yes	LOUIS RIEL ST	NO	DESPINS	3.90		300
S-MH20010734	SRS	SRS	Yes	MCDERMOT AV W (N OF CL)-MH AT CAMPION ST	NO	CLIFTON	3.61		400
S-MH20009204	SRS	SRS	Yes	MH ON WELLINGTON AV CL-MH @ VALOUR RD	YES	CLIFTON	3.84		375
S-MH70051214	SRS	SRS	No	MIDLAND ST(W OF CL)-1ST MH S OF NOTRE DAME AV	YES	AUBREY	4.25		2700
S-MH20010911	SRS	SRS	Yes	MILTON ST (CL)-1ST MH N OF LOGAN AV	NO	AUBREY	4.08		400
S-MH20010912	SRS	SRS	Yes	MILTON ST-1ST MH N OF LOGAN AV	NO	AUBREY	4.53		400
S-MH20008772	SRS	SRS	Yes	MINTO ST (CL)-MH AT ELLICE AV (CL)	NO	CLIFTON	5.43		300
S-MH20008638	SRS	SRS	Yes	MINTO ST (CL)-MH AT ST MATTHEWS AV N PL	NO	AUBREY	4.46	WEIR	400
S-MH20010253	SRS	SRS	Yes	MINTO ST (CL)-MH AT WOLEVER AV S OF CL	NO	AUBREY	5.61	WEIR	375
S-MH20008769	SRS	SRS	Yes	MINTO ST-1ST MH N OF ELLICE AV	YES	CLIFTON	2.47		300
S-MH20009454	SRS	SRS	No	MYRTLE ST (W OF CL)-1ST MH N OF NOTRE DAME AV	YES	AUBREY	7.44		1500
S-MH20015908	SRS	SRS	No	NOTRE DAME AV	YES	AUBREY	8.13		2150
S-MH70053349	SRS	SRS	Yes	NOTRE DAME AV	YES	CLIFTON	5.90		300
S-MH20010731	SRS	SRS	Yes	NOTRE DAME AV (E OF CL)-MH AT WINNIPEG AV W	YES	CLIFTON	2.95		300
S-MH20011663	SRS	SRS	Yes	NOTRE DAME AV (N OF CL)-MH AT SPRUCE ST	NO	AUBREY	5.80		600
S-MH20011676	SRS	SRS	Yes	NOTRE DAME AV (N OF CL)-MH AT WESTON ST (WPL)	YES	CLIFTON	6.15		600
S-MH20015881	SRS	SRS	Yes	NOTRE DAME AV (S OF CL)-1ST MH E OF GARFIELD ST N	YES	AUBREY	6.37		525
S-MH20015882	SRS	SRS	No	NOTRE DAME AV (S OF CL)-1ST MH E OF GARFIELD ST N	YES	AUBREY	7.91		1500
S-MH20009455	SRS	SRS	Yes	NOTRE DAME AV (S OF CL)-1ST MH E OF WALL ST E	YES	AUBREY	5.72	WEIR	600
S-MH20009459	SRS	SRS	No	NOTRE DAME AV (S OF CL)-MH AT DOMINION ST (EPL)	NO	AUBREY	7.83		1500
S-MH20011541	SRS	SRS	Yes	NOTRE DAME AV (S OF CL)-MH AT FLINT ST (E PL)	YES	AUBREY	3.64		450
S-MH20011679	SRS	SRS	Yes	NOTRE DAME AV (S OF CL)-MH AT WESTON ST (W OF CL)	YES	CLIFTON	4.64		600
S-MH20010791	SRS	SRS	No	NOTRE DAME AV-1ST MH E OF BANNATYNE AV W	NO	CLIFTON	7.00		1650
S-MH20010733	SRS	SRS	No	NOTRE DAME AV-1ST MH N OF CECIL ST	NO	CLIFTON	7.28		1650
S-MH20010742	SRS	SRS	No	NOTRE DAME AV-1ST MH S OF WINNIPEG AV W	NO	CLIFTON	7.36		1650
S-MH20011550	SRS	SRS	Yes	NOTRE DAME AV-1ST MH W OF SPRUCE	YES	AUBREY	6.09		600

S-MH20011530	SRS	SRS	Yes	NOTRE DAME AV-MH AT FLINT ST (EPL)	NO	AUBREY	5.89		600
S-MH20009445	SRS	SRS	Yes	NOTRE DAME AV-MH AT WALL ST E (EPL)	NO	AUBREY	6.21		600
S-MH20010836	SRS	SRS	No	NOTRE DAME AV-MH AT WORTH ST	YES	CLIFTON	6.67		1650
S-MH20010849	SRS	SRS	Yes	NOTRE DAME AV-MH AT WORTH ST	NO	CLIFTON	2.65		450
S-MH20011393	SRS	SRS	Yes	PACIFIC AV (CL)-MH AT KEEWATIN ST (E PL)	NO	AUBREY	2.35		300
S-MH20011236	SRS	SRS	Yes	PACIFIC AV (CL)-MH AT WORTH ST (CL)	NO	AUBREY	3.73		375
S-MH20011397	SRS	SRS	Yes	PACIFIC AV.W. (S. OF CL)-1ST MH E OF KEEWATIN AV	YES	CLIFTON	3.02		300
S-CG00000723	SRS	SRS	No	PALMERSTON AV	NO	AUBREY	Unknown		2890
S-MH70008170	SRS	SRS	Yes	PALMERSTON AV (CL)-1ST MH W OF SHERBURN ST	NO	AUBREY	2.89	WEIR	250
S-MH20010140	SRS	SRS	Yes	PORTAGE AV (N OF CL)-MH AT DOMINION (E OF CL)	YES	AUBREY	7.40	WEIR	525
S-MH70007884	SRS	SRS	Yes	PORTAGE AV (N OF CL)-MH AT WALL ST (E OF CL)	YES	AUBREY	6.47	WEIR	525
S-MH20010116	SRS	SRS	No	PORTAGE AV-1ST MH W OF MINTO ST	NO	AUBREY	9.19		1350
S-MH20010134	SRS	SRS	No	PORTAGE AV-MH AT DOMINION ST (EPL)	YES	AUBREY	9.63		1500
S-MH20010050	SRS	SRS	No	PORTAGE AV-MH AT WALL ST (EPL)	NO	AUBREY	8.59		1350
S-MH20010999	SRS	SRS	Yes	QUELCH ST (CL)-MH AT GALLAGHER AV (CL)	NO	AUBREY	4.34		375
S-MH20010997	SRS	SRS	No	QUELCH ST (W OF CL)-MH AT GALLAGHER AV (CL)	NO	CLIFTON	5.28		900
S-MH20010998	SRS	SRS	No	QUELCH ST-MH AT WHYTE AV (S OF CL)	NO	AUBREY	5.10		900
S-MH70004527	SRS	SRS	Yes	RAGLAN RD	NO	CLIFTON	8.31		375
S-MH20009679	SRS	SRS	Yes	RAGLAN RD-1ST MH S OF PORTAGE AV	NO	CLIFTON	2.32		375
S-MH20010463	SRS	SRS	Yes	RAGLAN RD-2ND MH S OF PORTAGE AV	NO	CLIFTON	2.51		375
S-MH20009397	SRS	SRS	Yes	RICHARD ST.-MH @ ERIN ST. W. P/L	NO	CLIFTON	5.95		750
S-MH20010085	SRS	SRS	No	RIDDLE AV (N OF CL)-1ST MH E OF SPRUCE ST	NO	CLIFTON	8.26		900
S-MH20010061	SRS	SRS	No	RIDDLE AV (N OF CL)-1ST MH E OF VALOUR RD	NO	CLIFTON	8.76		900
S-MH20009896	SRS	SRS	No	RIDDLE AV (N OF CL)-MH AT ASHBURN ST	NO	CLIFTON	8.93	DROP	900
S-MH50002666	SRS	SRS	Yes	RINELLA PL-1ST MH E OF TACHE AVE	NO	MARION	4.25		375
S-MH20011608	SRS	SRS	No	ROSS AV W (N OF CL)-1ST MH E OF CECIL ST	NO	CLIFTON	4.49		900
S-MH20011582	SRS	SRS	No	ROSS AV W (N OF CL)-MH AT CECIL ST	NO	CLIFTON	4.22		900
S-MH20011208	SRS	SRS	Yes	ROSS AV W (S OF CL)-1ST MH E OF KEEWATIN AV	NO	CLIFTON	3.48		400
S-MH20011220	SRS	SRS	Yes	ROSS AV W CL-MH @ KEEWATIN ST EPL	NO	CLIFTON	2.60		400
S-MH20011446	SRS	SRS	Yes	ROW (W. OF WIENS ST)-MH @ LOGAN AVE (N OF CL)	YES	CLIFTON	3.45		600
S-MH20011340	SRS	SRS	Yes	ROY AV (CL)-1ST MH E OF KEEWATIN AV	NO	CLIFTON	2.14		400
S-MH20011641	SRS	SRS	Yes	ROY AV (N OF CL)-1ST MH E OF CECIL ST	NO	CLIFTON	4.50		300
S-MH20011334	SRS	SRS	Yes	ROY AV (S OF CL)-1ST MH E OF KEEWATIN AV	NO	CLIFTON	3.25		400
S-MH20011626	SRS	SRS	Yes	ROY AV-1ST MH E OF CECIL ST	NO	CLIFTON	3.30		300
S-MH20011722	SRS	SRS	Yes	ROY AV-MH AT LANGFORD ST (CL)	NO	CLIFTON	3.33		300
S-MH20011719	SRS	SRS	Yes	ROY AV-MH AT LANGFORD ST (N OF CL)	NO	CLIFTON	5.03		300
S-MH20011788	SRS	SRS	No	ROY AV-MH AT QUELCH ST (N OF CL)	NO	CLIFTON	5.20		1200
S-MH20011791	SRS	SRS	No	ROY AV-MH AT QUELCH ST (W OF CL)	NO	CLIFTON	5.29		1800
S-MH20015372	SRS	SRS	Yes	SARGENT AV (N OF CL)-1ST MH E OF SHEBURN ST	NO	AUBREY	6.37		450
S-MH20008687	SRS	SRS	No	SARGENT AV (N OF CL)-1ST MH W OD WALL ST	YES	CLIFTON	5.53		900
S-MH20008686	SRS	SRS	No	SARGENT AV (N OF CL)-2ND MH W OF WALL ST	NO	CLIFTON	5.61		1200
S-MH20015483	SRS	SRS	Yes	SARGENT AV (N OF CL)-MH AT INGERSOLL ST (WPL)	YES	AUBREY	6.10		450
S-MH20009066	SRS	SRS	No	SARGENT AV (N OF CL)-MH AT STRATHCONA ST	YES	CLIFTON	5.28		900
S-MH20008829	SRS	SRS	Yes	SARGENT AV (N PL)-MH AT DOMINION ST	NO	AUBREY	3.49		300
S-MH20009065	SRS	SRS	No	SARGENT AV (S OF CL)-MH AT STRATHCONA ST	NO	CLIFTON	8.64		2700
S-MH20015373	SRS	SRS	Yes	SARGENT AV(CL)-1ST MH E OF SHERBURN ST	YES	AUBREY	5.17	WEIR	375
S-MH20008685	SRS	SRS	No	SARGENT AVE.-1ST MH W. OF WALL ST.	YES	CLIFTON	5.59	WEIR	900
S-MH20008799	SRS	SRS	Yes	SARGENT PARK PL (S PL)-MH AT DOWNING ST (EPL)	NO	AUBREY	4.40		350
S-MH20009616	SRS	SRS	No	SASKATCHEWAN AV (S OF CL)-MH AT MIDLAND	NO	CLIFTON	7.96		2700
S-MH20015847	SRS	SRS	Yes	SHERBURN ST (CL)-1ST MH N OF WELLINGTON AV	NO	AUBREY	3.20	WEIR	300
S-MH70007930	SRS	SRS	Yes	SHERBURN ST (CL)-1ST MH N OF WOLSELEY AV	NO	AUBREY	3.65		375
S-MH20015344	SRS	SRS	Yes	SHERBURN ST (CL)-1ST MH S OF ELLICE AV	NO	AUBREY	2.97		450
S-MH20015331	SRS	SRS	Yes	SHERBURN ST (CL)-1ST MH S OF ST MATTHEWS AV	NO	AUBREY	2.91	WEIR	250
S-MH70007946	SRS	SRS	Yes	SHERBURN ST (CL)-2ND MH N OF PALMERSTON AV	NO	AUBREY	4.42	WEIR	375
S-MH20015895	SRS	SRS	Yes	SHERBURN ST (CL)-2ND MH N OF YARWOOD AV	NO	AUBREY	4.61	WEIR	400
S-MH20013497	SRS	SRS	Yes	SHERBURN ST (CL)-2ND MH S OF PORTAGE AV	NO	AUBREY	4.73	WEIR	375
S-MH20013532	SRS	SRS	Yes	SHERBURN ST (CL)-4TH MH S OF ST MATTHEWS AV	NO	AUBREY	4.61	WEIR	375
S-MH20013511	SRS	SRS	Yes	SHERBURN ST (CL)-MH AT WOLEVER AV (S OF CL)	NO	AUBREY	5.44		375
S-MH20015379	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST H N OF SARGENT AV	NO	AUBREY	9.35		2250
S-MH20015339	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH N OF ELLICA AV	NO	AUBREY	9.96		2430
S-MH20013510	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH N OF PORTAGE AV	NO	AUBREY	10.65		2700
S-MH20015323	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH N OF ST MATTHEWS AV	NO	AUBREY	9.96		2700

S-MH20015857	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH N OF WELLINGTON AV	NO	AUBREY	8.31		2150
S-MH20013500	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH N OF WEST MINISTER AV	NO	AUBREY	10.95		2850
S-MH20013523	SRS	SRS	Yes	SHERBURN ST (W OF CL)-1ST MH N OF WOLEVER AV	NO	AUBREY	10.74		270
S-MH70008005	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF ELLICE AV	NO	AUBREY	10.18		2400
S-MH20015899	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF GRUNDY AV	NO	AUBREY	8.41		2150
S-MH20015917	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF NOTRE DAME AV	NO	AUBREY	8.03		2150
S-MH20013501	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF PORTAGE AV	NO	AUBREY	11.02		2850
S-MH20015354	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF SARGENT AV	NO	AUBREY	9.88		2430
S-MH20013536	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF ST MATTHEWS AV	NO	AUBREY	10.29		2700
S-MH20015820	SRS	SRS	No	SHERBURN ST (W OF CL)-1ST MH S OF WELLINGTON AV	NO	AUBREY	8.73		2250
S-MH20015824	SRS	SRS	No	SHERBURN ST (W OF CL)-2ND MH N OF SARGENT AV	NO	AUBREY	9.12		2250
S-MH70007941	SRS	SRS	No	SHERBURN ST (W OF CL)-2ND MH N OF WOLEVER AV	NO	AUBREY	10.51		2700
S-MH20015342	SRS	SRS	No	SHERBURN ST (W OF CL)-2ND MH S OF ELLICE AV	NO	AUBREY	9.93		2400
S-MH70007942	SRS	SRS	No	SHERBURN ST (W OF CL)-2ND MH S OF PORTAGE AV	NO	AUBREY	10.95		2850
S-MH70007998	SRS	SRS	No	SHERBURN ST (W OF CL)-MH AT SARGENT AV (NPL)	NO	AUBREY	9.47		2250
S-MH20015336	SRS	SRS	No	SHERBURN ST (W OF CL)-MH AT SARGENT AV (SPL)	NO	AUBREY	9.78		2430
S-MH20013505	SRS	SRS	No	SHERBURN ST (W OF CL)-MH AT WEST MINISTER AV	NO	AUBREY	11.08		2850
S-MH70007940	SRS	SRS	No	SHERBURN ST (W OF CL)-MH AT WOLEVER AV	NO	AUBREY	10.91		2700
S-MH20012448	SRS	SRS	No	SHERBURN ST (W OF CL)-MH AT WOLSELEY AV	NO	AUBREY	11.38		2850
S-MH20015863	SRS	SRS	No	SHERBURN ST (W OF CL)-MH AT YAWOOD AV (NPL)	NO	AUBREY	7.94		2150
S-MH20013507	SRS	SRS	No	SHERBURN ST (W PL)-1ST MH S OF WESTMINSTER AV	NO	AUBREY	11.09		2850
S-MH20013533	SRS	SRS	No	SHERBURN ST (W PL)-3RD MH N OF WOLEVER AV	NO	AUBREY	10.30		2700
S-MH20015890	SRS	SRS	No	SHERBURN ST WPL-1ST MH S NOTRE DAME AV	NO	AUBREY	8.39		2150
S-MH70007914	SRS	SRS	No	SHERBURN ST WPL-1ST MH S WESTMINSTER AV	NO	AUBREY	11.34		2850
S-MH70007913	SRS	SRS	No	SHERBURN ST-1ST MH N OF PALMERSTON AV	NO	AUBREY	11.20		2850
S-MH70007947	SRS	SRS	No	SHERBURN ST-1ST MH S OF WOLSELEY AV	NO	AUBREY	11.39		2850
S-MH20015338	SRS	SRS	Yes	SHERBURN ST-MH AT ELLICE AV (SPL)	NO	AUBREY	4.25		250
S-MH20010562	SRS	SRS	No	SHERBURN ST-MH AT PALMERSTON AV	NO	AUBREY	10.85		2890
S-MH20011655	SRS	SRS	Yes	SPRUCE ST (CL)-1ST MH S OF NOTRE DAME AV	NO	AUBREY	3.60		500
S-MH20010197	SRS	SRS	Yes	SPRUCE ST (E OF CL)-1ST MH N OF WOLEVER AV	NO	CLIFTON	4.06		450
S-MH20010196	SRS	SRS	Yes	SPRUCE ST (E OF CL)-MH AT WOLEVER AV	NO	CLIFTON	4.31		450
S-MH20009325	SRS	SRS	Yes	SPRUCE ST (W OF CL)-1ST MH N OF RICHARD AV	NO	CLIFTON	2.58		500
S-MH20009167	SRS	SRS	Yes	SPRUCE ST (W OF CL)-1ST MH S OF WELLINGTON AV	NO	CLIFTON	4.08		400
S-MH20009326	SRS	SRS	Yes	SPRUCE ST (W OF CL)-MH AT RICHARD AV	NO	CLIFTON	5.32		500
S-MH20010086	SRS	SRS	Yes	SPRUCE ST.-MH @ RIDDLE	NO	CLIFTON	4.86		400
S-MH20009166	SRS	SRS	Yes	SPRUCE ST-1ST MH S OF WELLINGTON AV	NO	CLIFTON	3.54		400
S-MH20010203	SRS	SRS	Yes	SPRUCE ST-3RD MH N WOLEVER AVE	NO	CLIFTON	2.82		450
S-MH20010207	SRS	SRS	Yes	SPRUCE ST-MH AT WOLEVER AV (CL)	NO	CLIFTON	3.82		450
S-MH70009359	SRS	SRS	Yes	ST LUC ST	NO	METCALFE	5.75		525
S-MH20008628	SRS	SRS	Yes	ST MATHEWS AV (N OF CL)-MH AT GARFIELD ST N (E OF CL)	NO	AUBREY	6.90	WEIR	600
S-MH70080533	SRS	SRS	No	ST MATTHEWS AV	NO	AUBREY	Unknown		2700
S-MH20008942	SRS	SRS	No	ST MATTHEWS AV (CL)-MH CENTER OF ST MATTHEWS AV AND STRATHCONA ST	NO	CLIFTON	6.11		900
S-MH20008938	SRS	SRS	No	ST MATTHEWS AV (CL)-MH W OF CENTER ST MATTHEWS AV AND STRATHCONA ST	NO	CLIFTON	6.08		900
S-MH20008643	SRS	SRS	Yes	ST MATTHEWS AV (N OF CL)-1ST MH W OF DOMINION ST	NO	AUBREY	5.15		400
S-MH20008641	SRS	SRS	Yes	ST MATTHEWS AV (N OF CL)-MH AT MINTO ST (EPL)	NO	AUBREY	4.66		400
S-MH20008627	SRS	SRS	No	ST MATTHEWS AV (N PL)-1ST MH W OF GARFIELD ST N	NO	AUBREY	8.42		1270
S-MH20008616	SRS	SRS	No	ST MATTHEWS AV (N PL)-1ST MH W OF WALL ST	NO	CLIFTON	4.98		900
S-MH20008625	SRS	SRS	No	ST MATTHEWS AV (N PL)-2ND MH W OF WALL ST	NO	CLIFTON	5.35		900
S-MH20009731	SRS	SRS	No	STRATHCONA ST (W OF CL)-MH AT RIDDLE AV	NO	CLIFTON	9.82		2700
S-MH20008939	SRS	SRS	No	STRATHCONA ST (W OF CL)-MH AT ST MATTHEWS AV	NO	CLIFTON	9.37		2700
S-MH20009831	SRS	SRS	No	STRATHCONA ST (W OF CL)-MH AT WOLEVER AV	NO	CLIFTON	9.00		2700
S-MH70008483	SRS	SRS	Yes	STRATHCONA ST.-MH @ RICHARD AVE.	NO	CLIFTON	5.24	WEIR	750
S-MH20009873	SRS	SRS	Yes	STRATHCONA ST-2ND MH S OF ST MATHEWS AV	NO	CLIFTON	3.80		600
S-MH20009832	SRS	SRS	No	STRATHCONA ST-NH AT WOLEVER AV (N OF CL)	NO	CLIFTON	7.32		900
S-MH20010076	SRS	SRS	Yes	VALOUR RD (W OF CL)-MH AT WOLEVER (S LEG)	NO	CLIFTON	4.36		600
S-MH70051194	SRS	SRS	No	VALOUR RD (W ROW)-1ST MH S OF RICHARD AV	NO	CLIFTON	8.06		2650
S-MH20010082	SRS	SRS	Yes	VALOUR RD-1ST MH S OF WOLEVER (S LEG)	NO	CLIFTON	3.20		300
S-MH20008480	SRS	SRS	Yes	VALOUR RD-MH AT ELLICE AV (NPL)	NO	CLIFTON	5.80		600
S-MH20010059	SRS	SRS	Yes	VALOUR RD-MH AT RIDDLE AV	NO	CLIFTON	4.82		400
S-MH20010083	SRS	SRS	Yes	VALOUR RD-MH AT WOLEVER (S LEG)	NO	CLIFTON	3.10		375
S-MH20010074	SRS	SRS	Yes	VALOUR RD-MH AT WOLEVER AV (N LEG)	NO	CLIFTON	3.96		375
S-MH20008691	SRS	SRS	Yes	WALL ST	YES	CLIFTON	Unknown		400

S-MH20010236	SRS	SRS	Yes	WALL ST (CL)-1ST MH S OF WOLEVER AV	YES	CLIFTON	1.81	WEIR	300
S-MH20009426	SRS	SRS	Yes	WALL ST (CL)-3RD MH S OF NOTRE DAME AV	YES	CLIFTON	3.16	WEIR	600
S-MH20010174	SRS	SRS	Yes	WALL ST (CL)-3RD MH S OF WOLEVER AV	YES	AUBREY	3.36	WEIR	375
S-MH20009393	SRS	SRS	Yes	WALL ST (CL)-4TH MH S OF NOTRE DAME AV	YES	CLIFTON	3.10	WEIR	600
S-MH20010175	SRS	SRS	Yes	WALL ST (E PL)-1ST MH N OF PORTAGE AV	YES	AUBREY	3.74		375
S-MH20010235	SRS	SRS	Yes	WALL ST (E PL)-MH AT WOLEVER AV (SPL)	NO	CLIFTON	4.76		375
S-MH20010176	SRS	SRS	Yes	WALL ST (EPL)-2ND MH N OF PORTAGE AV	YES	CLIFTON	4.30		375
S-MH20009392	SRS	SRS	No	WALL ST (W OF CL)-1ST MH N OF RICHARD	NO	CLIFTON	3.49		1200
S-MH20008665	SRS	SRS	Yes	WALL ST (W OF CL)-1ST MH S OF ELLICE AV	YES	CLIFTON	4.50		600
S-MH20008636	SRS	SRS	Yes	WALL ST (W OF CL)-1ST MH S OF ST MATTHEWS AV	NO	CLIFTON	4.74		500
S-MH20009427	SRS	SRS	Yes	WALL ST (W OF CL)-2ND MH N OF RICHARD AV	YES	CLIFTON	3.25		600
S-MH20008617	SRS	SRS	No	WALL ST (W OF CL)-MH AT ST MATTHEWS AV	NO	CLIFTON	4.94		900
S-MH20008667	SRS	SRS	Yes	WALL ST (W PL)-1ST MH N OF ELLICE AV	YES	CLIFTON	4.67		750
S-MH20008690	SRS	SRS	Yes	WALL ST (W PL)-2ND MH N OF ELLICE AV	YES	CLIFTON	4.24		400
S-MH20010301	SRS	SRS	Yes	WALL ST (W PL)-2ND MH N OF WOLEVER AV	YES	CLIFTON	3.41		525
S-MH20008676	SRS	SRS	No	WALL ST (W PL)-MH AT ELLICE AV (NPL)	YES	CLIFTON	5.18		1200
S-MH20008648	SRS	SRS	Yes	WALL ST (WOF CL)-2ND MH S OF ELLICE AV	YES	CLIFTON	4.26		500
S-MH20010306	SRS	SRS	Yes	WALL ST (WPL)-1ST MH N OF WOLEVER AV	YES	CLIFTON	3.63		525
S-MH20010266	SRS	SRS	Yes	WALL ST (WPL)-MH AT WOLEVER AV (NPL)	YES	CLIFTON	4.20		600
S-MH20008669	SRS	SRS	Yes	WALL ST.-1ST MH N. OF ELLICE AVE.	YES	CLIFTON	3.24	WEIR	300
S-MH20010302	SRS	SRS	Yes	WALL ST.-4TH MH N. OF WOLEVER AVE.	YES	CLIFTON	3.82		525
S-MH20010352	SRS	SRS	Yes	WALL ST.-7TH MH N. OF WOLEVER AVE.	YES	CLIFTON	4.70		500
S-MH20008668	SRS	SRS	Yes	WALL ST-1ST MH N OF ELLICE AV	YES	CLIFTON	3.63		300
S-MH20010307	SRS	SRS	Yes	WALL ST-2ND MH N. OF WOLEVER	YES	CLIFTON	3.26	WEIR	300
S-MH20008662	SRS	SRS	Yes	WALL ST-3RD MH N OF ST MATTHEWS AV	YES	CLIFTON	4.37		500
S-MH20009239	SRS	SRS	No	WELLINGTON AV (N OF CL)-1ST MH E OF DOMINION ST	NO	AUBREY	7.25		1200
S-MH20009253	SRS	SRS	Yes	WELLINGTON AV (N OF CL)-MH AT DOMINION ST (E OF CL)	YES	AUBREY	6.09	WEIR	525
S-MH20009240	SRS	SRS	Yes	WELLINGTON AV (N OF CL)-MH AT DOMINION ST (WPL)	NO	AUBREY	6.59		450
S-MH20009111	SRS	SRS	No	WELLINGTON AV (S OF CL)-MH AT ASHBURN ST	NO	CLIFTON	7.41		2650
S-MH20009513	SRS	SRS	No	WELLINGTON AV (S OF CL)-MH AT STRATHCONA ST	YES	CLIFTON	8.27		2700
S-MH20009200	SRS	SRS	No	WELLINGTON AV (S OF CL)-MH AT VALOUR RD	NO	CLIFTON	7.36		1350
S-MH20009553	SRS	SRS	Yes	WELLINGTON AV-MH AT STRATHCONA ST	YES	CLIFTON	3.52		600
S-MH20009988	SRS	SRS	Yes	WEST MINISTER AV-1ST MH E OF DOMINION ST	NO	AUBREY	4.81		450
S-MH20011724	SRS	SRS	No	WESTON ST (W OF CL)-MH AT BANATYNE AV W (NPL)	NO	CLIFTON	5.72		1500
S-MH20010989	SRS	SRS	Yes	WHYTE AV (CL)-MH AT BURY ST (CL)	NO	AUBREY	3.58		375
S-MH20010995	SRS	SRS	Yes	WHYTE AV (CL)-MH AT QUELCH ST (W OF CL)	NO	AUBREY	3.95		450
S-MH20010990	SRS	SRS	Yes	WHYTE AV-MH AT BURY ST	NO	AUBREY	4.18		600
S-MH20010828	SRS	SRS	No	WILLIAM AV W (N OF CL)-1ST MH E OF KEEWATIN ST	NO	CLIFTON	5.86		1050
S-MH20011621	SRS	SRS	No	WILLIAM AV W (NPL)-MH AT LANGFORD ST	NO	CLIFTON	6.00		1800
S-MH20011703	SRS	SRS	Yes	WILLIAM AV W-MH AT FLINT ST	NO	CLIFTON	3.06		375
S-MH20011620	SRS	SRS	Yes	WILLIAM AV W-MH AT LANGFORD ST	NO	CLIFTON	3.57		375
S-MH20009442	SRS	SRS	Yes	WINNIPEG AV (CL)-1ST MH E OF MYRTLE ST	NO	AUBREY	4.23	WEIR	450
S-MH20010075	SRS	SRS	Yes	WOLEVER AV (N LEG N OF CL)-MH AT VALOUR RD	NO	CLIFTON	4.78		600
S-MH20010227	SRS	SRS	Yes	WOLEVER AV (N PL)-MH AT ERIN ST	NO	CLIFTON	6.53		750
S-MH20010222	SRS	SRS	Yes	WOLEVER AV (NPL)-1ST MH W OF WALL ST	NO	CLIFTON	5.24		600
S-MH20010247	SRS	SRS	Yes	WOLEVER AV (S PL)-1ST MH E OF DOMINION ST	NO	AUBREY	7.68		600
S-MH20010563	SRS	SRS	Yes	WOLEVER AV (S PL)-1ST MH W OF SHERBURN ST	NO	AUBREY	8.42		525
S-MH20010262	SRS	SRS	Yes	WOLEVER AV (S PL)-MH AT DOMINION ST (WPL)	NO	AUBREY	7.38		600
S-MH20010242	SRS	SRS	Yes	WOLEVER AV (S PL)-MH AT GOULDING ST (EPL)	NO	CLIFTON	5.58		375
S-MH20010249	SRS	SRS	Yes	WOLEVER AV (S PL)-MH AT MINTO ST (EPL)	NO	AUBREY	6.36		600
S-MH20010531	SRS	SRS	Yes	WOLSELEY AV (CL)-2ND MH W OF DOMINION ST	NO	AUBREY	4.23	WEIR	450
S-MH20010504	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-1ST MH E OF CLIFTON ST S	NO	CLIFTON	2.73		375
S-MH20010526	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-1ST MH E OF SPRAGUE ST	NO	AUBREY	3.74		450
S-MH20010534	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-1ST MH W OF DOMINION ST	NO	AUBREY	4.13		450
S-MH20010554	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-1ST MH W OF GARFIELD ST S	NO	AUBREY	4.61		450
S-MH20010517	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-MH AT BASSWOOD PL (EPL)	NO	CLIFTON	3.04		375
S-MH20010532	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-MH AT GREENWOOD PL (EPL)	NO	AUBREY	3.93		450
S-MH20010522	SRS	SRS	Yes	WOLSELEY AV (N OF CL)-MH AT SPRAGUE ST (WPL)	NO	CLIFTON	3.56		450
S-MH20010505	SRS	SRS	Yes	WOLSLEY AV N OF CL-1ST MH W OF CAMDEN PL	NO	CLIFTON	2.62		375
S-MH20010893	SRS	SRS	No	WORTH ST (WPL)-MH AT ELGIN AV W	NO	CLIFTON	5.93		1650
S-MH20011228	SRS	SRS	No	WORTH ST (WPL)-MH AT ROY AV	NO	CLIFTON	5.65		1350
S-MH20010889	SRS	SRS	No	WORTH ST (WPL)-MH AT WILLIAM AV W	NO	CLIFTON	6.13		1650

S-MH20011198	SRS	SRS	No	WORTH ST(WPL)-MH AT ROSS AV W	NO	CLIFTON	5.79		1350
S-MH20010842	SRS	SRS	Yes	WORTH ST-MH AT LINCOLN AV	NO	CLIFTON	3.14		300
S-MH20011193	SRS	SRS	Yes	WORTH ST-MH AT ROSS AV W (CL)	NO	CLIFTON	3.70		400
S-MH20011226	SRS	SRS	Yes	WORTH ST-MH AT ROY AV (CL)	NO	CLIFTON	3.46		450
S-MH70009358	SRS	SRS	Yes	YARDLEY ST	NO	METCALFE	5.24		450
S-MH70001604	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	6.31		300
S-MH70001605	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	6.19		300
S-MH70001606	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	6.65		300
S-MH70001609	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	7.04		300
S-MH70001615	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	6.05		300
S-MH70001617	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	5.24		250
S-MH70001620	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	4.74		250
S-MH70001621	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	4.98		250
S-MH70001657	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	5.79		250
S-MH70001663	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	3.35		250
S-MH70008883	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	3.95		250
S-MH70023305	WWS	WWS	Yes	ABBOTSFIELD DR	NO	COMPARK	4.54		250
S-MH50005794	WWS	WWS	Yes	AHFORD DR-2ND MH E. OF NUTLEY CR	NO	HIGHBURY PARK	3.98		250
S-MH50006728	WWS	WWS	Yes	ALDERBROOK RD	NO	COMPARK	7.88	DROP	375
S-MH50006729	WWS	WWS	Yes	ALDERBROOK RD	NO	COMPARK	8.12	DROP	375
S-MH50006753	WWS	WWS	Yes	ALDERBROOK RD	NO	COMPARK	4.37		250
S-MH50006761	WWS	WWS	Yes	ALDERBROOK RD	NO	COMPARK	3.41		250
S-MH50008252	WWS	WWS	Yes	ALDERBROOK RD	NO	COMPARK	3.95		250
S-MH50000068	WWS	WWS	Yes	ALDGATE RD	NO	BURLAND PARK NORTH	5.24		250
S-MH50000110	WWS	WWS	Yes	ALDGATE RD	NO	BURLAND PARK NORTH	4.05		250
S-MH50000133	WWS	WWS	Yes	ALDGATE RD	NO	BURLAND PARK NORTH	4.21		250
S-MH50000175	WWS	WWS	Yes	ALDGATE RD	NO	BURLAND PARK NORTH	3.34		250
S-MH50005933	WWS	WWS	Yes	AMERSHAM CR	NO	COMPARK	4.26		250
S-MH50005934	WWS	WWS	Yes	AMERSHAM CR	NO	COMPARK	4.02		250
S-MH50005944	WWS	WWS	Yes	AMERSHAM CR	NO	COMPARK	3.70		250
S-MH50009979	WWS	WWS	Yes	AMERSHAM CR	NO	COMPARK	3.29		250
S-MH50009981	WWS	WWS	Yes	AMERSHAM CR	NO	COMPARK	3.57		250
S-MH50005793	WWS	WWS	Yes	ASHFORD DR(E.LEG)-MH AT MANSFIELD CR(E OF CL)	NO	HIGHBURY PARK	3.61		250
S-MH50005804	WWS	WWS	Yes	ASHFORD DR-1ST MH E. OF NUTLEY CR	NO	HIGHBURY PARK	3.56		250
S-MH50005802	WWS	WWS	Yes	ASHFORD DR-1ST MH N. OF MANSFIELD CR	NO	HIGHBURY PARK	3.01		250
S-MH50005806	WWS	WWS	Yes	ASHFORD DR-1ST MH W. OF NUTLY CL	NO	HIGHBURY PARK	4.47		250
S-MH50005805	WWS	WWS	Yes	ASHFORD DR-MH AT NUTLRY CL(SE OF CL)	NO	HIGHBURY PARK	4.65		250
S-MH50005997	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	5.95		250
S-MH50006434	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	6.24		300
S-MH50006436	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	6.67		375
S-MH50006437	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	6.54		375
S-MH50006461	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	5.30		300
S-MH50006486	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	3.49		250
S-MH50006727	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	4.88		250
S-MH50006743	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	3.54		250
S-MH70001541	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	4.04		250
S-MH70001610	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	7.66		300
S-MH70001732	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	4.65		250
S-MH70023405	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	4.23		250
S-MH70023408	WWS	WWS	Yes	ASHWORTH ST S	NO	COMPARK	4.42		250
S-MH70001578	WWS	WWS	Yes	BAISINGER DR	NO	COMPARK	4.75		250
S-MH70001580	WWS	WWS	Yes	BAISINGER DR	NO	COMPARK	4.39		250
S-MH70001701	WWS	WWS	Yes	BAISINGER DR	NO	COMPARK	4.14		250
S-MH70001703	WWS	WWS	Yes	BAISINGER DR	NO	COMPARK	3.45		250
S-MH70001704	WWS	WWS	Yes	BAISINGER DR	NO	COMPARK	3.52		250
S-MH70005147	WWS	WWS	Yes	BAISINGER DR	NO	COMPARK	3.12		250
S-MH50005883	WWS	WWS	Yes	BALHAM ST	NO	COMPARK	6.03		250
S-MH50008255	WWS	WWS	Yes	BALHAM ST	NO	COMPARK	6.24		300
S-MH50005881	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	10.55		250
S-MH50005884	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	7.17		250
S-MH50005885	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	4.87		250
S-MH50006754	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	4.40		250

S-MH50008256	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	3.87		250
S-MH50008258	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	3.97		250
S-MH50008259	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	4.79		250
S-MH50008263	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	4.85		250
S-MH50008264	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	5.54		250
S-MH50008265	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	4.50		250
S-MH50008268	WWS	WWS	Yes	BARLOW CR	NO	COMPARK	4.15		250
S-MH50000119	WWS	WWS	Yes	BECONTREE BY	NO	BURLAND PARK NORTH	3.83		250
S-MH50000006	WWS	WWS	Yes	BRAMBLEFORDE CR	NO	NORMAND PARK	2.40		250
S-MH70035099	WWS	WWS	Yes	BRAMBLEFORDE CR	NO	NORMAND PARK	2.70		250
S-MH50000733	WWS	WWS	Yes	BRIXTON BY	NO	BURLAND PARK NORTH	3.65		250
S-MH50000761	WWS	WWS	Yes	BRIXTON BY	NO	HIGHBURY PARK	4.92		250
S-MH50000765	WWS	WWS	Yes	BRIXTON BY	NO	HIGHBURY PARK	4.28		250
S-MH50000766	WWS	WWS	Yes	BRIXTON BY	NO	HIGHBURY PARK	4.54		250
S-MH50000767	WWS	WWS	Yes	BRIXTON BY	NO	BURLAND PARK NORTH	3.84		250
S-MH50006293	WWS	WWS	Yes	BRIXTON BY	NO	BURLAND PARK NORTH	3.41		250
S-MH50006294	WWS	WWS	Yes	BRIXTON BY	NO	HIGHBURY PARK	4.07		250
S-MH50006295	WWS	WWS	Yes	BRIXTON BY	NO	HIGHBURY PARK	3.68		250
S-MH50006296	WWS	WWS	Yes	BRIXTON BY	NO	HIGHBURY PARK	3.08		250
S-MH50006332	WWS	WWS	Yes	BROTMAN BY	NO	HIGHBURY PARK	3.87		250
S-MH50006333	WWS	WWS	Yes	BROTMAN BY	NO	HIGHBURY PARK	3.76		250
S-MH50006339	WWS	WWS	Yes	BROTMAN BY	NO	HIGHBURY PARK	3.76		250
S-MH50008260	WWS	WWS	Yes	BROWTON PL	NO	COMPARK	3.93		250
S-MH50008261	WWS	WWS	Yes	BROWTON PL	NO	COMPARK	2.87		250
S-MH50008262	WWS	WWS	Yes	BROWTON PL	NO	COMPARK	3.48		250
S-MH50000064	WWS	WWS	Yes	BRUTON PL	NO	BURLAND PARK NORTH	3.10		250
S-MH50000066	WWS	WWS	Yes	BRUTON PL	NO	BURLAND PARK NORTH	2.83		250
S-MH50000067	WWS	WWS	Yes	BRUTON PL	NO	BURLAND PARK NORTH	3.19		250
S-MH50000058	WWS	WWS	Yes	BURLAND AV	NO	02 BURLAND PARK NORTH	3.41		250
S-MH50000060	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	3.48		250
S-MH50000062	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	3.52		250
S-MH50000104	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	6.07		250
S-MH50000108	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	5.50		250
S-MH50000657	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	6.58		250
S-MH50000658	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	6.47		250
S-MH50000659	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	6.93		250
S-MH50000660	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	7.30		250
S-MH50000687	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	5.24		250
S-MH50000693	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	5.01		250
S-MH50000697	WWS	WWS	Yes	BURLAND AV	NO	BURLAND PARK NORTH	4.15		250
S-MH50000760	WWS	WWS	Yes	BURLAND AV	NO	HIGHBURY PARK	7.71	DROP	375
S-MH50000770	WWS	WWS	Yes	BURLAND AV	NO	HIGHBURY PARK	3.54		250
S-MH50006337	WWS	WWS	Yes	BURLAND AV	NO	HIGHBURY PARK	7.75		300
S-MH50000073	WWS	WWS	Yes	CAMBRAI CV	NO	BURLAND PARK NORTH	4.28		250
S-MH50000083	WWS	WWS	Yes	CAMBRAI CV	NO	BURLAND PARK NORTH	2.89		250
S-MH50006303	WWS	WWS	Yes	CARDNO CV	NO	HIGHBURY PARK	3.24		250
S-MH50000719	WWS	WWS	Yes	CHANCERY BY	NO	HIGHBURY PARK	3.96		250
S-MH50000720	WWS	WWS	Yes	CHANCERY BY	NO	HIGHBURY PARK	4.18		250
S-MH50000721	WWS	WWS	Yes	CHANCERY BY	NO	HIGHBURY PARK	3.72	DROP	250
S-MH50000722	WWS	WWS	Yes	CHANCERY BY	NO	HIGHBURY PARK	4.19		250
S-MH50000751	WWS	WWS	Yes	CHANCERY BY	NO	HIGHBURY PARK	3.61	DROP	250
S-MH50000752	WWS	WWS	Yes	CHANCERY BY	NO	HIGHBURY PARK	3.76		250
S-MH50000113	WWS	WWS	Yes	CHESHAM CV	NO	BURLAND PARK NORTH	3.43		250
S-MH50000114	WWS	WWS	Yes	CHESHAM CV	NO	BURLAND PARK NORTH	2.57		250
S-MH70001623	WWS	WWS	Yes	COLEMAN CV	NO	COMPARK	4.60		250
S-MH70001678	WWS	WWS	Yes	COLEMAN CV	NO	COMPARK	3.63		250
S-MH70001680	WWS	WWS	Yes	COLEMAN CV	NO	COMPARK	3.08		250
S-MH70078605	WWS	WWS	Yes	COMPARK RD	NO	COMPARK	3.04		250
S-MH70001579	WWS	WWS	Yes	COOMBS DR	NO	COMPARK	4.55		250
S-MH70006159	WWS	WWS	Yes	COOMBS DR	NO	COMPARK	3.49		250
S-MH70006172	WWS	WWS	Yes	COOMBS DR	NO	COMPARK	3.94		250
S-MH70006171	WWS	WWS	Yes	DRAHO CR	NO	COMPARK	3.62		250

S-MH50000109	WWS	WWS	Yes	EASTCOTE DR	NO	BURLAND PARK NORTH	3.50		250
S-MH50000111	WWS	WWS	Yes	EASTCOTE DR	NO	BURLAND PARK NORTH	3.60		250
S-MH50000112	WWS	WWS	Yes	EASTCOTE DR	NO	BURLAND PARK NORTH	3.37		250
S-MH50000120	WWS	WWS	Yes	EASTCOTE DR	NO	BURLAND PARK NORTH	3.46		250
S-MH50000176	WWS	WWS	Yes	EASTCOTE DR	NO	BURLAND PARK NORTH	3.61		250
S-MH50006723	WWS	WWS	Yes	EASTMOUNT DR	NO	COMPARK	3.81		250
S-MH50006735	WWS	WWS	Yes	EASTMOUNT DR	NO	COMPARK	4.00		250
S-MH50006737	WWS	WWS	Yes	EASTMOUNT DR	NO	COMPARK	3.28		250
S-MH50008254	WWS	WWS	Yes	EASTMOUNT DR	NO	COMPARK	3.38		250
S-MH50000003	WWS	WWS	Yes	EASY ST	NO	NORMAND PARK	3.10		250
S-MH50000016	WWS	WWS	Yes	EASY ST	NO	NORMAND PARK	3.44		250
S-MH50000017	WWS	WWS	Yes	EASY ST	NO	NORMAND PARK	3.32		250
S-MH50000018	WWS	WWS	Yes	EASY ST	NO	NORMAND PARK	2.84		225
S-MH50000029	WWS	WWS	Yes	EASY ST	NO	NORMAND PARK	3.70		250
S-MH50000074	WWS	WWS	Yes	EASY ST	NO	NORMAND PARK	3.77		250
S-MH70008877	WWS	WWS	Yes	ESTABROOK CV	NO	COMPARK	3.95		250
S-MH70008882	WWS	WWS	Yes	ESTABROOK CV	NO	COMPARK	3.28		250
S-MH70008884	WWS	WWS	Yes	ESTABROOK CV	NO	COMPARK	4.19		250
S-MH70001581	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	7.60	DROP	300
S-MH70001689	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	3.21		250
S-MH70001691	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	3.51		250
S-MH70001692	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	3.60		250
S-MH70001731	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	4.01		250
S-MH70001740	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	4.12		250
S-MH70006160	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	3.69		250
S-MH70006170	WWS	WWS	Yes	EVERDEN RD	NO	COMPARK	2.93		250
S-MH50000174	WWS	WWS	Yes	FARAWAY LN	NO	BURLAND PARK NORTH	3.88		250
S-MH70030107	WWS	WWS	Yes	FARAWAY LN	NO	BURLAND PARK NORTH	3.53		250
S-MH70030111	WWS	WWS	Yes	FARAWAY LN	NO	BURLAND PARK SOUTH	3.69		250
S-MH50000004	WWS	WWS	Yes	FLORIAN PL	NO	NORMAND PARK	2.73		250
S-MH50000005	WWS	WWS	Yes	FLORIAN PL	NO	NORMAND PARK	3.14		250
S-MH50000007	WWS	WWS	Yes	FLORIAN PL	NO	NORMAND PARK	2.60		250
S-MH70001537	WWS	WWS	Yes	FULTON ST	NO	COMPARK	3.68		250
S-MH70001538	WWS	WWS	Yes	FULTON ST	NO	COMPARK	5.08		250
S-MH70001539	WWS	WWS	Yes	FULTON ST	NO	COMPARK	4.64		250
S-MH70001540	WWS	WWS	Yes	FULTON ST	NO	COMPARK	4.79		250
S-MH70001665	WWS	WWS	Yes	FULTON ST	NO	COMPARK	3.89		250
S-MH50000696	WWS	WWS	Yes	FURNESS BY	NO	BURLAND PARK NORTH	3.61		250
S-MH70023299	WWS	WWS	Yes	GABLEHURST CR	NO	COMPARK	4.54		250
S-MH50001421	WWS	WWS	Yes	GLENHAM CV	NO	HIGHBURY PARK	3.50		250
S-MH70002278	WWS	WWS	Yes	GLENHAM CV	NO	HIGHBURY PARK	3.78		250
S-MH70002284	WWS	WWS	Yes	GLENHAM CV	NO	HIGHBURY PARK	2.94		250
S-MH50000107	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	5.55		250
S-MH50000122	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	4.04		250
S-MH50000128	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	3.94		250
S-MH50000129	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	4.19		250
S-MH50000130	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	3.43		250
S-MH50000131	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	2.80		250
S-MH50000132	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	2.63		250
S-MH70001039	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	3.40		250
S-MH70001040	WWS	WWS	Yes	GOBERT CR	NO	BURLAND PARK NORTH	3.40		250
S-MH50005717	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	3.90		250
S-MH50005718	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	4.72		250
S-MH50005721	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	4.13		250
S-MH50005956	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	3.85		250
S-MH50005957	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	4.13		250
S-MH50009970	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	3.79		250
S-MH50009973	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	3.28		250
S-MH50009974	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	3.09		250
S-MH50011102	WWS	WWS	Yes	GOLDTHORPE CR	NO	COMPARK	2.98		250
S-MH50005720	WWS	WWS	Yes	GREENFORD AV	NO	COMPARK	4.17		250
S-MH50005935	WWS	WWS	Yes	GREENFORD AV	NO	COMPARK	4.95		250

S-MH50005951	WWS	WWS	Yes	GREENFORD AV	NO	COMPARK	4.35		250
S-MH50009977	WWS	WWS	Yes	GREENFORD AV	NO	COMPARK	4.06		250
S-MH50009980	WWS	WWS	Yes	GREENFORD AV	NO	COMPARK	3.31		250
S-MH50011103	WWS	WWS	Yes	GREENFORD AV	NO	COMPARK	3.01		250
S-MH50000925	WWS	WWS	Yes	HACKMORE CR	NO	HIGHBURY PARK	3.27		250
S-MH50000926	WWS	WWS	Yes	HACKMORE CR	NO	HIGHBURY PARK	3.93		250
S-MH50001422	WWS	WWS	Yes	HACKMORE CR	NO	HIGHBURY PARK	7.28		250
S-MH50000685	WWS	WWS	Yes	HEALY CR	NO	BURLAND PARK NORTH	5.03		250
S-MH50000690	WWS	WWS	Yes	HEALY CR	NO	BURLAND PARK NORTH	4.56		250
S-MH50000691	WWS	WWS	Yes	HEALY CR	NO	BURLAND PARK NORTH	4.30		250
S-MH50000692	WWS	WWS	Yes	HEALY CR	NO	BURLAND PARK NORTH	4.77		250
S-MH50006726	WWS	WWS	Yes	HEDGESTONE CR	NO	COMPARK	4.42		250
S-MH50008253	WWS	WWS	Yes	HEDGESTONE CR	NO	COMPARK	3.34		250
S-MH50000033	WWS	WWS	Yes	HENRY PEHRSON CV	NO	NORMAND PARK	4.22		250
S-MH50000035	WWS	WWS	Yes	HENRY PEHRSON CV	NO	NORMAND PARK	3.11		250
S-MH50000794	WWS	WWS	Yes	HIGHBURY RD	NO	HIGHBURY PARK	7.84		250
S-MH50000795	WWS	WWS	Yes	HIGHBURY RD	NO	HIGHBURY PARK	4.15		250
S-MH50000796	WWS	WWS	Yes	HIGHBURY RD	NO	HIGHBURY PARK	4.66		250
S-MH50000797	WWS	WWS	Yes	HIGHBURY RD	NO	HIGHBURY PARK	6.17		250
S-MH50000927	WWS	WWS	Yes	HIGHBURY RD	NO	HIGHBURY PARK	4.27		250
S-MH50001423	WWS	WWS	Yes	HIGHBURY RD	NO	HIGHBURY PARK	7.33		250
S-MH50005994	WWS	WWS	Yes	HIRT CR	NO	COMPARK	5.80		250
S-MH50005996	WWS	WWS	Yes	HIRT CR	NO	COMPARK	3.57		250
S-MH50006433	WWS	WWS	Yes	HIRT CR	NO	COMPARK	6.03		300
S-MH50006438	WWS	WWS	Yes	HIRT CR	NO	COMPARK	3.63		250
S-MH70001655	WWS	WWS	Yes	HOCHMAN AV	NO	COMPARK	5.16		250
S-MH70001664	WWS	WWS	Yes	HOCHMAN AV	NO	COMPARK	4.02		250
S-MH50008257	WWS	WWS	Yes	HOLLINGBURY PL	NO	COMPARK	4.19		250
S-MH50008266	WWS	WWS	Yes	HOLLINGBURY PL	NO	COMPARK	2.63		250
S-MH50008267	WWS	WWS	Yes	HOLLINGBURY PL	NO	COMPARK	3.10		250
S-MH50001420	WWS	WWS	Yes	JOHN FORSYTH RD	NO	HIGHBURY PARK	7.02		300
S-MH50006324	WWS	WWS	Yes	JOHN FORSYTH RD	NO	HIGHBURY PARK	4.60		250
S-MH50006335	WWS	WWS	Yes	JOHN FORSYTH RD	NO	HIGHBURY PARK	4.23		250
S-MH50006336	WWS	WWS	Yes	JOHN FORSYTH RD	NO	HIGHBURY PARK	4.42		250
S-MH50006343	WWS	WWS	Yes	JOHN FORSYTH RD	NO	HIGHBURY PARK	7.65	DROP	375
S-MH50006344	WWS	WWS	No	JOHN FORSYTH RD	NO	HIGHBURY PARK	7.46	DROP	450
S-MH70002279	WWS	WWS	Yes	JOHN FORSYTH RD	NO	HIGHBURY PARK	4.82		250
S-MH50005815	WWS	WWS	Yes	JOHN FORSYTH RD-1ST MH S. OF ASHFORD DR	NO	HIGHBURY PARK	5.71		300
S-MH50005816	WWS	WWS	Yes	JOHN FORSYTH RD-2ND MH S. OF ASHFORD DR	NO	HIGHBURY PARK	6.03		300
S-MH50005809	WWS	WWS	Yes	JOHN FORSYTH RD-MH AT ASHFORD DR(SW OF CL)	NO	HIGHBURY PARK	5.67		300
S-MH50005817	WWS	WWS	Yes	JOHN FORSYTH RD-MH AT WARDE AV(N OF CL)	YES	HIGHBURY PARK	6.15	DROP	300
S-MH50000010	WWS	WWS	Yes	KARA CV	NO	NORMAND PARK	3.86		250
S-MH50000032	WWS	WWS	Yes	KARA CV	NO	NORMAND PARK	3.94		250
S-MH50000037	WWS	WWS	Yes	KARA CV	NO	NORMAND PARK	3.13		250
S-MH50006470	WWS	WWS	Yes	KEVIN PL	NO	COMPARK	2.76		250
S-MH50000094	WWS	WWS	Yes	KNOTSBERRY BY	NO	BURLAND PARK NORTH	3.78		250
S-MH50000095	WWS	WWS	Yes	KNOTSBERRY BY	NO	BURLAND PARK NORTH	4.32		250
S-MH50000096	WWS	WWS	Yes	KNOTSBERRY BY	NO	BURLAND PARK NORTH	5.75		250
S-MH50000103	WWS	WWS	Yes	KNOTSBERRY BY	NO	BURLAND PARK NORTH	5.93		250
S-MH70051941	WWS	WWS	Yes	LAMBETH RD	NO	COMPARK	2.76		250
S-MH70001608	WWS	WWS	Yes	LANYON DR	NO	COMPARK	6.55		300
S-MH70001656	WWS	WWS	Yes	LANYON DR	NO	COMPARK	4.99		250
S-MH50000069	WWS	WWS	Yes	MALMSBURY AV	NO	BURLAND PARK NORTH	5.58		250
S-MH50000075	WWS	WWS	Yes	MALMSBURY AV	NO	BURLAND PARK NORTH	3.65		250
S-MH50000080	WWS	WWS	Yes	MALMSBURY AV	NO	BURLAND PARK NORTH	4.16		250
S-MH50000640	WWS	WWS	Yes	MALMSBURY AV	NO	BURLAND PARK NORTH	3.68		250
S-MH50000694	WWS	WWS	Yes	MALMSBURY AV	NO	BURLAND PARK NORTH	4.73		250
S-MH50000735	WWS	WWS	Yes	MANBY AV	NO	HIGHBURY PARK	3.26		250
S-MH50000738	WWS	WWS	Yes	MANBY AV	NO	HIGHBURY PARK	3.51		250
S-MH50005808	WWS	WWS	Yes	MANSFIELD CR(S.LEG)-MH AT ASHFORD DR	NO	HIGHBURY PARK	4.62		300
S-MH50005827	WWS	WWS	Yes	MANSFIELD CR.-1ST MH W.OF ASHFORD DR.(E.LEG)	NO	HIGHBURY PARK	2.32		250
S-MH50005828	WWS	WWS	Yes	MANSFIELD CR.-2ND MH W.OF ASHFORD DR.(E.LEG)	NO	HIGHBURY PARK	3.79		250

S-MH50005830	WWS	WWS	Yes	MANSFIELD CR-MH AT NUTLEY CL(W OF CL)	NO	HIGHBURY PARK	4.39		250
S-MH70035536	WWS	WWS	Yes	MARDENA CR	NO	NORMAND PARK	4.06		300
S-MH70035537	WWS	WWS	Yes	MARDENA CR	NO	NORMAND PARK	4.30		300
S-MH70035540	WWS	WWS	Yes	MARDENA CR	NO	NORMAND PARK	3.92		250
S-MH70035542	WWS	WWS	Yes	MARDENA CR	NO	NORMAND PARK	3.55		250
S-MH70035543	WWS	WWS	Yes	MARDENA CR	NO	NORMAND PARK	3.51		250
S-MH70035603	WWS	WWS	Yes	MARDENA CR	NO	NORMAND PARK	4.32		300
S-MH70035078	WWS	WWS	Yes	MARINE DR	NO	NORMAND PARK	2.60		250
S-MH70035098	WWS	WWS	Yes	MARINE DR	NO	NORMAND PARK	2.78		250
S-MH70035100	WWS	WWS	Yes	MARINE DR	NO	NORMAND PARK	3.00		250
S-MH70035104	WWS	WWS	Yes	MARINE DR	NO	NORMAND PARK	2.79		250
S-MH70035105	WWS	WWS	Yes	MARINE DR	NO	NORMAND PARK	3.02		250
S-MH70035109	WWS	WWS	Yes	MARINE DR	NO	NORMAND PARK	2.54		250
S-MH50005992	WWS	WWS	Yes	MUNN RD	NO	COMPARK	4.96		250
S-MH50005993	WWS	WWS	Yes	MUNN RD	NO	COMPARK	5.84		250
S-MH50000011	WWS	WWS	Yes	NORMAND PARK DR	NO	NORMAND PARK	3.39		250
S-MH50000014	WWS	WWS	Yes	NORMAND PARK DR	NO	NORMAND PARK	2.98		250
S-MH50000031	WWS	WWS	Yes	NORMAND PARK DR	NO	NORMAND PARK	3.88		250
S-MH50000034	WWS	WWS	Yes	NORMAND PARK DR	NO	NORMAND PARK	3.58		250
S-MH50000049	WWS	WWS	Yes	NORMAND PARK DR	NO	NORMAND PARK	4.29		300
S-MH50005831	WWS	WWS	Yes	NUTLEY CL(W.LEG)-1ST MH S. OF ASHFORD DR	NO	HIGHBURY PARK	4.09		250
S-MH50005829	WWS	WWS	Yes	NUTLEY CL-1ST MH E. MANSFIELD CR.	NO	HIGHBURY PARK	3.30		250
S-MH50005832	WWS	WWS	Yes	NUTLEY CL-2ND MH E. OF MANSFIELS CR	NO	HIGHBURY PARK	3.88		250
S-MH50000667	WWS	WWS	No	PADDINGTON RD	NO	BURLAND PARK NORTH	7.55	DROP	600
S-MH50000686	WWS	WWS	Yes	PADDINGTON RD	NO	BURLAND PARK NORTH	5.14		250
S-MH50000734	WWS	WWS	Yes	PADDINGTON RD	NO	BURLAND PARK NORTH	4.23		250
S-MH50006281	WWS	WWS	Yes	PADDINGTON RD-1ST MH N. OF WARDE AV	YES	BURLAND PARK NORTH	3.66		250
S-MH50000665	WWS	WWS	Yes	PADDINGTON RD-1ST MH S. OF WARDE AV.	NO	BURLAND PARK NORTH	3.96		250
S-MH50000127	WWS	WWS	Yes	PARENTEAU PL	NO	BURLAND PARK NORTH	3.25		250
S-MH50000637	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	6.40		250
S-MH50000638	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	3.83		250
S-MH50000639	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	3.59		250
S-MH50000641	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	4.91		250
S-MH50000642	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	5.00		250
S-MH50000666	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	3.65		250
S-MH50000695	WWS	WWS	Yes	PATELY CR	NO	BURLAND PARK NORTH	5.15		250
S-MH50005943	WWS	WWS	Yes	PEADIN PL	NO	COMPARK	3.25		250
S-MH50000057	WWS	WWS	Yes	POITRAS PL	NO	BURLAND PARK NORTH	Unknown		250
S-MH50000059	WWS	WWS	Yes	POITRAS PL	NO	BURLAND PARK NORTH	3.98		250
S-MH50000061	WWS	WWS	Yes	POITRAS PL	NO	BURLAND PARK NORTH	3.26		250
S-MH50000063	WWS	WWS	Yes	POITRAS PL	NO	BURLAND PARK NORTH	3.24		250
S-MH70035101	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	2.89		300
S-MH70035489	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	3.83		250
S-MH70035528	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	3.78		300
S-MH70035530	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	3.53		300
S-MH70035532	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	4.26		300
S-MH70035533	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	3.84		300
S-MH70035545	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	2.72		250
S-MH70035547	WWS	WWS	Yes	PORTSIDE DR	NO	NORMAND PARK	3.65		250
S-MH50005730	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	5.23		250
S-MH50005731	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	5.46		300
S-MH50005732	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	7.64		300
S-MH50005733	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	2.94		250
S-MH50005734	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	4.02		250
S-MH50005735	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	4.42		250
S-MH50005736	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	5.88		300
S-MH50005737	WWS	WWS	Yes	QUEENSBURY BY	NO	COMPARK	6.50		300
S-MH50000002	WWS	WWS	Yes	REDVIEW DR	NO	NORMAND PARK	3.08		250
S-MH50000008	WWS	WWS	Yes	REDVIEW DR	NO	NORMAND PARK	3.05		250
S-MH50000009	WWS	WWS	Yes	REDVIEW DR	NO	NORMAND PARK	3.48		250
S-MH50000012	WWS	WWS	Yes	REDVIEW DR	NO	NORMAND PARK	3.16		250
S-MH50000013	WWS	WWS	Yes	REDVIEW DR	NO	NORMAND PARK	3.48		250

S-MH50000015	WWS	WWS	Yes	REVIEW DR	NO	NORMAND PARK	3.79		250
S-MH50000039	WWS	WWS	Yes	REVIEW DR	NO	NORMAND PARK	3.36		250
S-MH50000040	WWS	WWS	Yes	REVIEW DR	NO	NORMAND PARK	3.18		250
S-MH50000041	WWS	WWS	Yes	REVIEW DR	NO	NORMAND PARK	3.57		250
S-MH50000042	WWS	WWS	Yes	REVIEW DR	NO	NORMAND PARK	3.25		250
S-MH50000052	WWS	WWS	Yes	REVIEW DR	NO	NORMAND PARK	3.24		300
S-MH50000028	WWS	WWS	Yes	REESE CV	NO	NORMAND PARK	3.54		250
S-MH50000030	WWS	WWS	Yes	REESE CV	NO	NORMAND PARK	3.07		250
S-MH50006509	WWS	WWS	Yes	SACHET PL	NO	COMPARK	4.65		250
S-MH50006511	WWS	WWS	Yes	SACHET PL	NO	COMPARK	3.44		250
S-MH50006513	WWS	WWS	Yes	SACHET PL	NO	COMPARK	3.94		250
S-MH50006500	WWS	WWS	Yes	SAND LILY DR	NO	COMPARK	4.35		250
S-MH50006518	WWS	WWS	Yes	SAND LILY DR	NO	COMPARK	3.15		250
S-MH50006485	WWS	WWS	Yes	SATINWOOD PL	NO	COMPARK	3.13		250
S-MH50006765	WWS	WWS	Yes	SATINWOOD PL	NO	COMPARK	3.55		250
S-MH50006466	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	3.81		250
S-MH50006497	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	3.19		250
S-MH50006498	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	3.51		250
S-MH50006499	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	4.09		250
S-MH50006503	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	3.29		250
S-MH50006504	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	3.22		250
S-MH50006505	WWS	WWS	Yes	SAUVE CR	NO	COMPARK	3.43		250
S-MH50006508	WWS	WWS	Yes	SHELDON DR	NO	COMPARK	4.24		300
S-MH50006473	WWS	WWS	Yes	SHOAL PL	NO	COMPARK	3.21		250
S-MH50006521	WWS	WWS	Yes	SHOREHILL DR	NO	COMPARK	3.42		250
S-MH50007351	WWS	WWS	Yes	SHOREHILL DR BRIDGE	NO	COMPARK	4.11		250
S-MH50006471	WWS	WWS	Yes	SIMON DR	NO	COMPARK	3.44		250
S-MH50006724	WWS	WWS	Yes	SIMON DR	NO	COMPARK	4.23		250
S-MH50006725	WWS	WWS	Yes	SIMON DR	NO	COMPARK	4.19		250
S-MH50006734	WWS	WWS	Yes	SIMON DR	NO	COMPARK	3.48		250
S-MH50005876	WWS	WWS	Yes	SOUTH ST VITAL PATHWAY @ ASHWO-SECOND MANHOLE WEST OF SIMON	NO	COMPARK	8.64		375
S-MH50000769	WWS	WWS	Yes	SOUTHFIELDS DR	NO	HIGHBURY PARK	3.74		250
S-MH50000773	WWS	WWS	Yes	SOUTHFIELDS DR	NO	HIGHBURY PARK	3.64		250
S-MH50000774	WWS	WWS	Yes	SOUTHFIELDS DR	NO	HIGHBURY PARK	4.11		250
S-MH50000775	WWS	WWS	Yes	SOUTHFIELDS DR	NO	HIGHBURY PARK	5.98		250
S-MH50000776	WWS	WWS	Yes	SOUTHFIELDS DR	NO	HIGHBURY PARK	2.98		250
S-MH50005716	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	3.19		250
S-MH50005719	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	5.59		300
S-MH50006435	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	6.48		375
S-MH50006474	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	3.75		250
S-MH50006479	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	4.25		250
S-MH50006501	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	4.35		250
S-MH50006507	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	4.04		300
S-MH50006766	WWS	WWS	Yes	SOUTHGLEN BV	NO	COMPARK	3.57		250
S-MH50006506	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	4.34		300
S-MH50006519	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	2.69		250
S-MH50006520	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	3.10		250
S-MH50006525	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	3.09		250
S-MH50007352	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	Unknown		250
S-MH70001716	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	5.71		300
S-MH70021093	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	4.96		250
S-MH70021095	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	5.05		250
S-MH70021096	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	5.27		250
S-MH70021097	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	4.66		250
S-MH70021098	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	5.53		250
S-MH70021099	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	5.08		250
S-MH70062975	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	3.48		250
S-MH70078606	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	3.34		250
S-MH70078607	WWS	WWS	Yes	ST ANNES RD	NO	COMPARK	3.06		250
S-MH50007353	WWS	WWS	Yes	ST ANNES RD-MH AT ST ANNES RD AND COMPARK RD	NO	COMPARK	4.48		250
S-MH50000043	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	3.94		300
S-MH50000044	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	4.19		300

S-MH50000045	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	4.35		300
S-MH50000048	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	4.37		300
S-MH50000050	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	3.06		300
S-MH50000051	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	2.85		300
S-MH50000053	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	4.35		300
S-MH50001558	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	6.61		375
S-MH70001677	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	3.85		200
S-MH70001679	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	2.76		200
S-MH70035604	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	4.85		300
S-MH70035605	WWS	WWS	Yes	ST MARYS RD	NO	NORMAND PARK	5.77		300
S-MH50001557	WWS	WWS	Yes	ST MARY'S RD-1ST MH N. OF MORMAND AV	NO	NORMAND PARK	6.19		375
S-MH50000056	WWS	WWS	Yes	ST MARY'S RD-1ST MH N. OF WARDE AV	NO	BURLAND PARK NORTH	5.08		300
S-MH50001553	WWS	WWS	Yes	ST MARY'S RD-2ND MH N. OF WARDE AV	NO	NORMAND PARK	5.25		300
S-MH50001559	WWS	WWS	Yes	ST MARY'S RD-3RD MH N. OF NORMAND AV	NO	NORMAND PARK	7.12		375
S-MH50001554	WWS	WWS	Yes	ST MARY'S RD-3RD MH N. OF WARDE AV	NO	NORMAND PARK	5.47		300
S-MH50001560	WWS	WWS	Yes	ST MARY'S RD-4TH MH N. OF NORMAND AV	NO	NORMAND PARK	7.96		375
S-MH70035608	WWS	WWS	Yes	ST MARY'S RD-MH AT NORMAND AV(CL)	NO	NORMAND PARK	5.52		300
S-MH50001556	WWS	WWS	Yes	ST MARY'S RD-MH AT NORMAND AV(NW OF CL)	NO	NORMAND PARK	5.89		375
S-MH50006458	WWS	WWS	Yes	SUNDIAL CR	NO	COMPARK	4.49		300
S-MH50006459	WWS	WWS	Yes	SUNDIAL CR	NO	COMPARK	4.96		300
S-MH50006460	WWS	WWS	Yes	SUNDIAL CR	NO	COMPARK	5.24		300
S-MH50006467	WWS	WWS	Yes	SUNDIAL CR	NO	COMPARK	3.16		250
S-MH50006468	WWS	WWS	Yes	SUNDIAL CR	NO	COMPARK	3.64		250
S-MH50006469	WWS	WWS	Yes	SUNDIAL CR	NO	COMPARK	3.98		250
S-MH50006322	WWS	WWS	Yes	THEYDON PL	NO	HIGHBURY PARK	3.20		250
S-MH50006323	WWS	WWS	Yes	THEYDON PL	NO	HIGHBURY PARK	3.56		250
S-MH50000780	WWS	WWS	Yes	TIVERTON BY	NO	HIGHBURY PARK	6.66		250
S-MH50000781	WWS	WWS	Yes	TIVERTON BY	NO	HIGHBURY PARK	7.00		250
S-MH50006933	WWS	WWS	Yes	TIVERTON BY	NO	HIGHBURY PARK	3.67		250
S-MH50006934	WWS	WWS	Yes	TIVERTON BY	NO	HIGHBURY PARK	3.65		250
S-MH50000065	WWS	WWS	Yes	TROWBRIDGE BY	NO	BURLAND PARK NORTH	3.56		250
S-MH50000070	WWS	WWS	Yes	TROWBRIDGE BY	NO	BURLAND PARK NORTH	3.68		250
S-MH50000071	WWS	WWS	Yes	TROWBRIDGE BY	NO	BURLAND PARK NORTH	3.94		250
S-MH50000072	WWS	WWS	Yes	TROWBRIDGE BY	NO	BURLAND PARK NORTH	4.09		250
S-MH50000076	WWS	WWS	Yes	TROWBRIDGE BY	NO	BURLAND PARK NORTH	3.73		250
S-MH50000054	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	4.67		300
S-MH50000055	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	4.90		300
S-MH70035482	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	3.04		250
S-MH70035486	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	3.61		250
S-MH70035487	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	3.59		250
S-MH70035488	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	2.78		250
S-MH70035519	WWS	WWS	Yes	VAN HULL WY	NO	NORMAND PARK	3.81		250
S-MH50000123	WWS	WWS	Yes	VERMETTE PL	NO	BURLAND PARK NORTH	3.21		250
S-MH50000126	WWS	WWS	Yes	VERMETTE PL	NO	BURLAND PARK NORTH	2.76		250
S-MH50006345	WWS	WWS	Yes	WARDE AV	YES	HIGHBURY PARK	7.92	DROP	375
S-MH50006764	WWS	WWS	Yes	WARDE AV	YES	COMPARK	8.02		375
S-MH50005839	WWS	WWS	Yes	WARDE AVE-INTERSECTION OF WARDE AND JOHN FORSYTH	YES	HIGHBURY PARK	10.60	DROP	300
S-MH50000758	WWS	WWS	Yes	WESTHAM PL	NO	HIGHBURY PARK	4.84		250
S-MH50000759	WWS	WWS	Yes	WESTHAM PL	NO	HIGHBURY PARK	5.23		250
S-MH50006929	WWS	WWS	Yes	WESTHAM PL	NO	HIGHBURY PARK	3.56		250
S-MH70023406	WWS	WWS	Yes	WILFORD CS	NO	COMPARK	3.71		250
S-MH70023407	WWS	WWS	Yes	WILFORD CS	NO	COMPARK	3.33		250
S-MH50000121	WWS	WWS	Yes	WILLESDEN CR	NO	BURLAND PARK NORTH	5.41		250
S-MH50000134	WWS	WWS	Yes	WILLESDEN CR	NO	BURLAND PARK NORTH	4.89		250