
[illegible]

- ## AC WATERMAIN NOTES

1. USE OF VIBRATORY HEAVY EQUIPMENT WITHIN 3.0 METERS HORIZONTALLY OF THE ASBESTOS-CONCRETE WATER MAIN CENTERLINE IS PROHIBITED. THIS RESTRICTION DOES NOT APPLY TO THE USE OF VIBRATORY ROLLERS ON THE PAVEMENT SURFACE LAYER.
2. CONCRETE DEMOLITION AND REMOVAL WITHIN 3.0 METERS HORIZONTALLY OF THE ASBESTOS-CONCRETE WATER MAIN SHALL BE COMPLETED BY SAW CUTTING OR USE OF HAND-HELD JACKHAMMERS. USE OF MACHINE MOUNTED CONCRETE BREAKERS ABOVE ASBESTOS-CONCRETE WATER MAINS IS PROHIBITED.




PLAN
SCALE: 1:250



<h2 style="text-align: center;">LOCATION APPROVED</h2> <h3 style="text-align: center;">UNDERGROUND STRUCTURES</h3>	
SUPR. U/G STRUCTURES COMMITTEE	DATE
<p>NOTE: LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.</p>	

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

 <h1>Stantec</h1> <p>500 - 81 Fort Rouge Avenue, Winnipeg MB Canada R3B 2B7 Tel. 204.489.5900 Fax. 204.453.9012 www.stantec.com</p>			
DESIGNED BY	GFC	CHECKED BY	JGK
DRAWN BY	KMB	APPROVED BY	RPB
HOR SCALE 1:250 VERT SCALE _____ DATE May 5, 2025		RELEASED FOR CONSTRUCTION DATE _____	

PROFESSIONAL'S SEAL

CONSULTANT FILE NAME



THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2025 REGIONAL STREET RENEWALS
PORTAGE AVENUE
CAVALIER DR TO STURGEON RD
MILL AND FILL
PAVING AND GRADING
STA 1+420 TO STA 1+700

CITY DRAWING NUMBER
P-3588-10

SHEET		OF	
	10		14

DRAWING NUMBER

10

TENDER No. 44-2025