




PLUMBING DEMOLITION NOTES:

(1) EXISTING UNDERSLAB SANITARY LINE TO REMAIN

- EXISTING DOMESTIC COLD WATER LINE, DOMESTIC HOT 2 WATER LINE AND TEMPERED WATER LINE IN THE CEILING SPACE TO REMAIN
- (3) EXISTING WATER CLOSET TO REMAIN
- 4 REMOVE EXISTING URINAL AND CAP OFF ALL THE P PIPE OPENINGS ON THE WALL OR ON THE FLOOR REMOVE EXISTING URINAL AND CAP OFF ALL THE PLUMBING
- REMOVE EXISTING LAVATORY, AND CAP OFF ALL ASSOCIATED 5 PLUMBING PIPE OPENINGS ON EXISTING WALL OR ON EXISTING FLOOR

6 EXISTING SHOWER TO REMAIN

7 EXISTING FLOOR DRAIN TO REMAIN





DR					
MECHANICAL					
PARTIAL MAIN HVAC DEMOL					
PARTIAL MAIN RENOVATION					
MECHANICAL					

	MECHANICAL LEGEND
	DOMESTIC COLD WATER
	DOMESTIC HOT WATER SUPPLY
— T —	TEMPERED WATER SUPPLY
— — V— —	SANITARY VENT
SAN	SANITARY ABOVE SLAB
— - SAN - —	SANITARY BELOW SLAB
	EXISTING CONDITION TO REMAIN
	NEW CONSTRUCTION
	EXISTING TO BE DEMOLISHED

HVAC DEMOLOITION NOTES:

EXISTING CEILING EXHAUST FAN AND ASSOCIATED EXHAUST DUCTWORK TO REMAIN

2 EXISTING SUPPLY AIR DUCTWORK AND SUPPLY AIR DIFFUSER TO REMAIN

(3) EXISTING AIR TRANSFER ELBOW C/W GRILLE TO REMAIN

4 EXISTING BASEBOARD HEATER TO REMAIN

DRAWING LIST	
DRAWING LIST	

AIN FLOOR PLAN PLUMBING AND LITION

AIN FLOOR PLAN PLUMBING

SPECIFICATIONS

GENERAL NOTES

- 1. THIS DRAWING SHALL NOT BE SCALED.
- 2. THE CONTRACTOR SHALL VISIT THE SITE AND SATISFY ONESELF ALL DIMENSIONS, DATUM, AND DETAILED INFORMATION SHOWN ARE CORRECT.
- 3. THE CONTRACTOR IS TO REVIEW AND COORDINATE ALL ARCHITECTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR ADDITIONAL OPENINGS THROUGH FLOORS, WALLS, AND CEILINGS FOR DUCT, PIPE AND ELECTRICAL RISERS AND ALL OPENINGS NOT SHOWN ON DRAWINGS.
- 4. ALL OPENING THROUGH FIRE ASSEMBLIES ARE TO BE FIRED STOPPED AND SEALED WITH ULC APPROVED FIRE STOPPING TO MAINTAIN THE INTEGRITY OF THE FIRE SEPARATION, AND PROVIDE A SMOKE TIGHT BARRIER.
- 5. ALL PRODUCTS AND MATERIALS TO BE USED AND INSTALLED SHALL CONFORM WITH MANUFACTURER'S SPECIFICATIONS & APPLICABLE CODES.
- 6. THE CONTRACTOR SHALL BE RESPONSIBLE TO PATCH AND MAKE GOOD ALL EXISTING CONSTRUCTION AFFECTED BY THE REMOVAL OF ALL ITEMS FORMING PART OF THE RENOVATION WORK.
- 7. THE CONTRACTOR IS RESPONSIBLE FOR INSTALLING RISERS, SWING JOINTS AND DEEP CUP ESCUTCHEONS AS REQUIRED.
- 8. ELECTRICAL WIRING SHALL BE PERFORMED BY A QUALIFIED ELECTRICAL SUBTRADE.



0	ISSUED FOR CONSTRUCTION	XYW	05.01 2025
No.	REVISION/DESCRIPTION	BY	DATE
SEAL			

2025.05.01XYWHAXYWXYWDATEDESIGNEDDRAWNCHECKEDAPPROVED



THE CITY OF WINNIPEG ASSETS & PROJECT MANAGEMENT DEPARTMENT MUNICIPAL ACCOMMODATIONS DIVISION

3-65 GARRY STREET, R3C 4K4 PROJECT

FLEET MANAGEMENT OFFICES WASHROOM UPGRADE

770 ROSS AVENUE

		l	
PLUMBING & DEMOLITION	HVAC		
SCALE AS SHOWN	PROJECT №: 2024-119	SHEET No:	M1

DRAWING SHEET SIZE: D (24" x 36") PLOT 1:1

ASBESTOS

ASBESTOS MAYBE PRESENT BEHIND WALLS, CEILING SPACES & FLOORS. IF ASBESTOS OR ANY HAZARDOUS MATERIAL IS FOUND, STOP WORK IMMEDIATELY AND CONTACT CITY OF WINNIPEG CENTRAL CONTROLS @ 204 986-2351.