




SECTION - STA. 3+600  
SCALE: H = 1:100, V = 1:50

150 WM	WATERMAIN	150 WM		CONCRETE ROAD		C PROFILE		B.M. 864537 (SW CORNER OF MOLLARD AND KING EDWARD) ELEV. 233.128	DESIGNED BY  TJH			
300 LDS	LAND DRAINAGE SEWER	300 LDS		ASPHALT ROAD		NORTH/WEST GUTTER		DRAWN BY  TJH				
250 WWS	WASTE WATER SEWER	250 WWS		CONC ROAD W/ASP OVERLAY		SOUTH/EAST GUTTER		CHECKED BY  MRD				
HYDRO	HYDRO	HYDRO		CONCRETE SIDEWALK		NORTH/WEST MED. GUTTER		APPROVED BY  TJP				
BELLMTS	BELLMTS	BELLMTS		ASPHALT PATH		SOUTH/EAST MED. GUTTER		HOR. SCALE 1:500				
100 GAS	GAS	100 GAS		LANDSCAPING FEATURE		NORTH/WEST DITCH		VERTICAL 1:20				
T.S.	TRAFFIC SIGNALS	T.S.		GRASS/SOD		SOUTH/EAST DITCH		ISSUED FOR TENDER	25/02/28	TJP		
S.L.	STREET LIGHTS	S.L.	232.000	ELEVATION	(232.000)	NORTH/WEST SIDEWALK		NO. REVISIONS	DATE	BY	RELEASED FOR CONSTRUCTION	
MANHOLE		●		PROPERTY LINE		SOUTH/EAST SIDEWALK						
CATCH BASIN		■		CURB RAMP								
CATCH PIT		▼		DETECTABLE TILE								
EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PROFILE	PROPOSED				

- ### CONSTRUCTION NOTES:
1. ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH LATEST REVISION OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
  2. LEGAL PLAN AND UNDERGROUND INFORMATION FROM CITY OF WINNIPEG LBIS. CONTRACTOR TO VERIFY ALL UNDERGROUNDS IN THE FIELD.
  3. CONTRACTOR TO TAKE PRECAUTIONARY STEPS TO AVOID DAMAGE FROM CONSTRUCTION ACTIVITIES TO TREES WITHIN THE LIMITS OF CONSTRUCTION.
  4. LOCATION OF EXISTING SERVICES TO BE CONFIRMED IN THE FIELD BY THE CONTRACTOR.
  5. HYDRO POLES AND ANCHORS THAT REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, TO BE DONE SO AT THE EXPENSE OF THE CONTRACTOR, AS NECESSARY.
  6. LIMITS OF WORK FOR CLEARING AND GRUBBING, RESTORATION OF APPROACHES AND LANDSCAPING TO BE DETERMINED BY THE CONTRACT ADMINISTRATOR.
  7. IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVATION ON THIS PROJECT THE CONTRACTOR MUST NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION. TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS (SEE PROVISIONAL REGULATION 2107/2 FOR DETAILS) AND OBTAIN EXCAVATION PERMITS PRIOR TO CONSTRUCTION.

ABBREVIATIONS:

CONC	CONCRETE
ASP	ASPHALT
TYP	TYPICAL
EX	EXISTING
MH	MANHOLE
WV	WATER VALVE
EL	ELEVATION
CB	CATCH BASIN
CP	CATCH PIT
CI	CURB INLET
CL	CONTROL LINE
SL	STREET LIGHT
TS	TRAFFIC SIGNAL

SYMBOLS:

HYDRO MANHOLE  
TELEPHONE MANHOLE  
TRAFFIC SIGNAL SPLICE PIT  
WATER VALVE  
HYDRANT  
CURB STOP  
GAS VALVE  
HYDRO POLE  
HYDRO POLE WITH LIGHT  
STREET LIGHT  
TRAFFIC SIGNAL  
SIGNAL CONTROL BOX  
BELLMTS PEDESTAL  
TREE  
IRON PROPERTY BAR  
HYDRO GUY ANCHOR

## METRIC

WHOLE NUMBERS INDICATE MILLIMETRES  
DECIMALIZED NUMBERS INDICATE METRES



 **THE CITY OF WINNIPEG**  
PUBLIC WORKS DEPARTMENT

**2025 LOCAL STREET RENEWAL (25-R-10)**  
**MOLLARD ROAD RECONSTRUCTION**

PLAN-PROFILE - STA. 3+420 TO 3+720

CITY DRAWING NUMBER

SHEET 7 OF 16

CONSULTANT DRAWING NUMBER

C:\pw working directory\projects 2024\dillon\_40tjh\dms87268\249201-CT-CON-MOLLARD.dwg