

Updated: January 2025

Winnipeg

# Development Permit Application Checklist Commercial and Multi-unit Residential\*

\*includes residential buildings with more than two units and row house buildings

Complete the following checklist to ensure your application includes all required documentation for the scope of work proposed. This checklist must be submitted with your development permit application package.

Project scope (select all that apply)				
Project type:	□ Multi-unit residential (inclue	ling row housing) 🛛 🗆 Commercial		
	□ New structure/building	Exterior alteration	□ Interior alteration	
Work type(s):	□ Addition	New/altered foundation	□ Change of use	
	New site development	Existing site redevelopment	Outdoor patio	
	□ N/A	□ MBC Code Part 3	□ Sprinklered	
New building/addition information:		□ MBC Code Part 9	Not sprinklered	
	<b>Note:</b> If there are multiple future buildings on-site, the above information is required for each building to assess fire department access requirements for the development.			

### Change of use and interior alterations

Changes on the inside of a building can affect the outside requirements, such as parking or entrances. Every parcel of land in the City of Winnipeg is zoned and determines how the land may be developed. In each zoning district, certain land uses are permitted outright, others are conditional upon approval, and some are prohibited. In each zoning district there are also rules for the location and the size of buildings, including lot coverage, required parking, etc. If you are changing the use of a building or doing an interior alteration that includes changing the occupiable floor area (ex. addition of a mezzanine), a development permit is required.

### Construction and private access

Is construction access crossing City property?  $\Box$  No  $\Box$  Yes

If crossing City property, other than where a private approach exists, a Crossing Permit must be obtained. Contact the Public Works Department at 204-986-6006 or <u>pwd-uos-permits@winnipeg.ca</u> to obtain a permit.

Are you adding, removing or modifying private access (private approach, private walk, turning lane, loading bay, or median opening)? 
No 
Yes

If yes, a Private Access Permit must be obtained. To start this process, complete the application form found at <u>https://winnipeg.ca/publicworks/permitsApprovals/approaches/commercialApproach.stm</u> and submit to <u>pwdprivateaccess@winnipeg.ca</u>.

### **Development near a waterway**

Is your property located near	a waterway (i.e. within	110 m of a river, or 77 m o	of a creek)? 🛛 No 🛛 Yes
-------------------------------	-------------------------	-----------------------------	-------------------------

If yes, a Waterway Permit application may be required under the City of Winnipeg Waterway By-law 5888/92. In support of your Waterway Permit application, you may be asked to provide a geotechnical engineer's report that provides an assessment of riverbank stability conditions and associated recommendations for the development. Contact Waterways at <u>ppd-waterwaysapplications@winnipeg.ca</u> or 204-986-5098 to determine whether a Waterway Permit is required, and the submission requirements for your specific project.



Development in the Malls and Corridors Planned Development Overlay (PDO)
Malls and Corridors PDO Eligibility
Is your property located within the Malls and Corridors PDO area? $\Box$ No $\ \Box$ Yes
If yes, do you wish to use the Malls and Corridors PDO to enable your development? $\Box$ No $~~\Box$ Yes
If yes, are you proposing a residential density of at least 14 dwellings per acre? $\square$ No $\ \square$ Yes
*Winnipeg Property Map with PDO boundary is found here: <u>https://legacy.winnipeg.ca/ppd/Mapping/PropertyMap/default.stm</u>
Malls and Corridors User's Guide Checklist
Have you submitted the completed <i>Malls and Corridors User's Guide</i> Checklist?
*The Malls and Corridors User's Guide Checklist is found here: https://winnipeg.ca/media/4477
Framework Plan requirement
Is your site 10 acres in area or greater? $\Box$ No $\Box$ Yes
If yes, have you submitted the required Framework Plan as outlined in the Malls and Corridors PDO? $\Box$ No $~\Box$ Yes
Rail Proximity Mitigation
Does your property abut a rail line or rail yard? 🗌 No 🛛 Yes
Is your property separated from a rail line or rail yard by a public lane? $\Box$ No $\ \Box$ Yes
If yes to either of the above, have you submitted the required Development Viability Assessment? $\square$ No $\ \square$ Yes
*Rail proximity regulation information found here: <u>https://fcm.ca/en/resources/land-use-planning-around-rail-corridors</u>
Traffic Impact study
Are you proposing to establish 300 or more dwelling units on site? $\Box$ No $\Box$ Yes
If yes, have you submitted the required traffic impact study? $\Box$ No $\ \Box$ Yes
Airport Zoning Regulations
Is your property located within the area governed by the <i>Winnipeg International Airport Zoning Regulations</i> ? 🗆 No 🛛 Yes
If yes, it is your obligation to ensure proposed building heights are in alignment with Federal regulations outlined in the Winnipeg International Airport Zoning Regulations
For assistance in the early planning stages, please contact the Winnipeg Airports Authority at: <u>permits@waa.ca</u> or Transport Canada at: <u>aviation.pnraaf-rpnfea@tc.gc.ca</u>
<b>Note</b> : The Malls and Corridors PDO grants by-right development entitlements based on the ability to meet rigorous, design regulations. To facilitate expedient review and prevent incomplete applications, it is imperative applicants clearly demonstrate compliance with PDO regulations on submitted plans and through completion of the <i>User's Guide</i> checklist. Inability to do so will increase permit processing times.
If you have questions related to the use of the Malls and Corridors PDO please call 204-986-5140 and speak to a Zoning Development Officer or email questions to ppd-zdo@winnipeg.ca



## **Project information**

Are you changing barrier free entrances?	🗆 Yes 🛛 N/A
Are you adding or removing loading doors?	🗆 Yes 🛛 N/A
Are you doing fire repair?	🗆 Yes 🛛 N/A

## Required documentation – one copy, fully dimensioned

Letter of Authorization from the owner/property manager or Owner Statement (not required if owner is the applicant)	🗆 Yes 🗆 N/A
<b>Status of Title</b> , dated within 3 months of the application date along with any City of Winnipeg interests (e.g. caveats) – not required for interior alterations or change of use applications	🗆 Yes 🗆 N/A
Site and landscape plans:	□ Yes
<ul> <li>street/lane locations and names</li> <li>property lines and lot dimensions</li> <li>all existing and proposed structures, including offsets/setbacks from property lines</li> <li>all proposed landscaping</li> <li>all proposed exterior lighting and parking lighting</li> <li>legal description</li> <li>If scope includes new structures/buildings (other than solar photovoltaic panels), additions or site work, additional information may be required. Refer to the site plan checklist in Appendix A for details.</li> </ul>	
If scope includes roof mounted solar photovoltaic panels that do not extend past the roof line, only the following information is required on the site plan:	
<ul> <li>location and dimensions of the solar photovoltaic panels on the roof</li> </ul>	
Note: A Building Location Certificate may be requested.	

# May be required documentation – one copy, fully dimensioned (select all that apply)

<b>Development design summary</b> , if scope includes new structure/building, addition or change or use. Refer to page 3.	🗆 Yes 🗆 N/A
Letter of Intent from the business owner/tenant describing the function and services of the business, if scope includes change of use	🗆 Yes 🗆 N/A
<b>Building elevations</b> , if scope includes new structure/building or impacts the exterior of existing structures (addition, new windows/doors, altered finish material, etc.):	🗆 Yes 🗆 N/A
<ul> <li>height of structure above grade (e.g. building height, ground solar photovoltaic panel height, etc.)</li> <li>exterior window/door locations</li> <li>exterior finish material (e.g. hardie board, stucco)</li> <li>exterior design features and materials, including window type, entrances, canopies, balconies, doors, roof lines, rooftop equipment, etc.</li> <li>If scope includes roof mounted solar photovoltaic panels that are greater than 6 in. high:</li> <li>building elevations, including height of structure to top of the solar panel</li> <li>Note: If roof mounted solar photovoltaic panels are less than 6 in. high, no building elevations are required.</li> </ul>	
<ul><li>Site or building key plan, if scope includes change of use or large site</li><li>location of work in relation to overall building or site</li></ul>	🗆 Yes 🗆 N/A
<ul> <li>Interior floor plans (all levels), if scope includes adding interior floor space or change of use:</li> <li>interior layout of the building (walls, doors, and window locations)</li> <li>room labels (intended use)</li> </ul>	□ Yes □ N/A
Civil drawings, if scope includes site work	
Lot Grading Plan and Site Servicing Plan:	🗆 Yes 🗆 N/A
<ul> <li>Refer to the lot grade plan checklist and site servicing plan checklist in Appendix A.</li> </ul>	
<b>Note</b> : Applicants are encouraged to submit a single drawing, where possible, combining both the lot grading and site servicing plan.	



<b>Geodetic survey (and grading design for flood protection)</b> , may be requested if your property is located in the Designated Floodway Fringe Area or at flood risk. This survey does not need to be provided with your complete application package. You will be contacted if it's required to assess your proposal.	□ Yes □ N/A
<b>Fuel dispensing station checklist</b> , if installing a stand-alone fuel dispensing station without canopy – refer to the <u>Commercial Permit Resources</u> webpage for template	□ Yes □ N/A

**Note:** If the proposed development requires supporting development applications (e.g. variance, plan approval) or permits (e.g. waterway permit, flood fringe variation permit), other documentation may be required for the supporting application. Supporting applications must be approved before a development permit can be issued.

### **Development location considerations**

Depending on the location of your project, unique bylaws, regulations or guidelines may apply to your development (e.g. the Small-Scale and Low-Rise Residential Development Guidelines for Mature Communities, Designated Floodway Fringe Area Regulation, etc.). Learn more about <u>zoning and development permits</u>, including policy considerations.

If you have any questions about development permit application requirements, call Permits Direct Line at 204-986-5140 or email <u>ppd-zoningapplications@winnipeg.ca</u>.

Your personal information is being collected consistent with the requirements and limitations set out under *The Freedom of Information and Protection of Privacy Act (FIPPA)*. This collection of personal information is authorized by section 36(1)(b) of The FIPPA for permit management and administration. Your information is protected by FIPPA's privacy provisions and will not be used or disclosed for any other purpose, except as authorized by law. Contact the City of Winnipeg's Corporate Access and Privacy Officer by mail (City Clerk's Department, Susan A. Thompson Building, 510 Main Street, Winnipeg MB, R3B 1B9) or by telephone (311) if you have questions about this collection of your personal information.



**Development Design Summary** This document **must** be completed and attached to the application submission.

1. Legal description:
2. Existing or previous use(s):
3. Proposed use(s):
4. Existing floor area (all floors): New floor area (all floors):
Change of Use
5. Tenant / business name:
6. Tenant floor area: □ sq. ft. □ m² Building floor area: □ sq. ft. □ m²
7. Building type
□ Single storey, single tenant building
□ Single storey, multi-tenant Building (strip mall, CRU's, etc.)
Multi-storey, single tenant building
Multi-storey, multi-tenant building (identify floor) (office tower, large shopping centre, etc.)
□ Other
8. Construction location $\Box$ N/A
□ Interior of building □ Interior and exterior of building
Exterior of building
Parking and Loading Refer to section 161-177 in Zoning By-law No. 200/2006 or section 230 in Downtown Zoning By-law No. 100/2004.
9. Parking surface (specify):
10. Parking stalls: Required Provided
Parking stall dimensions:
11. Loading spaces: Required   Provided
Loading space dimensions:
Existing Approvals
12. Variance:   Conditional use:
13. Zoning agreements:   Other approvals:
Floor Area Ratio
14. Total area (all floors): $\Box$ sq. ft. $\Box$ m <sup>2</sup> Lot area: $\Box$ sq. ft, $\Box$ m <sup>2</sup>
Maximum floor area ratio per bylaw: %
15. Floor area ratio (provided): / =
Total area of all floors Lot area Floor area ratio
16. Building height Required: □ ft. □ m Provided: □ ft. □ m
Yard Setbacks
17. Front:         Required:         Provided:
Sides:   Required:   Provided:
Corner: Required: Provided:
Rear:   Required:   Provided:
18. Encroachments:  Yes No If yes, specify type (ex. door swing, eave):



Landscaping and Buffering			
19. Street edge landscaping - refer to Sections 190(2) to 190(4) of the Winnipeg Zoning By-law 200/2006	Required 🗆	Provided $\Box$	N/A □
20. Foundation landscaping - refer to Section 190(5) of the Winnipeg Zoning By-law 200/2006	Required 🗆	Provided $\Box$	N/A 🗆
21. Parking lot interior landscaping - refer to Section 190(6) of the Winnipeg Zoning By-law 200/2006	Required 🗆	Provided $\Box$	N/A 🗆
22. Site and Rear side edge buffering - refer to Section 190(7) of the Winnipeg Zoning By-law 200/2006	Required 🗆	Provided $\Box$	N/A 🗆
23. Buffering of Parking & Loading areas - refer to Sections 190(8) & (9) of the Winnipeg Zoning By-law 200/2006	Required $\Box$	Provided $\Box$	N/A 🗆
24. Design Standards - refer to Sections 205 to 210 of the Winnipeg Zoning By-law 200/2006	Required 🗆	Provided $\Box$	N/A 🗆



# Appendix A

# Site and Landscape Plan Checklist

This document **must** be completed and attached to the application submission if scope includes new structures/buildings, additions or site work.

Required Information	Yes	N/A
1. North Arrow		
2. Drawing scale (metric and not less than 1:500)		
3. Civic Address (if not assigned, contact <a href="mailto:PropertyAddressing@winnipeg.ca">PropertyAddressing@winnipeg.ca</a> )		
4. Legal Description		
5. Street names		
6. Property lines, lot lines and all adjacent public rights-of-way		
7. Lot Dimensions		
8. Total lot area		
9. Indicate and label City and/or Private Easements on subject property		
10. Construction access route(s) (indicated)		
11. Existing structures with dimensions and offsets/setbacks from property lines		
12. Proposed structures, with dimensions and offsets/setbacks from property lines		
<ol> <li>Access routes / lanes for fire fighting / existing or new fire hydrant locations / construction article(s) for all buildings on site</li> </ol>		
14. Indicate site-surfacing material and show all curbs, wheel stops, parking fences and lighting. Refer to Part 5: Development and Design Standards of Zoning By-law No. 200/2006 or Section 230 of Downtown Zoning By-law No. 100/2004.		
15. Dimensions of all projections (i.e. eaves, steps, landings, architectural features.)		
16. Garbage enclosure(s)		
17. Proposed on-site lighting		
18. Proposed signage		
19. Dimensions, location and type of surface of existing and proposed approaches, private walks within boulevard, loading bays, turning lanes, median openings, drive aisles/driveways, storage, etc. (refer to Private Access By-law 49/2008)		
20. All existing trees and obstructions within City right-of-way abutting the subject property		
21. Proposed and existing private sidewalks or pedestrian connections with dimensions		
22. Accessory structures (e.g. booths, fences, parking areas, planters, retaining walls, curbing, lamp standards, free standing signs, awnings, etc.) with dimensions and offsets/setbacks from property lines		



### Page **8** of **12**

<ol> <li>Indicate dimensions and total number of parking spaces. Spaces must be 8 ft. wide x 20 ft. deep, or 10 ft. wide if abutting a wall or a fence. (Refer to Tables 5-9, 5-10, and 5-12 of Zoning By-law No. 200/2006 or Section 230 of Downtown Zoning By-law No. 100/2004).</li> </ol>	
24. Indicate total number of bicycle parking spaces. (Refer to Section 169 of Zoning By-law No. 200/2006)	
25. Indicate total number of loading spaces. Spaces must be 12 ft. wide x 33 ft. deep, or 50 ft. deep depending on use and floor area. (Refer to Tables 5-13 and 5-14 of Zoning By-law No. 200/2006 or Section 240 of Downtown Zoning By-law No. 100/2004).	
26. Indicate all landscaping areas and identify material e.g. grass, trees, shrubs, ornamental paving, etc. (Refer to Sections 188 to 193 of Zoning By-law No. 200/2006 or Sections 230 and 250 of Downtown Zoning By-law No. 100/2004).	
27. For automobile sales, vehicle display areas shall be shown indicating surfacing and type of fencing (post and chain or bumper guard)	
28. Vent racks and underground storage tanks complete with fuel re-filling areas	
29. Storage Compounds with the surfacing indicated and the type and height of fencing around the compound.	
<ol> <li>Proposed surface alterations and enhancements or improvements in the public right-of-way including all landscaping, ditch modifications, and proposed hard surfacing. (Refer to Appendix B)</li> </ol>	
<ol> <li>Location of any proposed structures, portions of structures or services in the public right-of-way, including utility service connections. (Refer to Appendix B).</li> </ol>	
32. Construction equipment site access and site protection (e.g. temporary chain link fencing)	
33. Areas of the public right-of-way that will be encumbered, occupied or obstructed as a result of the proposed construction, including the installation of any hoarding, fencing, covered walkways, piles or shoring, or any portion of a construction crane that occupies or projects into the right-of-way. (Refer to Appendix B)	



## Lot Grading Plan Checklist

This document **must** be completed and attached to the application submission.

**Note:** Applicants are encouraged to submit a single drawing (where possible) combining both lot grading and site servicing plans.

Required Information	Yes	N/A
<ol> <li>Lot grading plan(s) prepared and sealed by a Professional Engineer, Mani Land Surveyor (MLS), Landscape Architect, or Architect in accordance with Lot Grading By-law.</li> </ol>		
2. Drawing scale in metric		
<ol> <li>Indicate civic address and legal description. Include civic addresses of adjac neighbouring properties.</li> </ol>	cent 🗌	
<ul> <li>4. Indicate existing lot grade elevations on the subject property, adjacent properties and in the right-of-way. Indicate proposed elevations at all proper corners, along lot lines, swales and other drainage features.</li> <li>Mark drainage patterns with flow arrows and percent slope.</li> </ul>	rty	
<ol> <li>Indicate location of roof drain downspouts, rainwater leaders and sump pur discharge outlet(s).</li> </ol>	np 🗌	
<ul> <li>If sump pit/pump not applicable based on the building design, indicate r applicable</li> </ul>	not	
<ul> <li>6. Indicate locations of all retaining walls/curbs that are being used to contain stormwater on property.</li> <li>Retaining walls/curbs shall be located a minimum 0.15m inside of subject property.</li> </ul>	ect	
<ol> <li>Indicate locations of all existing and proposed manholes and catch basins or property complete with rim and invert elevations.</li> </ol>	on 🗌	
<ul> <li>8. Indicate 25-year ponding limit and elevation on plans</li> <li>Indicate location of 25-year ponding limit and spill out (overflow)</li> <li>25-year ponding limit over top of wastewater sewer manholes is not permitted.</li> </ul>		
9. Indicate and label City and/or private easements.		
10. If property is located within the Designated Floodway Fringe Area (DFFAR 266/91), backing onto a stormwater retention basin (SRB), or at flood risk an additional review for flood protection will be required.		

For questions, contact the Water and Waste Department by email at WWD-Permits@winnipeg.ca



### **Site Servicing Plan Checklist**

This document **must** be completed and attached to the application submission.

**Note:** Applicants are encouraged to submit a single drawing (where possible) combining both the lot grading and site servicing plan.

Required Information	Yes	N/A
<ol> <li>Site Servicing Plan(s) prepared and sealed by a Professional Engineer experienced in municipal design works and licensed to practice in the Province of Manitoba.</li> </ol>		
<ul> <li>2. Indicate the following: <ul> <li>Size, location and material types of proposed sewer service(s) (wastewater or land drainage) including percent slope, connection type and invert elevations.</li> <li>Size, location and material type of proposed water service(s) (label as domestic, fire or combined fire/domestic) including connection type.</li> <li>Any proposed fire hydrants and/or fire department connections.</li> <li>Size and location of all existing sewer and water services and label as to be reused or abandoned.</li> <li>Size, location and material type of City sewer mains and water mains in the right-of-way or in easements.</li> </ul> </li> </ul>		
<b>Note:</b> If new services are in close proximity, or are crossing a large diameter waiter main (>300mm), a feeder main or an aqueduct, you will be required to submit additional information upon our request.		
3. Provide estimated peak pre and post development wastewater flows (PWWF) with calculations, prepared and stamped by a Professional Engineer licensed to practice in the Province of Manitoba. Wastewater flows for multi-family residential, commercial, and industrial properties shall be estimated using the City's wastewater flow estimation and service guidelines at: <a href="https://www.winnipeg.ca/waterandwaste/dept/wastewaterFlow.stm">https://www.winnipeg.ca/waterandwaste/dept/wastewaterFlow.stm</a>		
4. Stormwater runoff must be controlled in accordance with the Sewer By-law. Runoff rates to be restricted to the 5-year City of Winnipeg design storm using a "c" value coefficient. The "c" value coefficient will be supplied by the Water and Waste Department and must be obtained in advance by contacting <u>WWD-Permits@winnipeg.ca</u> . Stormwater management design/calculations must be stamped by a professional engineer. Refer to <u>MacLaren Manual (1974)</u> .		
<ul> <li>Site must be able to store, up to and including, a 1 in 25-year design storm event. In areas where gravel parking lots are permitted, the same stormwater control conditions shall apply.</li> <li>Indicate the size, location and configuration of all stormwater flow restriction devices (orifices, roof control locations), including calculations, with plan showing stormwater catchment areas.</li> <li>Maximum depth and extent of ponding is not to exceed 0.3 meters.</li> </ul>		
<ul> <li>5. If property is located in a combined sewer district (CSD), or discharges into a combined sewer district, Clause 8 of Environmental Act License Number 3042 will apply. For more information see: <ul> <li><u>https://winnipeg.ca/waterandwaste/pdfs/sewage/csoLicense.pdf</u></li> <li><u>http://www.gov.mb.ca/sd/eal/registries/3205.1citywpgcso/clarification_letter</u> june23.pdf</li> </ul></li></ul>		
<ul> <li><u>http://www.gov.mb.ca/sd/eal/registries/3205.1citywpgcso/2017_07_17_file</u> <u>3205_10_letterofclarification.pdf</u></li> </ul>		



<ul> <li>6. Show details of proposed water meter (including location(s) proposed for multiple metering) as per requirements of the City of Winnipeg Standard Construction Specifications SD-027.</li> <li>Fixture counts included on the drawing Note: If you do not provide fixture counts with your submission, you can expect delays at the time you request a water meter installation. Send fixture counts to the Water and Waste Department via email to WWD-Permits@winnipeg.ca.</li> <li>7. Indicate size, and location of grit/sediment interceptors where applicable</li> <li>8. Indicate size and location of oil interceptor device(s). Note – an oil interceptor device is required where a property discharges or is likely to discharge motor oil to the wastewater sewer system. (Examples – oil change repair businesses, vehicle repair garage stations, buildings with a hydraulic elevator system). For more information and examples of typical oil interceptor devices, refer to: http://winnipeg.ca/waterandwaste/dept/elevatorReq.stm</li> <li>9. If elevator being installed indicate; <ul> <li>Hydraulic</li> <li>Hydraulic</li> <li>Electric</li> </ul> </li> </ul>		The size, location and configuration of drainage safety features must be constructed in accordance with City of Winnipeg Culvert and Drainage Inlet/Outlet Safety Guidelines. • <u>https://winnipeg.ca/waterandwaste/pdfs/drainageFlooding/safetyguidelines.pdf</u>	
<ul> <li>8. Indicate size and location of oil interceptor device(s). Note –an oil interceptor device is required where a property discharges or is likely to discharge motor oil to the wastewater sewer system. (Examples – oil change repair businesses, vehicle repair garage stations, buildings with a hydraulic elevator system). For more information and examples of typical oil interceptor devices, refer to: <a href="http://winnipeg.ca/waterandwaste/dept/elevatorReq.stm">http://winnipeg.ca/waterandwaste/dept/elevatorReq.stm</a></li> <li>9. If elevator being installed indicate; <ul> <li>Hydraulic</li> </ul> </li> </ul>	6.	<ul> <li>multiple metering) as per requirements of the City of Winnipeg Standard Construction Specifications SD-027.</li> <li>Fixture counts included on the drawing</li> <li>Note: If you do not provide fixture counts with your submission, you can expect delays at the time you request a water meter installation. Send fixture counts to the Water and Waste Department via email to</li> </ul>	
device is required where a property discharges or is likely to discharge motor oil to the wastewater sewer system. (Examples – oil change repair businesses, vehicle repair garage stations, buildings with a hydraulic elevator system). For more information and examples of typical oil interceptor devices, refer to: <a href="http://winnipeg.ca/waterandwaste/dept/elevatorReq.stm">http://winnipeg.ca/waterandwaste/dept/elevatorReq.stm</a> 9. If elevator being installed indicate; <ul> <li>Hydraulic</li> <li>Hydraulic</li> <li>Hydraulic</li> </ul>	7.	Indicate size, and location of grit/sediment interceptors where applicable	
• Hydraulic	8.	device is required where a property discharges or is likely to discharge motor oil to the wastewater sewer system. (Examples – oil change repair businesses, vehicle repair garage stations, buildings with a hydraulic elevator system). For more information and examples of typical oil interceptor devices, refer to:	
	9.	If elevator being installed indicate;	 
		•	

For questions, contact the Water and Waste Department by email at <u>WWD-Permits@winnipeg.ca</u>



# Appendix B

### **Site Plans Supplementary Information**

- 1. In addition to obtaining the required building permits, the applicant must obtain approvals and Street Cut Permits from the Public Works Department for all remedial work and improvements that occur in the street right-of-way including underground, surface and overhead work. Drawings and specifications shall be submitted for approval through the Underground Structures Branch, <u>ugsapproval@winnipeg.ca</u>, identifying the scope and details of the work. Work in the right-of way shall not commence until approvals are received through the Underground Structures review and the required Street Permits are in place. Failure to obtain the necessary approval, permits or inspections will result in removal of the works by the applicant at their own cost.
- 2. Crossing permits are required when crossing a City right-of-way onto private property at a location other than at an existing driveway approach, such as mounting a curb and/or crossing a sidewalk. Crossing permits can be obtained by emailing <u>pwd-uos-permits@winnipeg.ca</u>.
- 3. Private Access By-law No. 49/2008 regulates the modification of rights-of-way to provide access to private real property in the City. An approval is required for the construction, modification, relocation or removal of a private access (private approach, private walk, turning lane, loading bay, or median opening). A private access permit is required prior to the construction of all private accesses. Access applications can be submitted to <u>pwdprivateaccess@winnipeg.ca</u>.
- 4. The City of Winnipeg Standard Construction Specifications are available online at <a href="https://www.winnipeg.ca/matmgt/Spec/Default.stm">https://www.winnipeg.ca/matmgt/Spec/Default.stm</a> and are applicable to all works within the City right-of-way.
- 5. Permission to construct and maintain an encroachment must be obtained independently from the building permit approval. Encroachment applications are processed at:

Planning, Property and Development Department, Zoning & Permits Unit 31 – 30 Fort Street Winnipeg, MB R3C 4X7 For more information, call Permits Direct Line at 986-5140.

6. A 'Use of Streets' permit will be required where any portion of a street (public right-of way) is encumbered, obstructed or occupied. See sections 4.06, 4.07, 4.08, 4.09 & 4.10 of the Streets By-law No 1481/77.