

TreeAzin® Systemic Insecticide

1.0 IDENTIFICATION

Product Name: TreeAzin[®] Systemic Insecticide

Synonyms: None

Product Use: TreeAzin[®] Systemic Insecticide is to be injected into trees to

control insect pests using the EcoJect® System, a medium pressure

tree injection tool.

Manufacturer: BioForest Technologies Inc.

59 Industrial Park Crescent

Sault Ste. Marie ON P6B 5P3 Canada

Phone: 705-942-5824

In Case of Emergency Call: 613-996-6666 CANUTEC (Canada)

800-424-9300 CHEMTREC (USA) (24 Hours/Day, 7 Days/Week)

2.0 HAZARD(S) IDENTIFICATION

GHS Classification	Signal Word	Hazard Statement
Flammable Liquid	Danger	H225 Highly flammable liquid and vapour
(Category 2)		
Serious Eye	Warning	H319 Causes serious eye irritation
Damage/Eye Irritation		
(Category 2A Irritant)		
Acute Toxicity	n/a	H303 May be harmful if swallowed (oral)
		H313 May be harmful in contact with skin
		(dermal)
		H333 May be harmful if inhaled (gas, vapour,
		dust, mist)

Revision: 2.1 January 8, 2015





Pictograms:

Precautionary Statements:

P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P243	Take precautionary measures against static discharge.
P264	Wash hands thoroughly after handling
P280	Wear protective gloves and eye protection.
P305+P351+338	IF IN EYES: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated
	clothing. Rinse skin with water/shower.
P370 + P378	In case of fire: Use carbon dioxide or dry chemical material to
	extinguish small fires, use alcohol-type or all-purpose-type foams
	for large fires. Do not use water.
P312	Call a Poison Centre/doctor if you feel unwell.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P403 + P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of content/containers in accordance with
	local/regional/national regulations.

Potential Acute Health Effects:

Inhalation: Causes respiratory tract irritation.
Ingestion: May be harmful if swallowed.
Skin: No adverse effects with normal skin.

Eyes: Causes eye irritation.

3.0 COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient: Azadirachtin (5%)

Components	% w/w	CAS#	
Azadirachtin A	5	11141-17-6	
Azadirachtin B	3	95507-03-2	
Proprietary solvent(s), surfactant and inactive compounds	Remainder	Proprietary surfactant (PMRA List 4B) (cleared for food and nonfood use according to the U.S. code of Federal Regulations, Title 4, Part 180)	

4.0 FIRST-AID MEASURES

Skin: Flush contaminated area with water for at least 20 minutes.

Remove contaminated clothing under running water. Completely decontaminate clothing before re-use, or discard. If irritation occurs, seek medical attention.

Eyes: Immediately flush eyes with water for at least 20 minutes,

holding the eyelids open. Seek medical attention

immediately.

Inhalation: Remove victim to fresh air. Artificial respiration should be

given if breathing has stopped and cardiopulmonary resuscitation if heart has stopped. Oxygen may be given if

necessary. Seek medical attention immediately.

Ingestion: Never give anything by mouth if victim is rapidly losing

consciousness or is unconscious or convulsing. DO NOT INDUCE VOMITING. Have victim drink about 250 ml (8fl. oz.) of water to dilute material in stomach. If vomiting occurs naturally, have victim lean forward to reduce risk of

aspiration. Seek medical attention immediately.

5.0 FIRE-FIGHTING MEASURES

Extinguishing Media: Apply all-purpose-type foams by manufacturers'

recommended techniques for large fires. Use carbon dioxide or dry chemical media for small fires. Water is generally unsuitable and may help to spread the fire.

Firefighting Procedures: Use water spray to cool fire-exposed containers and

structures. Use water spray to disperse vapours; reignition is possible. Use self-contained breathing apparatus and

protective clothing.

Specific Hazards: Vapours from this product may travel or be moved by air

currents and ignited by pilot lights, other flames, sparks, heaters, electrical equipment, static discharges or other ignition sources at locations distant from handling point.

6.0 ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency

Procedures: See Section 8.0.

Environmental Precautions: Contain spilled material. Prevent spillage from

entering drains.

Methods and Material for Containment and Cleaning

Up: Spill should be collected in suitable containers or

absorbed on a suitable absorbent material for subsequent disposal. Provide adequate ventilation and protective equipment. Remove sources of heat, sparks or flames. Waste material should be disposed of in an approved incinerator or in a designated landfill site, in compliance with all federal,

provincial, state and local government regulations.

7.0 HANDLING AND STORAGE

Precautions for Safe Handling: Keep away from heat, sparks and flames. Keep

container closed when not in use. Use with adequate ventilation. Avoid breathing vapours. Avoid contact with eyes and skin. Wash exposed skin thoroughly after handling. Take precautions to prevent static electricity build-up when transferring contents.

Conditions for Safe Storage

Including any Incompatibilities: Keep in original container until use. Check any

plastics for compatibility. Store in a cool, dry place,

away from direct sunlight. To prevent

contamination, store this product away from food or feed. Keep container tightly sealed when not in use. Do not store below 5 degrees Celsius or above 25

degrees Celsius. Shake well before using. Keep away from heat, sparks and flames. Keep container closed when not in use. Good personal hygiene practices are suggested, such as abstaining from eating, drinking and smoking in the workplace.

8.0 EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters:

Component	Exposure Limit	Basis	Entity
Proprietary Solvent(s)	1000 ppm	REL	NIOSH
	1900 mg/m^3		
	1000 ppm	PEL	OSHA
	1900 mg/m^3		
	1000 ppm	STEL	ACGIH
	1880 mg/m^3		
	3300 ppm	IDLH	OSHA

REL: Recommended Exposure Limit PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit

IDLH: Immediately Dangerous to Life Health

Appropriate Engineering Controls:

Ventilation: The ventilation system should be non-sparking, grounded

and separate from other exhaust ventilation systems. Local

ventilation is recommended when handling.

Personal Protective Equipment:

Respiratory Protection: Up to 1000 ppm, an approved organic vapour cartridge

respirator can be used. For concentrations above 1000 ppm, an air-supplying respirator is recommended. The user should consult a respirator guide, such as the Canadian

Standards Association's guide Z94.4-M1982.

Protective Gloves: Neoprene, butyl or natural rubber.

Eye Protection: Chemical resistant monogoggles when handling

Other Recommendations: Eye bath, safety shower and other protective equipment as

required.

9.0 PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Dark yellow liquid	
Odour	Strong, unpleasant	
Odour Threshold	Odour threshold for solvent(s) is	
	approximately 0.05-5100 ppm.	
pН	4.3 @ 25°C	
Freezing Point, °C	Not available	
Boiling Point, °C at 760 mm Hg	75 - 80	
Flash Point	13 - 16 °C	
Flammability (Solid, Gas)	Flammable	
Upper/lower Flammability or	2.0 - 20.1	
Explosive Limits (% U/V)		
Vapour Pressure	Not available	
Vapour Density (Air = 1)	1.5	
Density, kg/L @ 20 °C	$0.83 - 0.85 @ 20^{\circ}C$	
Solubility(ies)	Slightly soluble in water	
Coefficient of water/oil distribution	Separates from oil	
Auto-ignition Temperature (°C)	422	
Decomposition Temperature	Not available	
Viscosity	Not available	
% Volatiles by volume	85	

10.0 STABILITY AND REACTIVITY

Reactivity: Flammable

Chemical Stability: Stable

Possibility of Hazardous Reactions: None

Conditions to Avoid: Static Discharge, Sources of Ignition

Incompatible Materials: Oxidizing materials

No evidence of chemical incompatibility was reported between TreeAzin® and the following reagents: water, fire extinguisher agents (monoammonium phosphate, carbon dioxide), oxidizing agents, (hydrogen peroxide, phosphoric acid, nitric acid, chlorine bleach) and reducing agents (zinc

dust).

Hazardous Decomposition Products: Burning can produce carbon monoxide

and/or carbon dioxide and/or

formaldehyde.

Hazardous polymerization will not occur.

11.0 TOXICOLOGICAL INFORMATION

Ingestion: May cause dizziness, faintness, drowsiness,

decreased awareness and responsiveness, euphoria, abdominal discomfort, nausea, vomiting, staggering

gait, lack of coordination and coma.

Skin Absorption: No adverse effects with normal skin. However,

potentially harmful amounts of material may be absorbed across markedly abraded skin when contact is sustained, particularly in children.

Inhalation: Inhalation of high concentrations can produce

dizziness, faintness, drowsiness, nausea and vomiting. Symptoms depend on the level and

duration of exposure.

Skin Contact: Mild irritant. Repeated or prolonged exposure may

lead to dermatitis, erythema and scaling.

Eye Contact: Severe eye irritant. Vapours can irritate eyes. Eye

damage from contact with liquid is reversible and proper treatment will result in healing within a few

days. Damage is usually mild to moderate conjunctivitis, seen mainly as redness of the

conjunctiva.

Effect of Repeated

Overexposure: Long term repeated oral exposure may result in the

development of progressive liver injury with

fibrosis.

Medical Conditions Aggravated by Overexposure:

Repeated exposure may exacerbate liver injury

produced from other causes.

Synergistic Materials: Carbon tetrachloride, chloroform,

bromotrichloromethane, dimethylnitrosamine,

thioacetamide.

Skin: Potential skin sensitizer. Avoid contact with skin.

Skin Sensitization	Not a dermal sensitizer of male Guinea
	pigs following repeated exposures.
Acute Oral Toxicity	Single oral dose LD ₅₀ in male and female
	rats > 2000 mg/kg
Acute Nose Inhalation	4-hour acute inhalation in male and female
	rats $LC_{50} > 2.070 \text{ mg/L}$
Acute Dermal Irritation	No dermal irritation following a single
	application in rabbits
Acute Dermal Toxicity	LD_{50} in male and female rabbits > 2000
	mg/kg

Carcinogen: No Neurotoxicity: No Mutagenicity: No

12.0 ECOLOGICAL INFORMATION

Ecotoxicity (aquatic and terrestrial): Aquatic Vertebrate:

LC₅₀ (96 hours): 13, 000 mg/L

Oncorhynchus mykiss (Rainbow Trout)

Terrestrial: Not available

Persistence and Degradability: Not available

Bioaccumulative Potential: Will not accumulate

Mobility in Soil: Not available

Other Adverse Effects: Not available

Revision: 2.1 January 8, 2015

13.0 DISPOSAL CONSIDERATIONS

DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- **1.** Triple- or pressure-rinse the empty container. Dispose of the rinsings in accordance with municipal, provincial/state, or Federal requirements.
- 2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with municipal, provincial, state or federal requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the appropriate regulatory agency. Contact the manufacturer and the appropriate regulatory agency in case of a spill, and for clean-up of spills.

14.0 TRANSPORT INFORMATION

UN#: 3021

UN Proper Shipping Name: Pesticide, Liquid, Flammable, Toxic, n.o.s.

Transport Hazard Class: 3, Flammable Liquid

Packing Group: 2 Subsidiary Class: 6.1

Revision: 2.1 January 8, 2015

15.0 REGULATORY INFORMATION

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

Causes substantial but temporary eye injury

Safety, health and environmental regulations specific for the product in question.

WHMIS Classification: Flammable Liquid

Eye Irritant

16.0 OTHER INFORMATION

This SDS version (2.1) was prepared by BioForest Technologies Inc. January 8, 2015. The original SDS was prepared by BioForest Technologies Inc. March 12, 2008.

Disclaimer: BioForest Technologies Inc. believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because BioForest Technologies Inc. has no continuing control over the material, those handling, storing, or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, provincial or state and local law. BioForest Technologies Inc. makes no warranty, express or implied, including (without limitation) warranties with respect to the completeness or continuing accuracy of the information contained herein or with respect to fitness for any particular use.

Revision: 2.1 January 8, 2015 Page 11 of 11