

Water and Waste Department • Service des eaux et des déchets

Environmental Standards Division • Division des Normes Environnementales

February 16, 2017

Our File: 040-17-08-29-00 040-17-08-15-00 040-17-08-35-00

Ms. Tracey Braun Director, Environmental Assessment and Licensing Branch Manitoba Sustainable Development Suite 160 – 123 Main Street Winnipeg, Manitoba R3C 1A5

Dear Ms. Braun:

RE: 2016 SCHEDULE A MONITORING REPORTS FOR THE WEST END WATER POLLUTION CONTROL CENTRE LICENCE NO. 2669 E RR, THE NORTH END WATER POLLUTION CONTROL CENTRE LICENCE NO. 2684 RRR AND THE 2016 SCHEDULE B MONITORING REPORT FOR THE SOUTH END WATER POLLUTION CONTROL CENTRE LICENCE NO. 2716 RR

Please find enclosed the 2016 Schedule "A" Monitoring Reports for Licence No. 2669 E RR issued for the City of Winnipeg West End Water Pollution Control Centre (WEWPCC), License No. 2684 RRR issued for the City of Winnipeg North End Water Pollution Control Centre (NEWPCC) and the 2016 Schedule "B" Monitoring Report for Licence No. 2716 RR issued for the City of Winnipeg South End Water Pollution Control Centre (SEWPCC).

The reports cover the complete four quarters of 2016 for WEWPCC, NEWPCC and SEWPCC. The WEWPCC report includes the Schedule "A" monitoring results referred to in Clause #31 of Licence #2669 E RR as well as the results of the bioassay monitoring conducted under Clause #32. The NEWPCC report includes the Schedule "A" monitoring results referred to in Clause #33 of Licence #2684 RRR as well as the results of the bioassay monitoring conducted under Clause #35. The SEWPCC report includes the Schedule "B" monitoring results referred to in Clause #32 of Licence #2716 RR as well as the results of the bioassay monitoring conducted under Clause #34.

Please let me know of any concerns or questions respecting this submission. I may be reached by telephone at 204-986-8359 or by email at rgrosselle@winnipeg.ca.

Yours sincerely,

Original signed by: N. Crawford for:

R. Grosselle Manager of Environmental Standards

Enclosures

- cc: Don Labossiere, Environmental Compliance and Enforcement Branch (email)
 - M. L. Geer, CPA, CA (email)
 - C. Carroll, P.Eng. (email)
 - G. Patton, P.Eng. (email)
 - C. Diduck (email)



2230 Main Street • 2230, Rue Main • Winnipeg • Manitoba R2V 4T8 tel/tél. (204) 986-4684 • fax/téléc. (204) 339-2147 • www.winnipeg.ca